


Chapter 1: Setting Up Our System for Development



Chapter 2: Creating a Reusable Backend with Quart





```
[> psql -U tozo
psql (14.3)
Type "help" for help.
[tozo=> \dt
Did not find any relations.
tozo=>
```

Hello,

Example content


The Tozo team


Chapter 3: Building the API

members	$\bar{0}.\bar{N}^- = \{\bar{0},\bar{1}\}$	todos
id [INTEGER]		id [BIGINT]
created [TIMESTAMP]		complete [BOOLEAN]
email [TEXT]		due [TIMESTAMP]
email_verified [TIMESTAMP]		member_id [INTEGER]
password_hash [TEXT]		task [TEXT]


schema_migration
onerow_id [BOOLEAN]
data_loaded [BOOLEAN]
version [INTEGER]


Chapter 4: Creating a Reusable Frontend with React







Chapter 5: Building the Single Page App









Chapter 6: Deploying and Monitoring Your Application





Tozo architecture



Tozo network







Edit your account and security settings, as well as third-party applications and authorizations.

Settings

Security

Authorized apps

My apps

Account security

Production API Last updated November 4, 2019.

key Regenerate the API key



! Error

Sorry, something has gone wrong. Please try reloading the page or click here.

Chapter 7: Securing and Packaging the App

