
Chapter 1: An Overview of Dynamics 365 Business Central Admin Center



 ↔ → C https://businesscentral.dynamics.com/d07e5f1b-f17c-4677-9214-ea7ee736e8df/ad iii Dynamics 365 Business Central admin center 	min
Help ×	
Search here	
Help & Support Keyboard Shortcuts	

Report a problem


Copy the text below and add it to your support request:


Azure AD tenant: d07e5f1b-f17c-4677-9214-ea7ee736e8df, Environment: Production (Production)

Session ID (client): 9d3031d9-75c2-4bc4-8593-902a60918103

Session ID (server): 946359


Additional logging






Unauthorized

Access is allowed only for tenant environment administrators Make sure the user has Global admin, Helpdesk admin, or Dynamics 365 admin role assigned.



		Bills ≡≡ Columns 🖗 Got feed	Dack?		
Overview	Name		Total	Assigned	Availa
Diagnose and solve problems	Dynamics 365 Business Cent	ral Essentials	25	23	2
lanage	Dynamics 365 Business Cent		10000	6	9994
Licensed features	-	vice Professional Attach to Qualifying Dyr		35	10
All products	Dynamics 365 Marketing Bus		10000	5	9995
Self-service sign up products	Dynamics 365 P1 Trial for Inf	formation Workers	10000	5	9995
🙎 Dynami	ics 365 Busin «		Essentials L		
General		Name			
Licensed users			omoil		
		Search by name or	cilidii		
	Microsoft Azu	Q Search r	esources, services, ar	nd docs $(G+/)$	
	me > Licenses > Dy ssign license	namics 365 Busines	s Central Essentials	>	
As 	me > Licenses > Dy ssign license sers and groups / Add users and groups	ynamics 365 Busines Assignment options			
As 	me > Licenses > Dy ssign license sers and groups / Add users and groups Name	ynamics 365 Busines			
As 	me > Licenses > Dy ssign license sers and groups / Add users and groups	ynamics 365 Busines			
As 	me > Licenses > Dy ssign license sers and groups / Add users and groups Name	ynamics 365 Busines			



::: Dynamics 365 Busine	ss Central admin center					¢; ?	MA
≣	$+$ New \bigcirc Refresh						
Environments	 There are no notification n information. 	ecipients for this tenant. En	ter at least one recipi	ent to receive notificati	ons of tenant events. Go	to <u>Microsoft Docs</u> for more	• ×
Notification Recipients							
✓ Telemetry	Environments						
① Reported Outages	and a start of the						
X Operations	Name	Application Family	Туре	State	Country/region	Current Version	
🖞 Capacity	Production	Business Central	Production	Active	US	19.1.31886.32222	
	Sandbox 📑	Business Central	Sandbox	Preparing	US	19.1.31886.32222	
	٩						•

Create environment

Learn more about capacity and quotas in the Capacity page.

① You can also create an environment that is a copy of an existing environment. Just go to that existing environment's details page, and then choose the Copy action.

Do not add personal data to the environment name as this is not treated as restricted data.

Create environment

Learn more about capacity and quotas in the Capacity page.

You can also create an environment that is a copy of an existing environment. Just go to that existing environment's details page, and then choose the Copy action.

Environment Name: *

Type:

Sandbox

~

Do not add personal data to the environment name as this is not treated as restricted data.

V

Type:

Production

Environment Name: *

You cannot create more than 1 production environments.

You cannot create more than 3 sandbox environments.

Chapter 2: Managing Business Central Environments

::: Dynamics 365 Busin	ness Central admin center					ې چې	MA
	$+$ New \bigcirc Refresh						
Environments	 There are no notification re information. 	ecipients for this tenant. En	ter at least one recipi	ent to receive notificat	ions of tenant events. Go	to <u>Microsoft Docs</u> for more	\times
Notification Recipients							
✓ Telemetry	Environments						
Reported Outages			_	-			
X Operations	Name	Application Family	Type	State	Country/region	Current Version	
	Production	Business Central	Production	Active	US	19.1.31886.32222	
	Sandbox *	Business Central	Sandbox	Preparing	US	19.1.31886.32222	•
	iii Dynamic	s 365 Busin	ess Centi	ral admin	center		
			1 +	<mark>Jew</mark> C F	Refresh		
	Environment	S	En	/ironme	nts		
	Notification	Recipients					

Create environment

Learn more about capacity and quotas in the Capacity page.

 You can also create an environment that is a copy of an existing environment. Just go to that existing environment's details page, and then choose the Copy action.

Environment Name: *

BaludinProduction

Do not add personal data to the environment name as this is not treated as restricted data.

Type:

Production

 \sim

1

You cannot create more than 1 production environments.

Country: *

MX

Version: *

19.1.31886.32222	\sim
------------------	--------

Create

Cancel

Create environment

 You can also create an environment that is a copy of an existing environment. Just go to that existing environment's details page, and then choose the Copy action.

Environment Name: *

BaludinSandbox

Do not add personal data to the environment name as this is not treated as restricted data.

Type:

Sandbox	\sim
---------	--------

Country: *

MX

Version: *

19.1.31886.32222

You are responsible for any interference with the production data if you turn on any integration; please review <u>here.</u>

Your organization is responsible for managing and honoring any Data Subject Rights (DSR) requests within the sandbox environment.

Create Cancel

Environments

Name	Application Family	Туре	State	Country/region	Current Version
Production	Business Central	Production	Active	US	19.1.31886.32222
BaludinSandbox 🗖	Business Central	Sandbox	Preparing	DE	19.1.31886.32222
Sandbox 📑	Business Central	Sandbox	Active	US	19.1.31886.32222

Environments

Name	Application Family	Туре	State	Country/region	Current Ver	sion
Production	Business Central	Production	Active	US	19.1.31886.	32222
BaludinSandbox 🗖	Business Central	Sandbox	Active	DE	19.1.31886.	32222
Sandbox 🗖	Business Central	Sandbox	Active	US	19.1.31886.	32222
Dynamics 365 Business Cer	ntral admin center					
E	Apps 🖓 Sessions 🖯 Data	base \vee 👂 Support 🗸 💮 Upd	ate Settings \vee 🗈 Co	py 🗋 Restore 🛋 Rename	X Delete 📿	Refresh
Environments						
Notification Recipients	nvironments > Producti	Ion				
✓ Telemetry	Details				Active ①	
① Reported Outages						
X Operations	Name Production	Application Family Business Central	Country/region US	Azure Region East US		
🖞 Capacity						
	Type Production	Application Insights Connection String (?) Not Set (<u>Define</u>)	Security Group Not Set (<u>Define</u>)			
	url https://businesscentral.dynamics	.com/d07e5f1b-f17c-4677-9214-ea76	ee736e8df/Production			

Copy environment

Production

Learn more about copying environments in the following article: <u>Managing</u> <u>Production and Sandbox Environments in the Admin Center</u>.

When you copy an environment that integrates with other services, make sure that you avoid any interference with production data.

New environment name: *

ProdCopy

Do not add personal data to the environment name as this is not treated as restricted data.

New environment type:

Sandbox

Сору	Cancel
------	--------

Error

Maximum number of allowed environments of type Production have already been provisioned. Current limit is 1.

Tracking ID: 6b0eaeac-9632-4d84-a7d4-83dad9b581e6

Correlation ID: 2685997e-95f9-41f9-a03b-25238a85f327

Copy environment

 \times

This will create a copy of the environment with the name 'Production' of type 'Production'. The new environment will have the name 'ProdCopy' and be of type 'Sandbox'. Are you sure you want to schedule a copy of the specified environment now?

			Yes	No	
::: Dynamics 365 Busine	ss Central admin center				
Environments	Environments > Sa		⑦ Update Settings ∨ ℕ C	iopy 🖸 Restore 🛋 Rename	X Delete 📿 Refresh
✓ Telemetry	Details				Active ①
Reported OutagesOperations	Name Sandbox	Application Family Business Central	Country/region US	Azure Region South Central US	
🖞 Capacity	_{Type} Sandbox	Application Insights Connect Not Set (<u>Define</u>)	ion String (?) Security Group Not Set (<u>Define</u>)		
Rename envir Sandbox Enter a new name for this er the environment's URL, whic your other environments. Yo later on if you want to.	wironment. The environme th uniquely identifies this en	nt name is part of		ed environment and all data fo the data back after deleting. A	
Caution: Changing the env environment. We recommo Business Central.			Environment type: Produc	tion, Environment name: Pro	duction
Visit <u>Rename Environment</u> its considerations.	to find out more about t	his operation and		Yes	No
New environment name: *					
Do not add personal data to the env	vironment name as this is not treat	ted as restricted data.			

Chapter 3: Environment Details and Notification Setup

🗄 Apps 冷 Sessions 🗇 Database 🗸 🔗 Support 🗸 🛞 Update Settings 🗸 🗈 Copy 🔂 Restore 🛋 Rename 🗙 Delete 📿 Refresh

Environments > Production

Details			Active (
Name	Application Family	Country/region	Azure Region
Production	Business Central	US	East US
Туре	Application Insights Connection	String (?) Security Group	
Production	Not Set (<u>Define</u>)	Not Set (<u>Define</u>)	
URL			
https://businesscentra	ll.dynamics.com/d07e5f1b-f17c-4677	-9214-ea7ee736e8df/Production	

Version Management			
Application Version	Platform Version	Available Update Version	Update Scheduling Available (?)
19.1.31886.32222	19.1	19.2.32968.33437	Yes
Update will start on or after	Update window (GMT+3, UTC+3:00)	Update Rollout State (?)	
1/14/2022 (Modify)	Not Set (Define)	Active	

Dynamics 365 Business Central admin center ≣ Environments > Manage apps Environments Notification Recipients ✓ Telemetry Publisher Installed Version Available Update Action Name ↑ Latest Available Version ① Reported Outages AMC Banking 365 Fundamentals Microsoft 19.1.31886.32222 Up to Date 💥 Operations Application 19.1.31886.32222 Microsoft Up to Date Capacity **Base Application** Microsoft 19.1.31886.34659 Up to Date Business Central Cloud Migration - Prev Microsoft 19.1.31886.32222 Up to Date Business Central Cloud Migration - Prev Microsoft 19.1.31886.32222 Up to Date

Environments > Manage sessions				
Sandbox-Business Central \checkmark Show session defined by the session of the set	etails	Cancel selected sessions	Refresh	Restart Environment
Session ID User ID Client Type	Login Duration			
O 7228 ADMIN Web Client		ncel session		
	C View expor	abase export t history Update Se t Request uction Outage port contact		
Home >	Services			See all
Groups All gro	ups 🌆 Group	oups		
🚨 All groups		groups irce groups		
Deleted groups		gement groups		
× Diagnose and solve problems		ation groups		
Sottings		ork security groups		
Settings	Proxin	nity placement groups		
හි General	🤤 Applic	cation security groups		
袋 Expiration	🈻 Capac	ity Reservation Groups		

Microsoft Azure	Search resources, service	es, and docs (G+/)		
Home >				
Groups All groups				
«	🏘 New group 🚽 Dow	wnload groups 📋 Delete	🕐 Refresh 🛛 🗔 Columns 🔹 🔊 Got fe	edback?
All groups	-			
Deleted groups	₽ Search		Y Add filter	
X Diagnose and solve problems	Search mode 🛛 💽 Co	ntains		
Settings	5 groups found			
铰 General	Name 1		Object Id	Group Type
🐯 Expiration			objectiu	Group type
	AC All Compa	any	360c439d-886e-4981-9bad-bdccc7faa09d	Microsoft 365
Activity	AE All Emplo	yees	10de5e0e-7832-4368-a882-cad7dcefd12a	Distribution
Privileged access groups (Preview)	BS BI Strateg	У	6df9fd80-74f5-4701-a7ae-66828379c602	Distribution
ã Access reviews	PR Productio	n	ccd3bfdd-d76f-47a4-b3e3-ddd826826a11	Distribution
Audit logs				
Bulk operation results	SA Sales		ac38baf2-7c19-439d-92f9-ed188a3d8dfd	Distribution
Troubleshooting + Support				
		Add members		
New support request New Group …		Add members		
 New support request New Group … Got feedback? Group type * ① 	5 	Search ① 夕 Search		
New support request New Group R Got feedback?		Search ①		
 New support request New Group … Got feedback? Got pype * ① Security Group name * ① 		Search ① P Search AA AD App Manager f0ae4899-d877-4d	3c-ae25-679e38eea492	
 New support request New Group … Got feedback? Group type * ① Security 	5 	Search ① Search AA AD App Manager f0ae4899-d877-4d AA AAD Request Verifi	3c-ae25-679e38eea492 ication Service - PROD	
New support request New Group Image: Second system Image: Second system Security Group name * ① Busines Central Production Security ①		Search ① Search AA AAD App Manager f0ae4899-d877-4d AAD Request Verifi c728155f-7b2a-45	3c-ae25-679e38eea492	
 New support request New Group … Got feedback? Group type * ① Security Group name * ① Busines Central Production 		Search ① Search AA AD App Manager f0ae4899-d877-4d AA AD Request Verifi c728155f-7b2a-45r Alan Steiner	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319	
New support request New Group Image: Second system Image: Second system Security Group name * ① Busines Central Production Security ①		Search () Search AA AD App Manager f0ae4899-d877-4d AR AAD Request Verifi c728155f-7b2a-450 Alan Steiner alans@CRMbc3690	3c-ae25-679e38eea492 ication Service - PROD	
 New support request New Group Got feedback? Group type * ① Security Group name * ① Busines Central Production Group description ① Busines Central Production 		Search () Search AA AD App Manager f0ae4899-d877-4d AAD Request Verifi c728155f-7b2a-450 Alan Steiner alans@CRMbc3690 Alicia Thomber	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319 836.OnMicrosoft.com	
New support request New Group Image: Security Security Group name * ① Busines Central Production Group description ① Busines Central Production		Search () Search AA AD App Manager f0ae4899-d877-4d AAD Request Verifi c728155f-7b2a-450 Alan Steiner alans@CRMbc3690 Alicia Thomber	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319	
 New support request New Group Got feedback? Goup type * ① Security Group name * ① Busines Central Production Group description ① Busines Central Production Membership type ① Assigned 		Search () Search AA AD App Manager f0ae4899-d877-4d AR AD Request Verifi c728155f-7b2a-450 Alan Steiner alans@CRMbc3690 Alicia Thomber aliciat@CRMbc3690	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319 836.OnMicrosoft.com	
New support request New Group Image: Security Security Group name * ① Busines Central Production Group description ① Busines Central Production Membership type ① Assigned Dwners		Search Search Search AA AD App Manager f0ae4899-d877-4d AD Request Verific c728155f-7b2a-45i Alan Steiner alans@CRMbc369i Selected items	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319 836.OnMicrosoft.com	
 New support request New Group Got feedback? Goup type * ① Security Group name * ① Busines Central Production Group description ① Busines Central Production Membership type ① Assigned Owners No owners selected 		Search ① Search AA AD App Manager f0ae4899-d877-4d AA AD Request Verifi c728155f-7b2a-45i AIan Steiner alans@CRMbc369i Alicia Thomber Selected items Alicia Thomber	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319 836.OnMicrosoft.com	Remove
New support request New Group Image: Security Security Group name * ① Busines Central Production Group description ① Busines Central Production Membership type ① Assigned Dwners No owners selected Members		Search ① Search AA AD App Manager f0ae4899-d877-4d AA AD Request Verifi c728155f-7b2a-45i AIan Steiner alans@CRMbc369i Alicia Thomber Selected items Alicia Thomber	3c-ae25-679e38eea492 ication Service - PROD 02-a08b-b8af9b269319 836.OnMicrosoft.com 836.OnMicrosoft.com	

Edit Security Group

Production		Details			Active 🛈 App hotfix Skipped
licensed user can access. User	o people in this security group. Otherwise, any s with administrator role can access all ey are added to the group or not. <u>Learn more</u>	Name Production	Application Family Business Central	Country/region US	Azure Region East US
Current security group:	Ĩ	Type Production	Application Insights Connection String (2) InstrumentationKey=f0240 7-d0bf-4ddf-8083-	Security Group Business Central Production ²² (<u>Modify</u>)	
♀ Search	<u>ت</u>		7ff9687635c9;IngestionEnd oint=https://eastus-		
SecurityGroup	Id		8.in.applicationinsights.azu .com/ (<u>Modify</u>)	re	
Business Central Production	e638ad3a-ec5e-4b90-b58	URL https://businesscent	tral.dynamics.com/d07e5f1b-f17c-46	77-9214-ea7ee736e8d	f/Production
Extra security	acb4a6a4-e850-4ca4-8738				

Edit Security Group

Production

Restrict environment access to people in this security group. Otherwise, any licensed user can access. Users with administrator role can access all environments, regardless if they are added to the group or not. Learn more

	ent security group:		
Busi	ness Central Production	Ū	
<u>ک</u>	Search		
Se	curityGroup	ld	
Bu	siness Central Production	e638ad3a-ec5e-4b90-b58	
::: Dynamics	365 Business Central admin	center	
	+ Add recipien	nt — Remove recipient	
Environments	Notification	Recipients	
🖾 Notification Re		i necipients	
∽ Telemetry	Name		Email Address
① Reported Outa	iges Andrey Baludin		andrey.baludin@awara-it.com
X Operations			
🗂 Capacity			

Add recipient

Add an email to receive notifications

Name	Name *								
And	rey Baludin								
Email /	Email Address *								
andr	rey.baludin@awara-it.com								
Sa	ve Cancel								
Microsoft		Microsoft							
Dynamics 365 Busi	iness Central	Dynamics 365 Business Central							
yes, we think you'll like		Your updated Business Central is ready Business Central has been successfully updated. Sign into the environment to verify the update and check out the new capabilities.							
start on the date specified below		Your service identifier (Tenant): CRMbc369836-APICreate Environment: APICreate							
Updates will automatically sta Last day to apply update: Scheduled time:	rt: On or after 6/5/2022 6/16/2022 (UTC) Between 8:00:00 AM and 2:00:00 PM (UTC)	Version before update: Version after update: Completed date:	20.0 20.1 5/26/2022 8:16:48 AM (UTC)						
Microsoft		Microsoft							
Dynamics 365 Bus	siness Central	Dynamics 365 Busin	ness Central						
Your Business Centr	ral was not updated	Your extension needs updating							
and have rescheduled your un notification with the reschedu	lated on your scheduled date and time. We apologize pdate for seven days from now. You will receive anoth uled date and time. If the scheduled date or time is ss, you can easily <u>reschedule the update</u> .	We have made improvements in the next update of Business Central, and we are eager to make the update available for you. However, our last automatic extension validation check indicates that the contract App extension that is installed in the Dynamics 365 Business Central environment for							
Your service identifier (Tenant): Environment: Version before update: Version after update: Scheduled date (missed):	німичи - Лабор 19.5 20.0 4/21/2022 (UTC)	The compatibility issue must be r	tible with version 20.1.38742.0. esolved before the environment for which the essfully updated to version 20.1.38742.0.						

Set update window

Production

The update window is the time of day when updates may be applied to the environment. During the update the environment will not be available.

Select the update window in your local time.

12:00:00 AM	\sim	
End Time (GMT+3, UTC+3:00)		ð 2
6:00:00 AM	\sim	
Upload And Deploy Extension	2	×
epicaa i ila bepic) interioren		/ `
Upload Extension		

Deploy Extension

Deploy to	Next major version	~
Language	English (United States)	
Schema Sync Mode	Add	~
Disclaimer		
Accept		
Read more about the best practices	for installing and publishing extensions	

Cancel	Deploy

Cloud Migration Management

Start Time ↓	End Time		Trigger Type		ration 9	Status		Disable Cloud Migration Define User Mappings	n
5/18/2022 11:00 AM	5/18/2022 1	1:00 AM	Manual	No	rmal	Comp		Jenne Oser Mappings	
5/18/2022 10:50 AM	5/18/2022 1	0:56 AM	Manual	Full		Comp	leted P	Manage Custom Tables	
5/16/2022 7:45 PM	5/16/2022 7	:48 PM	Manual	No	rmal	Comp	leted 4	Actions	>
5/16/2022 7:30 PM	5/16/2022 7	:37 PM	Manual	No	rmal	Upgra	de Per F	ewer options	
5/16/2022 7:21 PM	5/16/2022 7	:27 PM	Manual	No	rmal	Upgra	de Pending	Dynamics 365 E	Busir
Dynamics 365 Business Central								، م	Q
Feature Management								✓ Saved 🛛	C
🔎 Search 📑 Edit List								e 7	=
						Current			
Feature		Automatica	ally enabled from	Enabled for	Get started	Company Status			
→ Advance payments localization	Elearn more	Update 20).0 (Q2 2022)	None		Disabled	Managing	change	
Feature Update: Currency symb		10.0.0000000000000000000000000000000000	2.0 (Q2 2023)	None		Disabled	Some new features are turned off when Dynam		nics
Feature Update: Enhanced ema).0 (Q2 2022)	All Users	-	Enabled	365 Business	Central is updated to a newer ver	rsion.
Feature: Decimal separator on .).0 (Q2 2022)	All Users	_	Enabled		es are optional for a period of time automatically enabled for all use	
Feature Update: New time shee			1.0 (Q4 2022)	All Users	-	Enabled	a later softwa	are update.	10 111
Feature Update: Use tracking b.).0 (Q2 2022)	None	-	Disabled		pare in advance by enabling these all users on the right environment	at
Feature Update: New sales price			2.0 (Q2 2023)	None	-	Disabled		e that suits your schedule.	at
Feature Update: Multiple Units			1.0 (Q2 2023)	None	-	Disabled			
reature opulate, multiple onits	Lean more	opuate 2	1.0 (024 2022)	None	-	Disabled	L	earn more about feature manage. See the Release	
vironments > Manage	apps Publisher		Installed Versi	on		Latest Availa	ble Version	Available Update	Acti
C Banking 365 Fundamentals	Microsoft		20.1.39764.40	432				Up to Date	
lication	Microsoft		20.1.39764.40	432				Up to Date	
	Microsoft		20.1.39764.41	988		20.1.39764.4	2040	Install update	
e Application									
e Application iness Central Cloud Migration - Prev	Microsoft		20.1.39764.40	432				Up to Date	

 \leftarrow

		Dynam	ics 365 Bus	siness Cen	tral admin center		
		Environmer	nts	Er	nvironments > Mar	nage	apps
	Ø	Notificatior	n Recipients	Pr	oduction-Business Central	\sim	
	×	Telemetry			aludinSandbox-Business C rodCopy-Business Central		Publisher
	Ø	Reported C	Outages	P	roduction-Business Centra	I	Microsoft
	*	Operations		S	andbox-Business Central		Microsoft
	۵	Capacity					Microsoft
				Bas	se Application		Microsoft
Env	ironments	> Manage ses	ssions				
v20-	3-Business Cer	ntral 🗸 🗌 Sh	ow session details		Cancel selected sessions	Refres	h Restart Environment
0	Session ID	User ID	Client Type	Login Duration			
•	17573	ADMIN	Web Client	26m	<u>Cancel session</u>		×

Restart Environment

Restarting an environment will end all sessions on the environment and interrupt all currently active users. Restarting may take a few minutes. You can follow the status of the restart on the environment details page.

Are you sure you want to restart environment v20-3-Business Central?

Yes	No
1.11-1	

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *	Visual Studio Enterprise Subscription – MPN	~
Resource group *	(New) BCExport	~
	Create new	

Instance details

If you need to create a legacy storage account type, please click here.

Storage a	account name ()*	bcexporttest2	
Re <mark>gion</mark>	() *	(US) East US	V
Performa	ance 🛈 *	• Standard: Recommended for most scenarios (general-purpose v2 account)
-	red services ① Blob File Queue	Table	
	ved resource types 🛈 Service 🔽 Container 🔽	Object	
-	red permissions 🛈 Read 🔽 Write 🔽 Dele	te 🗌 List 🗌 Add <mark> </mark> Create 🗌	Update Process
	versioning permissions ① Enables deletion of versions		
_	ed blob index permissions Read/Write 🔽 Filter	0	
Start	and expiry date/time 🕕		
Start	06/14/2022		12:24:57 PM
End	06/15/2022		8:24:57 PM

Signing key ①

key1 🚿

Generate SAS and connection string

Connection string

BlobEndpoint=https://bcexporttest.blob.core.windows.net/;GueueEndpoint=https://bcexporttest.queue.core.windows.net/;FileEndpoint=... 🗈

SAS token ①

?sv=2021-06-08&ss=b&srt=co&sp=rwdctfx&se=2022-06-15T17:24:57Z&st=2022-06-14T09:24:57Z&spr=https&sig=gbKNB5xt490favtli ... 🗈

Blob service SAS URL

https://bcexporttest.blob.core.windows.net/?sv=2021-06-08&ss=b&srt=co&sp=rwdctfx&se=2022-06-15T17:24:57Z&st=2022-06-14T09:... 🗈

Create database export

Environment Name:

Production

File Name:

Production_20220124_01.bacpac

SAS URI: (i)

https://bcexporttest.blob.core.windows.net/?sv=2020-08-04&ss=b&sr...

Container Name:

ProductionExports

Each environment is limited to 10 exports per month. This environment has 10 exports remaining for this month.

Create

Cancel

Your export is underway

X

The database export has successfully initiated. The operation may take several minutes to several hours to complete depending on the size of the database. Once completed, the Production_20220124_01.bacpac file will be available in the ProductionExports container of the bcexportest Azure storage account.

The export operation will continue even if you navigate away from this page or close the Business Central Admin Center.

Close

ocation: productionexp		h to Azure AD User Acco						
Search blobs by prefix	(case-sensitive)						Show delet	ted blo
+ _▼ Add filter								
Name		Modified	Acces	s tier	Archive status	Blob type	Size	
Production_20	220124_01.bacpac	1/24/2022, 5:37	59 PM Hot (I	nferred)		Block blob	18.91 MiB	
Environments	> Export Hist	tory						
Production-Business	Central \lor Star	t date: 12/25/2021	Ē	End date:	1/24/2022	Filte	r -	
Date/Time	Environment	Application Family	Country	Version	Action	Export name		Storad
		Business Central		19.2.32968	Create database export		0220124 01.bacpac	00007600

Restore environment (Preview)

Production

Restore can only be done within the same country/Azure region and within the same minor and major version.

Backups are available from: ①	
5/27/2022, 12:02:36 AM	
Select the date to restore to: *	
6/12/2022	
Select the time to restore to: *	
12:00 PM	Ŀ
L.	
Restore to:	
Restore to: Environment type:	
	~
Environment type:	~
Environment type:	~
Environment type: Sandbox	~

(i) Each environment is limited to 10 restores per month. This environment has 10 restores remaining for this month.

Restore Cancel

Chapter 4: Telemetry Setup and Analysis

	∇ message		∽ seve	rityLevel 🏹 itemT	'ype ♡ customD	imensions		\bigtriangledown	operation_Name
2/9/2022, 10:56:27.179 #	A Operation	exceeded time thresh	old (SQL q 2	trace	{"aadTen	antid":"		,"co	Long Running C
2/9/2022, 10:22:05.519	A Operation	exceeded time thresh	old (AL m 2	trace	{"extensi	onVersion":"19.3.34	4541.35754","extension	nId":"437dbf0	Long running o
2/8/2022, 11:31:06.156 A	AM Operation	exceeded time thresh	nold (SQL q 2	trace	{"compo	nent":"Dynamics 3	65 Business Central Se	rver","enviro	Long Running (
2/8/2022, 3:21:03.558 P	M Operation	exceeded time thresh	old (AL m 2	trace	{"compa	nyName":"	,"component":"Dy	/namics 365	Long running o
2/8/2022, 3:21:03.558 P	M Operation	exceeded time thresh	nold (AL m 2	trace	{"compa	nyName":"	", "component": "Dy	/namics 365	Long running o
Telemetry									
03/07/2022 03:40 F	PM D	-200		Minutes	All	~	- Busines	sCentral \vee	Search
Timestamp ↑	Level	Opcode Na	Object Type	Object Id	Object Exte	Object Exte	Function Na	Failure Mess	age
3/7/2022, 3:20:0	4		Page	50,069	ecff200		AppObj		
3/7/2022, 3:20:2	4	Start	CodeUnit	448	437dbf	Base A	OnRun		
3/7/2022, 3:20:2	4		CodeUnit	7,201	437dbf	Base A	AppObj		
			CodeUnit	7,201	437dbf	Base A	AppObj		
3/7/2022, 3:20:2	4		couconit	,,,	Constantighting				
3/7/2022, 3:20:2 P appl	4						123 Fok • oc		
Ω appl	4 Services	(38)	Marketpla			mentatior	(26)	Resource	es (0)
appl	Services					mentatior	(26)	Resource	es (0)
Ω appl	Services					mentatior	1 (26)	Resourc	es (0)
appl	Services					mentation	(26)	Resource	es (0)
appl	Services					mentatior	(26)	Resourc	es (0)
 appl All Azure Activ Services 	Services ve Direct	ory (0)				mentatior			
appl All Azure Activ	Services ve Direct	ory (0)				mentatior			es (0) ity group
 appl All Azure Activ Services 	Services ve Direct on gatew	vory (0) vays				mentatior		ion secur	ity group
appl appl All Azure Activ Services Applicatic	Services ve Direct on gatew	rory (0) rays				mentatior	Applicat	ion secur Al service	ity group

PROJECT DETAILS

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ①	MVP
Resource Group * ①	BCInsights V Create new
INSTANCE DETAILS	
Name * 🛈	BCIns2
Region * 🕕	(US) East US 2
Resource Mode * (i)	Classic Workspace-based
WORKSPACE DETAILS	
Subscription * 🕕	MVP
*Log Analytics Workspace ((new) DefaultWorkspace-384b3e90-521f-4c6e-826d-13c6a509443a-EUS2 ∨
Review + create «	Previous Next : Tags >
Application Insight	
Validation passed	
Basics Tags Review + crea	ite
SUMMARY	
Provide a series of the series	
Subscription	MVP
Resource Group	BCInsights
Name	BCIns2
Region	East US 2
Workspace	DefaultWorkspace-384b3e90-521f-4c6e-826d-13c6a509443a-EUS2 [eastus2]

Environments > Production

Details			Active 🛈
Name	Application Family	Country/region	Azure Region
Production	Business Central	US	East US
Туре	Application Insights	Security Group	
Production	Connection String (?)	Business Central	
	InstrumentationKey= 40e27-****-****	=f02 Production (<u>Mod</u>	<u>ify</u>)
	*********;Ingestion	nEn	
	dpoint=https://eastu		
	8.in.applicationinsig	nts.a	
	zure.com/ (Modify)		

Set Application Insights Connection String

Enter the connection string for the Azure Monitor Application Insights resource, which you can get from the <u>Azure Portal</u>. This enables Business Central to send telemetry from this environment to Application Insights in Azure.

Go to Enable Sending Telemetry to Application Insights for more information.

Caution: Applying this connection string requires a restart to the environment. We recommend doing this when no users are active in Business Central.

Production

Enable Application Insights



Connection String *

InstrumentationKey=f0240e27-d0bf-4ddf-8083-7ff9687635c9;Ingestio...

Environments > Production

Details			Active 🛈
Name Production	Application Family Business Central	Country/region US	Azure Region East US
Type Production	Application Insights Connection String (?) InstrumentationKey= 40e27-****_***** **********;Ingestion dpoint=https://eastu 8.in.applicationinsigh zure.com/ (<u>Modify</u>)	nEn Is- hts.a	i <u>fy</u>)

launch.json	• app.json • AL HelloWorld.al 1
	e applicationInsightsConnectionString
1 {	
	"id": "e8c7fb05-2795-4f92-af76-9d0a6ce3f363",
	"name": "ALProject17",
	"publisher": "Default publisher",
	"version": "1.0.0.0",
6	"brief": "",
7	"description": "",
8	"privacyStatement": "",
9	"EULA": "",
10	"help": "",
11	"url": "",
12	"logo": "",
13	"dependencies": [],
14	"screenshots": [],
15	"platform": "1.0.0.0",
16	"application": "19.0.0.0",
17	"idRanges": [
18	{
19	"from": 50100,
20	"to": 50149
21	
22	
23	"resourceExposurePolicy": {
24	"allowDebugging": true,
25	"allowDownloadingSource": false,
26	"includeSourceInSymbolFile": false
27	} ,
28	"runtime": "8.0",
29	applicationInsightsConnectionString": "InstrumentationKey=f(and 27-6 add 4ddf-2003-7 add 2003-7
30 }	

BCAppInsights Select scope	► Run Time range : Last 24 hours) 🛛 🛱 Save 🗸 🖻 Share 🗸 🕂	New alert rule
Tables Queries Functions ···		one of the queries to start	
Application Insights Run Time range : Last	3 days	$+$ New alert rule \mapsto Expo	ort 🗸 🕂
1 pageViews			
1 pageViews			*
1 pageViews Results Chart			* ,0
	id	name	Q url m
Results Chart	 id 6467f39143bc4342b92926a2e8c7de1c	name Order Processor Role Center	Q

\triangleright Run Time range : Last 12 hours \blacksquare Save \checkmark $i \ge$ Share \checkmark $+$ New alert rule \mapsto Export \checkmark \checkmark Pin to \checkmark 1 traces	1
1 traces	
	1

dd9bac364d8c4f3b9d295945d41a40fa

I.


Return Reasons

> 6/21/2022, 7:57:47.196 AM

-	Chart				~
tim	estamp [UTC]	message	severityLevel	itemType	cust 👔
>	6/22/2022, 10:44:16.780 AM	Authentication with Web Servic	1	trace	I Cour
>	6/22/2022, 10:44:16.812 AM	Web service called (Api): MS/a	1	trace	sur +
>	6/22/2022, 10:44:16.905 AM	Authentication with Web Servic	1	trace	{
>	6/22/2022, 10:44:16.905 AM	Authorization Succeeded (Ope	1	trace	ł
>	6/22/2022, 10:44:16.937 AM	Web service called (Api): MS/a	1	trace	ł
>	6/22/2022, 10:44:17.031 AM	Authorization Succeeded (Ope	1	trace	1

w	BCAppInsights	Diagnost	ic settings	\$		
0	Search (Ctrl+/)	« () Re	fresh 🔗 Feedba	ck		
	Application map	^ ·				
q	Smart detection	your ch	oice. You may crea	ed to configure streamir te up to five different di	agnostic settings to se	
-	Live metrics	destina	tions. Learn more a	bout diagnostic setting	5	
0	Transaction search	Diagno	stic settings			
		N	ame	Storage account	Event hub	Log Anal
¥	Availability	Ex	port traces to SA	bcexporttest	-	
112	Failures	<				
4	Performance	+ .	Add diagnostic sett	ing		
*	Troubleshooting guides (preview)		1	ng' above to configure t	he collection of the fo	llowing data:
			AppAvailabilityResu AppBrowserTiming			
Mo	nitoring		AppEvents			
	Alerts		AppMetrics AppDependencies			
úí	Metrics		AppExceptions AppPageViews			
	Diagnostic settings	•.	AppPerformanceCo	ounters		
	Logs		AppRequests AppSystemEvents			
	Workbooks		AppTraces AllMetrics			
	Save 🗙 Discard 📋 Delete 🔗	Feedback				
	nostic setting name *	Export traces to SA	-1.		~	
100		Export traces to 54			· .	
Logs			Destination deta	ails		
Ce	ategory groups ① allLogs		Send to L	og Analytics workspace		
Ca	ategories		Archive to	a storage account		
	AppAvailabilityResults	Retention (days)				
		Retention (days)		be charged normal data rates f liagnostics to a storage accour		when you
	AppBrowserTimings	0]			
	AppEvents	Retention (days)	1 Showi	ng all storage accounts includ	ing classic storage accounts	
	AppMetrics	Retention (days)	Location East US			
		0				
	AppDependencies	Retention (days)	Subscription	û.		\sim
		Retention (days)	Storage acco	unt *		
	AppExceptions	0	bcexportte	12		\sim
	AppPageViews	Retention (days)	Stream to	an event hub		
	AppPerformanceCounters	Retention (days)	1 _			
		Retention (days)	Send to p	artner solution		
	AppRequests	0				
	AppSystemEvents	Retention (days)				
		Retention (days)				
	AppTraces	0				

Usage Charts




Retention for Application Insights data types default to 90 days and will get the workspace retention if it is over 90 days. To set the retention on these types to be less than 90 days, set the retention on each of these data types. Learn more.



Daily cap

You can control your costs by applying a cap to the amount of data that you collect per day. Note that there can be some latency in applying the daily cap, so stopping data ingestion precisely at the specified cap cannot be guaranteed. The collection of security-related data types by Azure Sentinel or Azure Security Center (using the current pricing model) is not affected by this daily cap. (For workspaces on which Azure Security Center was enabled before June 19, 2017, security data types are capped like other data types.) Learn more



Daily limit will be set at: 00:00 UTC

OK

	<pre>1 traces 2 where severityLevel</pre>	== 3	
	Results Chart 🔲 Co	olumns \vee 🕒 Display time (UTC+00:00) \vee	Group columns
	Completed. Showing results fr	om the custom time range.	
	timestamp [UTC] 🛛 🖓	message 🗸	severityLevel
	> 2/17/2022, 8:53:24.001 AM	Extension failed to install: Demo App 1 version 19.3.0.1	3
	> 2/17/2022, 8:55:23.003	This is an error message test	3
	> 2/17/2022, 8:57:14.589 AM	Task 1c02e4c7-314d-4ee5-90c9-fde3c080be36 main co	3
	> 2/12/2022, 6:31:19.053 PM	Task 02b8d45a-b2f4-4496-8c4c-f35ea6cae518 main co	3
,	customDimensions {"o	component":"Dynamics 365 Business Central Server", "environn	nentType":"Prod
	aadTenantld	d07e5f1b-f17c-4677-9214-ea7ee736e8df	
	authorizationStatus	Success	
	clientType	Background	
	companyName	CRONUS USA, Inc.	
	component	Dynamics 365 Business Central Server	
	componentVersion	20.0.39668.42066	
	environmentName	Production	
	environmentType	Production	
	eventId	RT0004	
	parentSessionClientType	UnknownClient	
	parentSessionId	NaN	

*

tim	estamp [UTC]	message	severityLevel	itemType	customDimensions
>	6/22/2022, 8:31:29.260 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/r
>	6/22/2022, 8:31:29.401 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/r
>	6/22/2022, 8:31:29.417 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/ı
>	6/22/2022, 8:46:29.476 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/r
>	6/22/2022, 8:46:29.603 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/r
>	6/22/2022, 8:46:30.077 AM	Web service called (Api): MS/ap	1	trace	{"endpoint":"MS/api/r


	er Card		\bigcirc				
	10D Admini	strator					
5	Effective Permissions	🖃 Send Email	More options				
Ge	eneral	_		_	_	_	Shov
Use	er Name	ADN (Choose one of the	following option	s:		
Full	l Name	MOE	○ Set field to null GUI	D			@CRMbc369836.onmicrosoft.
Stat	tus		Set field to random				
Juan	105	Liidi	Set field to random	GOID			
Con	ntact Email	adm			ок	Cancel	
Tele	emetry ID	{5d1				Cancer	
				Web	Service Access	Key	
				Wab	Service Expiry D	Data	
traces				e ↦ Export ∨	☆ Pinto ∨ ∃	Format query	
traces		Oisplay time (U)		$e \mapsto \text{Export} \lor$		Format query	
traces	Chart Columns ~	Oisplay time (U)	rc+00:00) ∨ ● Gr		Ø Pin to ∨ ∃ ∴ ∴ ♡ itemType	Format query	sions
traces sults npleted. timestar	Chart Columns ~	 Display time (U thour. 	rc+00:00) ∨ ● Gr	oup columns			sions 'Dynamics 365 Business Central Server', "et
traces sults npleted. timestar 2/14/202	Chart ☐ Columns ✓ . Showing results from the las: mp [UTC] ♀ message 222, 8:48:05.594 This is an e	 Display time (U thour. 	rc+00:00) ∨ ● Gi	roup columns ₽ severityLevel	 ∀ itemType		
sults npleted. 2/14/202	Chart Columns ✓ Showing results from the lass mp [UTC] ♡ message 222, 8:48:05:594 This is an e timestamp [UTC]	Oisplay time (U t hour.	rc+00:00) ~ • Gr	roup columns ₽ severityLevel	 ∀ itemType		
traces sults npleted. timestar 2/14/202	Chart ☐ Columns ∽ Showing results from the lass mp [UTC] ▽ message 222, 8:48:05:594 This is an e timestamp [UTC] message	Oisplay time (U t hour. rror message test 2022-02-14T08-48:05.59	rc+00:00) ~ • Gr	roup columns ₽ severityLevel	 ∀ itemType		
traces sults npleted. timestar 2/14/202	Chart Columns ✓ Showing results from the lass mp [UTC] ♥ message 222, 8:48:05.594 This is an e timestamp [UTC] message severityLevel itemType	Display time (U t hour. rror message test 2022-02-14T08:48:05.59 This is an error message 3 trace	rC+00:00) ∨ ● Gr 4Z : test	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	Chart Columns ✓ Showing results from the lass mp [UTC] ♥ message 222, 8:48:05.594 This is an e timestamp [UTC] message severityLevel itemType	Display time (U t hour. rror message test 2022-02-14T08:48:05.59 This is an error message 3 trace	rC+00:00) ∨ ● Gr 4Z : test	roup columns	∀ itemType trace	CustomDimens ('component':	
traces sults npleted. timestar 2/14/202	Chart Columns ✓ Showing results from the lass mp [UTC] ♥ message 222, 8:48:05.594 This is an e timestamp [UTC] message severityLevel itemType	Display time (U t hour. rror message test 2022-02-14T08:48:05.59 This is an error message 3 trace ("component": "Dynamic	rC+00:00) ∨ ● Gr 4Z : test	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	s Chart ☐ Columns ✓ Showing results from the lass mp [UTC] ♥ message 122, 8:48:05.594 This is an et timestamp [UTC] message severityLevel itemType customDimensions	Display time (U t hour. rror message test 2022-02-14T08:48:05.59 This is an error message 3 trace ("component": "Dynamic	rC=00:00) V G G 4Z e test s 365 Business Central Server	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	S Chart Columns ✓ Showing results from the last mp [UTC] ♥ message 22, 8:48:05.594 This is an et timestamp [UTC] message severityLevel itemType customDimensions aadTenantid alDataClassification alObjectid	Display time (U thour. Tror message test 2022-02-14T08:48:05.59 This is an error message 3 trace ('component': Dynamico d07e5f1b-f17c-46 SystemMetadata S0100	rC+00:00) ∨ ● Gr 4Z e test s 365 Business Central Server 77-9214-ea7ee736e8df	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	Chart Columns ✓ Chart Columns ✓ Showing results from the lass mp [UTC] Ø message 222, 8:48:05.594 This is an et timestamp [UTC] message severityLevel itemType customDimensions adTenantId alDataClassification alObjectId alObjectName	Display time (U Display time (U thour. rror message test 2022-02-14T08-48:05.59 This is an error message 3 trace {component': Dynamic d07e5f1b-f17c-46 SystemMetadata 50100 AWR_CustomerLis	rC+00:00) ∨ ● Gr 4Z e test s 365 Business Central Server 77-9214-ea7ee736e8df	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	S Chart Columns ✓ Showing results from the lass mp [UTC] ♥ message timestamp [UTC] message severityLevel itemType customDimensions aadTenantId alDataClassification alObjectId alObjectType	Display time (U thour. Tror message test 2022-02-14T08-48:05.59 This is an error message 3 trace ('component': 'Dynamic d07e5f1b-117c-46 SystemMetadata S0100 AWR_CustomerLis PageExtension	IC-00:00) ∨ ● GI	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er
traces sults npleted. timestar 2/14/202	Chart Columns ✓ Chart Columns ✓ Showing results from the lass mp [UTC] Ø message 222, 8:48:05.594 This is an et timestamp [UTC] message severityLevel itemType customDimensions adTenantId alDataClassification alObjectId alObjectName	Display time (U Display time (U thour. rror message test 2022-02-14T08-48:05.59 This is an error message 3 trace {component': Dynamic d07e5f1b-f17c-46 SystemMetadata 50100 AWR_CustomerLis	IC-00:00) ∨ ● GI	roup columns	∀ itemType trace	CustomDimens ('component':	"Dynamics 365 Business Central Server","er

Chapter 5: Reported Outages and Operations

V

Select an outage type Unable to log on (all users) Unable to log on (all users)

Cannot access API/Web Service



Report Production Outage

Fill out the form below to report an outage on this environment. This should only be used if you are experiencing an outage on a Production environment that cannot be mitigated by restarting the environment from the environment's Manage Sessions page. If you are experiencing an issue that is not an outage, please create a new support request from the Power Platform admin center.

Environment Name: Production

Application Family: Business Central

Select an outage type Cannot access API/Web Service \checkmark First Name * Andrey Last Name * Baludin Email Address * andrey.baludin@ Phone Number * +7911911111

Next

Cancel

Report Production Outage

You can't sign in? Tell us what you've tried.

Have you tried a different browser?

O Yes

Tell us about the different browsers you tried. *

Are you or other users able to log into any companies?



Tell us about the companies you are able to log into. *

Tell us about any errors users are receiving, including any correlation IDs. *

Tell us the date and time the outage began. *

02/19/2022 06:29 PM

By marking the checkbox, you consent to share your outage details with Microsoft. You should not include any personal data or other data that is subject to legal or regulatory compliance requirements in any description field.

:::

Microsoft Privacy Statement



Report Production Outage

You can't connect to a web service or API? Tell us what you've tried.

Which web service/API is not working? *

Tell us about any errors users are receiving, including any correlation IDs.*

Are users still able to access Business Central with the client?



Tell us the date and time the outage began. *

02/19/2022 06:06 PM	
---------------------	--

By marking the checkbox, you consent to share your outage details with Microsoft. You should not include any personal data or other data that is subject to legal or regulatory compliance requirements in any description field.

Microsoft Privacy Statement

Report Cancel



Dynamics 365 Busines	s Central admin center		
=	Ξ Apps $\beta_{\!$	R Support ∨ ⊕ Update Settings ∨	Copy C Restore
Environments Notification Recipients	Environments > ProdCopy	 № New Support Request ⑦ Report Production Outage № Manage support contact 	
✓ Telemetry	Details		
 Reported Outages Operations 	Name ProdCopy	Application Family Business Central	Country/region
🖞 Capacity	_{Type} Sandbox	Application Insights Connection String $(\underline{?})$ Not Set (\underline{Define})	Security Group Not Set (<u>Define</u>)
	URL https://businesscentral.dynamics.com/d0	7e5f1b-f17c-4677-9214-ea7ee736e8df/Proc	<u>іСору</u>
+ New support request 🛚 🖉 Expo	rt to Excel		✓ Search

Help + support

Issue title	Support request ID	Service	Created on	Last modified	Created by	19
Report 12471 "Shipment Request	2203240050000309	Dynamics 365 Bu	03/24/2022 10:42 AM	04/06/2022 2:08 PM	Andrey Baludin	
virtual entity response issue	2202020050002226	Dynamics 365 Bu	02/02/2022 8:10 PM	02/09/2022 10:09 AM	Andrey Baludin	
All jobs stopped working	2107220040003559	Unknown	07/22/2021 6:38 PM	07/23/2021 1:30 PM	Andrey Baludin	
Manage schedule action missed o	2106250040001756	Dynamics 365 Bu	06/25/2021 12:46 PM	07/14/2021 1:34 PM	Andrey Baludin	
Cloud migration failed	2106080040004584	Dynamics 365 Bu	06/08/2021 6:43 PM	06/09/2021 10:00 PM	Andrey Baludin	

D If you a	re a Microsoft pa	artner or dele	gated admin, <u>request support at Part</u>	tner Center.
Basics	Solutions	Details	Contact info	
Tell us a	bout the issu	Je		
What pro	oduct were yo	u using wh	en the issue occurred? *	
Dynami	cs 365 Busine	ss Central		\sim
Problem	type *			
Integrat	tion			~
Problem	subtype *			
Power F				~
Environn	nent *			
produc	tion - PRODU	$ction \times$		
Open Tell us wi Text will t	the Virtual A hat you need be used for su	gent help with pport purpo	can help you resolve this proble oses. Do not include personal da	50 12 5
	tial/proprietar	/ informatio	on.	
-	tion problem			
See s	olutions	Cancel		Legal Privacy


4

Basics Solutions Details Contact info

Learn more about

- Troubleshooting: SQL Server Connection Problems Business ...
 Double-click the executable file to select it and to exit the Browse window, and then choose OK to close the Add a Program window. Choose OK to close Windows Firewall. After exiting SQL Server
- Microsoft Dynamics 365 Business Central Server Events ...
 For more information, see Configuring Business Central Server and Troubleshooting: SQL Server
 Connection Problems. 217: Information: 13: Operational: Remarks: This event ID is used for various
- Managing technical support Business Central | Microsoft Docs
 In this article. When users report a problem with Business Central, superusers or the internal
 administrator can often find a solution. The internal administrator can find technical information in the

Was this helpful?



Didn't find your solution here? Launch the Virtual Agent to get help.

Open the Virtual Agent

Next	Cancel
CHEMISTREE CO	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Legal | Privacy

 \leftarrow

Basics Solutions Details Contact info

Support plan information

Support plan *



Additional information

How severe is this issue? *

C - Minimal impact

Response within four business hours. Your timezone is UTC +03:00 MSK

Issue title *

test case

Issue description *

test issue

Is the problem you're reporting related to a recent service change? *

N/A

Attach files (20 MB limit)



Legal | Privacy

V

\leftarrow

Basics Solutions Details Contact info

Contact information for this request

Country/region *

Россия

a

Email address *

- ,

CC these people on all emails for this support request

Phone number *
+7
Best way to reach you

Phone
Email

Legal | Privacy

 \checkmark

aludin	
Microsoft	Support
Thank you. Your question was succes	sfully submitted to Microsoft Support.
Please keep in mind: microsoftsuppor used for communications related to y	rt.com and microsoft.com are both valid email domains rour support request.
Incident title:	
Support request number:	
Severity rating:	В
Expect response within:	2
Contact preference:	Phone
Name:	Andrey Baludin
Email address:	andrey.baludin
Contact numbers:	+7
	1070

	Q	\odot	?	ŝ	
Help + support			Ś	Start o	ver
Problem summary *					
In a few words, describe your issue					
Workspace *					
Select a Workspace		1	~		
Problem type *					
Select or type a problem type					
Browse topics					
Review solutions					

Chapter 6: Tenant Capacity Management

	Environments	
	Notification Recipients	
	✓ Telemetry	
	⑦ Reported Outages	
	🔀 Operations	
	Capacity	
Storage capacity	Last updated date: 3/18/2022,	
usage <u>(?)</u>	8:37:19 PM	Refresh
🖯 Database		
61.66 of 150.00 (GB used	88.34 GB available

Refresh storage capacity usage

We are retrieving the latest information about the capacity used by your environments. This can take a long time, you can cloase this page and come back later.

Close

 \times

107 11 11 11 11 10 10 10 10 10 10 10 10 10	
Source	Database (in GB)
Org (tenant) default	80.00
User licenses	66.00
Additional capacity	4.00
Total	150.00

Environment quot	3710	
Quota of env	vironments	
Production	Sandbox	
2 of 2 used avail	0 5 of 6 used	1 available

Environment	Туре	Country/region	Database usage (i	Storage per table
Sandbox	Sandbox	US	0.05	List of tables
v20	Sandbox	US	0.05	List of tables
Production	Production	US	0.05	List of tables
ProdCopy	Sandbox	US	0.05	List of tables

Table Information:		Search	🖪 Data Administration	
	1000 C	· · · · · · · · · · · · · · · · · · ·		

🖻 🍸 🗮 🖉 🗍

Company Name		Table Name	Table No.	No. of Records	Record Size	Size (KB)↓	Data Size (KB)	Index Size (KB)	Compressi	
<u>My Company</u>	÷	CRM Integration	5331	8360438	209.69	6231312	1712048	4519264	Page	
My Company		Integration Reco	5151	8571927	130.33	4410624	1091032	3319592	Page	
My Company		G/L Entry	17	5208930	121.00	2345000	615 <mark>4</mark> 88	1729512	Page	
My Company		Value Entry	5802	2655179	229.97	2184704	596312	1588392	Page	
My Company		Item Ledger Entry	32	1195104	203.40	1061920	237392	824528	Page	

 Ose the Kenesh 	action to update the data on the I	page. For large data	abases this can	t Refre Sche	dule background refr Don't	show ag	~
Data Administratio	on Guide 🛛 Refresh 🕴 Ac	tions Related	Fewer optior	15		Ŕ	5
Table Size							Ľ
able Name	Company Name	Ν	lo. of Records	Data Size (KB)↓	Last Period Size (30D)	Growth % (30D)
RM Integration Rec	cord My Company		8360438	1712048	1712048	0.00	
ntegration Record	My Company		8571927	1091032	1091032	0.00	1
	My Company		3984762	702056	702056	0.00	
/L Entry	My Company		5208930	6 <mark>154</mark> 88	615484	0.00	1
alue Entry	My Company		2655179	596312	596252	0.00	1
eport Inbox	My Company		1108	399280	399280	0.00	,
mpany Size							
ompany Name						Size (K	B) •
<u>ly Company</u>				:		22952	59
AT						148	02
Cross-Company Da	ita)					84	84
Da	ta Administration	e 🙃 Refre	sh /	Actions Rela	ted Fewer ontions	2318	354
Da Đ	Data Administration Guid	Refresh Da	ta Cleanup	Actions Rela Date Con refresh the tab	npression ~	2318	2
Da	Data Administration Guid	Refresh Da	ta Cleanup i	Date Con refresh the tab	npression 〜	0 5	
Da	Data Administration Guid	Refresh Dat ue entry that ru created. Delete Z Ed	ta Cleanup uns daily to it Q Viev	✓ Date Con refresh the tab v ⊗ Show Error	npression 〜	0 5	2
Da	Data Administration Guid	Refresh Dat ue entry that ru created. Delete Ed	ta Cleanup uns daily to	Date Con refresh the tab Show Err Object ID to	npression 〜	0 5	2
Da	Data Administration Guid Schedule Background F () A job queu cache was s - New REdit List I T	Refresh Dat ue entry that ru created. Delete Ed Ob to	ta Cleanup uns daily to it <u>Q</u> Viev	Date Con refresh the tab Show Err Object ID to Run O	npression ~ le information or …	口 ピ Descri	ill ipt
Da Da Da Da Da Da Da Da Da Da Da Da Da D	Data Administration Guid Schedule Background F () A job queu cache was s - New Edit List I I User ID	Refresh Dai ue entry that ru created. Delete Ed Ob to OCALUSER Re	ta Cleanup uns daily to it <u></u> Viev	 ✓ Date Con refresh the tab v Show Erro Object ID to Run OI 1511 D 	npression ~ le information or	口 ピ Descri	∠ ≣ pt
Da Da Da Da Da Da Da Da Da Da Da Da Da D	Data Administration Guid Schedule Background F () A job queu cache was s New Edit List I T User ID BCBUILD100V3196\L	Refresh Dat ue entry that ru created. Delete Cd Ob OCALUSER Re OCALUSER Co	ta Cleanup uns daily to it Q View iject Type Run	 ✓ Date Con refresh the table w Show Erre Object ID to Run OI 1511 D 6700 O 	npression ~ le information or bject Caption to Run elegate Approval Requests	다 다 나 구 Descri	i≣ pti -cc
Db Queue Entries Status Ready Ready	Data Administration Guid Schedule Background F () A job queu cache was s New Edit List () C User ID BCBUILD 100V3196 \L BCBUILD 100V3196 \L	Refresh Dai Use entry that ru created. Delete Ed Obto OCALUSER Re OCALUSER Co	ta Cleanup uns daily to it Q View ^{ject Type} Run port odeunit	 ✓ Date Con refresh the table v Show Error Object ID to Run OI 1511 D 6700 O 842 C 	npression >> le information or ··· bject Caption to Run elegate Approval Requests 365 Sync. Management	ロロン ロン	pti -cr

CRONUS USA, Inc.	Finance V Cash Managen	nent 🗸 🛛 Sales 🗸	Purchasing \lor \equiv		
Data Administration: All 🗸	Data Administration Guide	e 🕄 Refresh 🗌	Actions V Related V Fewer	r options	
imes Use the Refresh action to up	date the data on the page. For la	rge databases this can	Schedule Background Refresh	ackground refresh Don't sho	w again
Table Size \vee			Data Cleanup		
Table Name	Company Nan	ne	Date Compression	Compress Entries	> 3)↓
Config. Media Buffer	CRONUS US	A, Inc.		Delete Empty Registers	> 584
Data Sensitivity	(Cross-Com	pany Data)		28778	1552

Date Compress General Ledger

	7	11
2 X	K	\sim

Options

Starting Date	
Ending Date	12/31/2016
Period Length	Year 🗸
Posting Description	Date Compressed
Retain Field Contents	
Document Type	
Document No.	
Job No.	
Business Unit Code	
Retain Dimensions	
Retain Totals	
Quantity	
Archive Deleted Entries	

← G/L Entry

Entry No. 1	G/L Account No.	Posting Date	Document Type	Document No.	Description	Bal. Account No.	Amount
4296	10200	8/1/2016		123	Saving account	10300	100.00
4297	10300	8/1/2016		123	Saving account	10200	-100.00
4298	10200	8/9/2016		123	Saving account	10300	200.00
4299	10300	8/9/2016		123	Saving account	10200	-200.00
4300	10200	8/25/2016		123	Saving account	10300	200.00
4301	10300	8/25/2016		123	Saving account	10200	-200.00

← G/L Entry

Entry No. ↑		G/L Account No.	Posting Date	Document Type	Document No.	Description	Bal. Account No.	Amour
<u>4302</u>	:	10200	1/1/2016			Date Compressed		500.0
4303		10300	1/1/2016			Date Compressed		-500.0

Data Administration Guide $\checkmark \times$

Date Compression: Select en	tries
Choose which entries you wo	uld like to date compress:
G/L Entries	• • • • •
Tax Entries	
Bank Account Ledger Entries	
G/L Budget Entries	· · · · · ()
Customer Ledger Entries	• • • • •
Vendor Ledger Entries	•••• •
Resource Ledger Entries	

Retention Policies

	Manage Process Navigate			☞ 7 ≣
Table Id ↑	Table Caption	Enabled	Manual	Retention Period
<u>405</u>	: Change Log Entry			
3905	Retention Policy Log Entry			SIX MONTHS
5338	Integration Synch. Job			ONE MONTH
5339	Integration Synch. Job Errors			ONE MONTH

Retention Poli	icy		Ø	B	+	Ē			√ Save	d	Ľ	2
Chan	ige l	_og Er	itry									
Process N	avigate											
General										1	Show	less
Table Id · · · · Table Name ·		Change Log	405 Entry	•••	Table C	Caption ····		Change	Log Entry			
Retention	Policy										Show	less
Retention Peri	iod · · · · ·	1.10			Expired	d Records]					0
Manual ·····					Date F	ield No. · · · ·				2000	00000	001
Enabled · · · ·					Date F	ield Name		System	CreatedAt			
Apply to all re	cords · · ·				Date F	ield Caption		Created	At			
Record Rete	ention Po	licy Man	age							l	R	62
Table Fil	ter Text				Retention	Period	Do	ep Last cument sion	Enabled	Loc	ked	
Protect	ed: Yes				NEVER DE	ELETE					2	
→ <u>Field Lo</u>	og Entry Fe	ature: Monitor Se	ensitive Fields All	:	28 DAYS							
Job Queue En	ntries								✓ Saved		Ľ	2
, Search	+ New	😨 Edit List	🗓 Delete 📝	Edit	C View	V Show	Error			B	7	
Status		User ID		Object to Rur	and the second	Object ID to Run	Object	Caption t	o Run		Des	criptior
Ready		BCBUILD100V3	196\LOCALUSER	Repo	rt	1511	Deleg	ate App	roval Requests	5	Aut	o-cre
Ready			196\LOCALUSER	Code		6700			anagement			o-cre
Ready			196\LOCALUSER	Code		842			ecast Update		Cas	h Flo
Ready		ADMIN		Code	unit	1350	lelem	etry Mai	nagement			

	Status		User ID	to Run	Object ID to Run	Object Caption to Run	Descrip
	Ready		BCBUILD100V3196\LOCALUSER	Report	1511	Delegate Approval Requests	Auto-
	Ready		BCBUILD100V3196\LOCALUSER	Codeunit	6700	O365 Sync. Management	Auto-
	Ready		BCBUILD100V3196\LOCALUSER	Codeunit	842	Cash Flow Forecast Update	Cash F
	Ready		ADMIN	Codeunit	1350	Telemetry Management	
	Ready		ADMIN	Codeunit	8701	Table Information Cache	
\rightarrow	<u>Ready</u>	:	ADMIN	Codeunit	3997	Retention Policy JQ	

Chapter 7: Admin Center API

AllServices (33)Documentation (28)Resources (0)Azure Active Directory (0)
Services
App registrations Keywords: app registration Keywords: app registrations
Services Keywords: app service Keywords: web app Keywords: webapp Keywords: web appli
App Service Certificates Keywords: app service Resource type: Microsoft.CertificateRegistration/certificateO
App Service Domains Keywords: app service Resource type: Microsoft.Domain Reg istration/domains
Register an application The user-facing display name for this application (this can be changed later).
BCAppReg
Supported account types Who can use this application or access this API? Accounts in this organizational directory only (Reima only - Single tenant) Accounts in any organizational directory (Any Azure AD directory - Multitenant) Accounts in any organizational directory (Any Azure AD directory - Multitenant) Personal Microsoft accounts only
Help me choose
Redirect URI (optional) We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios. Public client/native (mobile) BusinessCentralWebServiceClient://auth

By proceeding, you agree to the Microsoft Platform Policies 🗹

Register

Delete 🌐 Endpoint	s 💀 Preview features		
∧ Essentials			
Display name	: Business Central	Client credentials	: <u>0 certificate, 1 secret</u>
Application (client) ID	: 810debd2-630d-4c3d-b645-bae2c8694d23	Redirect URIs	: <u>1 web, 0 spa, 1 public client</u>
Object ID	: 3c3fbb9d-9a46-4d76-9fb8-ec4223ce6573	Application ID URI	: Add an Application ID URI
Directory (tenant) ID	: d07e5f1b-f17c-4677-9214-ea7ee736e8df	Managed application i	n I : Business Central
Supported account type	s : Multiple organizations		
Search (Ctrl+/)	42		
	≪ ◯ Refresh 🖗 Got	feedback?	
Overview	≪	feedback?	
			be able to grant consent to newly
S Overview	▲ Starting November 9		be able to grant consent to newly
Overview Quickstart	nt Starting November 9	th, 2020 end users will no longer	
 Overview Quickstart Integration assistant 	nt The "Admin consent organization or in or	th, 2020 end users will no longer	ault value for an organization. How
 Overview Quickstart Integration assistant Manage 	nt Starting November 9	th, 2020 end users will no longer required" column shows the def ganizations where this app will b	ault value for an organization. How
 Overview Quickstart Integration assistant Manage Branding & proper 	nt Starting November 9	th, 2020 end users will no longer required" column shows the def ganizations where this app will b	ault value for an organization. How
 Overview Quickstart Integration assistant Manage Branding & proper Authentication 	nt Starting November 9 The "Admin consent organization, or in or Configured permissio Applications are authorized	th, 2020 end users will no longer required" column shows the def ganizations where this app will b ns	ault value for an organization. How be used. <u>Learn more</u> ranted permissions by users/adm

Request API permissions

Select an API

Microsoft APIs APIs my organization uses My APIs

Commonly used Microsoft APIs



destination

Microsoft Graph

Take advantage of the tremendous amount of data in Office 365, Enterprise Mobility + Security, and Windows 10. Access Azure AD, Excel, Intune, Outlook/Exchange, OneDrive, OneNote, SharePoint, Planner, and more through a single endpoint.

Azure Rights Management

Allow validated users to read and write


Services

protected content



the same secure CPaaS platform used by Microsoft Teams






Programmatic access to data and functionality in Dynamics 365 Business Central



functionality available through the Azure portal




Access the capabilities of CRM business software and ERP systems

What type of permissions does your application require?

Delegated permissions Your application needs to access the API as the signed-in user. Application permissions

Your application runs as a background service or daemon without a signed-in user.

Sele	Select permissions expansion of filter these results Start typing a permission to filter these results The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organizations where this app will be used. Learn more Permission Admin consent required V Other permissions (1) user_impersonation ① No	expand al	
٩	Start typing a permission to filter these results		
	permission, user, or app. This column may not reflect the value in your organ		×
	Permission	Admin consent required	
\sim	Other permissions (1)		
	· · · ·	No	
\sim	Financials (1)		
	Financials.ReadWrite.All ① Access Dynamics 365 Business Central as the signed-in user	No	



GET 🗸 🗸	https://api.businesscentral.dy	namics.com/ac	dmin/v2.11/applications/	environm	ents	Se	nd ~
arams Authori	zation Headers (8) Bo	dy Pre-req	uest Script Tests	Settings	S		Cookies
KEY		VALUE			DESCRIPTION	000	Bulk Ed
Кеу		Value			Description		
	GET ~	https://	api.businesscentra	l.dynam	nics.com/admi		
	Params Autho	orization •	Headers (8)	Body	Pre-reque		
	Туре		OAuth 2.0	~	() Heads using		
	The authorization generated when y Learn more about	ou send the	e request.		Current Toke		
	Add authorization to	n data	Request Headers	~	Access Tok		
	Configuration Options	Advanc	ced Options				
	Token Name	B	c				
	Grant Type	Au	uthorization Code		~		
	Callback URL ④	B	usinessCentralWeb	Service	Client://auth		
		\Box	Authorize using br	rowser			
	Auth URL ①	ht	ttps://login.window	s.net/d	07e5f1b-f17c-4t		
	Access Token URL ①	ht	ttps://login.window	s.net/d	07e5f1b-f17c-4(
	Client ID ①	81	10debd2-630d-4c3	3d-b64	5-bae2c8694 🛕		
	Client Secret ①	CI	lient Secret				
	Scope ④	e.	g. read:org				
	State (i)	St	tate				
	Client Authentication	Se	end client credentials	s in body	, v		

Token Details	Use Token
Token Name	BC 🖌
Access Token	eyJ0eXAiOiJKV1QiLCJhbGciOiJSUzI1NiIsIng1dCl6ljJaUXBKM1VwY
	mpBWVhZR2FYRUpsOGxWMFRPSSIsImtpZCI6IjJaUXBKM1VwYmp
	BWVhZR2FYRUpsOGxWMFRPSSJ9.eyJhdWQiOiJodHRwczovL2Fw
	aS5idXNpbmVzc2NlbnRyYWwuZHluYW1pY3MuY29tliwiaXNzljoiaH
	R0cHM6Ly9zdHMud2luZG93cy5uZXQvZDA3ZTVmMWItZjE3Yy00
	Njc3LTkyMTQtZWE3ZWU3MzZIOGRmLyIsImIhdCl6MTY1NjAwMDA
	1MiwibmJmljoxNjU2MDAwMDUyLCJleHAiOjE2NTYwMDU1MDUsIn
	Fjcil6ljEiLCJhaW8iOiJBU1FBMi84VEFBQUFid2JKVU4vdk1LdTIPclB
	HcU5GRG10L3FaaGFoNTFZOWk2SIVobTV6RDEwPSIsImFtcil6WyJ
	wd2QiXSwiYXBwaWQiOil4MTBkZWJkMi02MzBkLTRjM2QtYjY0NS1
	YWUyYzg2OTRkMjMiLCJhcHBpZGFjcil6ljAiLCJmYW1pbHlfbmFtZS
	6lkFkbWluaXN0cmF0b3liLCJnaXZlbl9uYW1lljoiTU9EliwiaXBhZGRyl
	oiMTg4LjE2Mi42NS4xMDUiLCJuYW1lljoiTU9EIEFkbWluaXN0cmF0
	b3liLCJvaWQiOil1MWMxNmQ0OC1mM2YwLTQ5NjQtOWlyMC05Z

×

dy Cookies	s Headers (11) Test Results 🕀 Status: 200 OK Time: 1679 ms Size: 2.45 Ki
Pretty F	Raw Preview Visualize JSON ~ =
1 {	
2	"value": [
3	{
4	"friendlyName": "CRMbc369836-v20-3",
5	"type": "Sandbox",
6	"name": "v20-3",
7	"countryCode": "US",
8	"applicationFamily": "BusinessCentral",
9	"aadTenantId": "d07e5f1b-f17c-4677-9214-ea7ee736e8df",
10	"applicationVersion": "20.1.39764.39901",
11	"status": "Active",
12	<pre>"webClientLoginUrl": "https://businesscentral.dynamics.com/d07e5f1b-f17c-4677-9214-ea7ee736e8df/v20-3",</pre>
13	"webServiceUrl": "https://api.businesscentral.dynamics.com/v2.0/d07e5f1b-f17c-4677-9214-ea7ee736e8df/v20-3"
14	"locationName": "South Central US",
15	"platformVersion": "20.1",
16	"databaseSize": {
17	"value": 617611264.0,
18	"unit": "Byte"
19	},

https://api.businesscentral.dynamics.com/admin/v2.11/applications/businesscentral/environments/v20-3

DELETE	~	https://a	pi.businesscentr	al.dynami	cs.com/admin/v2.11/ap	plications	/businesscentral/environments/	v20-3
Params Query Par		zation	Headers (8)	Body	Pre-request Script	Tests	Settings	
KEY	(VAL	UE		
	1				Valu			

Body Cookies Headers (11) Test Results

Status: 202 Accepted

Pretty	Raw Preview Visualize JSON ~
1	6
2	"id": "cd041c10-ddeb-40c2-8f9a-ffd1c5db35a4",
З	"type": "delete",
4	"status": "scheduled",
5	"aadTenantId": "d07e5f1b-f17c-4677-9214-ea7ee736e8df",
6	"createdOn": "2022-06-23T16:13:28.627Z",
7	<pre>"createdBy": "admin@CRMbc369836.onmicrosoft.com",</pre>
8	"errorMessage": "",
9	"parameters": {
10	"environmentName": "v20-3",
11	<pre>"environmentType": "Sandbox",</pre>
12	<pre>"productFamily": "BusinessCentral",</pre>
13	<pre>"countryCode": "US",</pre>
14	"applicationVersion": "20.1.39764.39901"
15	},
16	<pre>"environmentName": "v20-3",</pre>
17	<pre>"environmentType": "Sandbox",</pre>
18	"productFamily": "BusinessCentral"
19	3

https://api.businesscentral.dynamics.com/admin/v2.11/applications/businesscentral/environments/v20-3

PUT	~	https://api.businesscentral.dynamics.com/admin/v2.11/applications/businesscentral/environments/v20
aran	ns Autho	orization Headers (11) Body Pre-request Script Tests Settings
ead	ers 💿 10	hidden
	KEY	VALUE
~	Content-T	ype application/json
	Key	Value
	Params	Authorization Headers (11) Body Pre-request Script Tests Settings
	none	form-data x-www-form-urlencoded raw binary GraphQL JSON
	1	3
	2	"EnvironmentType": "Sandbox",
	3	····"CountryCode": "US"
	4	


```
Body Cookies Headers (11) Test Results
```

```
Status: 202 Accepted
```

Pretty	Raw	Preview	Visualize	JSON	~	1
1	6					
2		": "00db5a	15e-af1c-45	6e-ae7	c-b1	ae712e7991",
3	"typ	pe": "crea	ite",			
4	"sta	atus": "so	heduled",			
5	"aad	dTenantId"	: "d07e5f1	b-f17c	-467	7-9214-ea7ee736e8df
6	"cre	eatedOn":	"2022-06-2	23T16:1	7:20	.237Z",
7	"cre	eatedBy":	"admin@CRM	1bc3698	36.0	nmicrosoft.com",
8	"eri	rorMessage	": "",			
9	"par	rameters":	{			
10	17602.00	"destinat	ionEnviror	mentNa	me":	"v20-3",
11		"destinat	ionEnviror	mentTy	pe":	"Sandbox",
12		"applicat	ionVersion	n": "20	.2.4	1144.41547",
13		"countryC	ode": "US	•		
14	},					
15	"env	vironmentN	lame": "v20)-3",		
16	"env	vironmentT	ype": "Sar	ndbox",		
17	"pro	oductFamil	y": "Busir	nessCen	tral	0
18	}					

17	"productFamily": "BusinessCentral"	
18 }		
Body Coo	kies Headers (11) Test Results	Status: 200 OK
Pretty	Raw Preview Visualize JSON ~ 🚍	
1 {		
2	"value": [
3	{	
4	"id": "feeb3504-556e-4790-b28d-	a2b9ce302d81",
5	"name": "Dynamics GP Intelligen	t Cloud",
6	"publisher": "Microsoft",	
7	"version": "20.2.41144.41959",	
8	"state": "installed"	
9	},	
10	{	
11	"id": "fbb56a54-4f3b-4d2f-9330-	ed8921ec4ec7",
12	<pre>"name": "_Exclude_SyncBaseApp_"</pre>	,
13	"publisher": "Microsoft",	
14	"version": "20.2.41144.41959",	
15	"state": "installed"	
16	},	

arams	Authorizatio	n 🜒 He	aders (10)	Body	Pre-r	equest Script	Tests	Settings			
none	form-data	• x-ww	w-form-urle	ncoded	raw	binary	GraphC)L			
							Thi	s request doe	es not have a bod	у	
dy Co	ookies Heade	rs (11) T	est Results							e	Status: 200 C
Pretty	Raw F	review	Visualize	JSON	N V	=					
1	6										
2		"daa755	18-a588-4	ab9-89	7e-ea8	366666666666666666666666666666666666666	".				
3		: "unin					8.50				
4			sion": "2	0.2.41	144.41	.959",					
5			sion": ""								
6	"statu	s": "sc	neduled",								
7	"creat	edOn":	2022-06-	23T16:	29:09.	2647552Z'					
8	"error	Message	': "",								
						the second s	STREET, STREET				
9	"creat	edBy":	'admin@CR	Mbc369	836.or	microsoft	.com"				
9 10	<pre>"creat }</pre>	edBy":	'admin@CR	Mbc369	836.or	microsoft	.com"				
		edBy":	'admin@CR	Mbc369	836.or	microsoft	.com"				
	3							ations/busin	esscentral/envi	ronments/v20-3/se	ettings/upgrad
10 PUT	2	https://ap	i.businessce	entral.dy	namics.	.com/admin/	v2.8/applic			ronments/v20-3/s	ettings/upgrad
10 PUT	2	https://ap		entral.dy		.com/admin/			nesscentral/envi Settings	ronments/v20-3/s	ettings/upgrad
10 PUT Params) Authoriza	https://ap	i.businessco Headers (1	entral.dy 1) B -	namics. Body •	.com/admin/ Pre-requ	v2.8/applic	Tests	Settings	ronments/v20-3/s	ettings/upgrad
10 PUT Params	Authoriza e form-da	https://ap	i.businessce	entral.dy 1) B -	namics. Body •	.com/admin/ Pre-requ	v2.8/applic	Tests		ronments/v20-3/s	ettings/upgrad
10 PUT Params) Authoriza	https://ap	i.businessco Headers (1	entral.dy 1) B -	namics. Body •	.com/admin/ Pre-requ	v2.8/applic	Tests	Settings	ronments/v20-3/s	ettings/upgrad
10 PUT Params	Authoriza e form-da	https://ap tion • ata @ x	i.businessco Headers (1 -www-form	entral.dy 1) B 	oded	.com/admin/ Pre-requ	v2.8/applic est Script binary	Tests GraphQL	Settings	ronments/v20-3/s	ettings/upgrac
10 PUT Params none	Authoriza e form-da	https://ap tion • ata • x ferredS	i.businessco Headers (1 -www-form -tartTime	entral.dy 1) B -urlenco	vnamics. Body • oded •	.com/admin/ Pre-requ	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings	ronments/v20-3/s	ettings/upgrac
10 PUT Params none	Authoriza e form-da	https://ap tion • ata • x ferredS	i.businessco Headers (1 -www-form -tartTime	entral.dy 1) B -urlenco	vnamics. Body • oded •	com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings	ronments/v20-3/s	ettings/upgrac
10 PUT Params none 1 2 3 4	Authoriza e form-da	https://ap tion • ata • x ferreds ferreds	i.businessco Headers (1 -www-form tartTime ndTimeUt	entral.dy 1) B -urlenco eUtc": tc": . ".	vnamics. Body • oded •	com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings		
10 PUT Params none 1 2 3 4	Authoriza e form-da	https://ap tion • ata • x ferredS	i.businessco Headers (1 -www-form -tartTime	entral.dy 1) B -urlenco eUtc": tc": . ".	vnamics. Body • oded •	com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings	ronments/v20-3/s	
10 PUT Params none 1 2 3 4	Authoriza e form-da	https://ap tion • ata • x ferreds ferreds	i.businessco Headers (1 -www-form -tartTime indTimeUt Test Resu	entral.dy 1) B -urlenco eUtc": - tc": - "	vnamics. Body • oded •	com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings		ettings/upgrad
10 PUT Params none 1 2 3 4 Yretty	Authoriza Authoriza form-da form-da Cookies Hea Raw	https://ap tion • ata • x ferred! ferred! iders (11)	i.businessco Headers (1 -www-form -tartTime indTimeUt Test Resu	entral.dy 1) B -urlenco eUtc": - tc": - "	vnamics. Body • oded • ''2022 2022-(com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • .2:00:00	Tests GraphQL Z " ,	Settings		
10 PUT Params none 1 2 3 4 Veretty 1	Authoriza Authoriza e form-da "pre "pre Cookies Hea Authoriza	https://ap tion • ata • x ferred£ ferred£ iders (11) Preview	i.businessco Headers (1 www-form tartTime indTimeUt Test Resu Visual	entral.dy 1) B -urlenco eUtc":: tc":-" ults lize	vnamics. body • vded • 2022-0 JSON	.com/admin/ Pre-requi raw 1 2-06-23T1 26-23T18:	v2.8/applic est Script binary • 2:00:00 00:00Z"	Tests GraphQL Z",	Settings		
10 Put Params none 1 2 3 4 ody Pretty	Authoriza Authoriza e form-da ("pre "pre Cookies Hea (Raw (Raw	https://ap tion • ata • x ferred! ders (11) Preview ferred!	i.businessco Headers (1 www-form tartTime indTimeUt Test Resu Visual tartTime	entral.dy 1) B -urlenco eUtc": tc": - " ults lize eUtc":	vnamics. oddy • vded • 2022-0 JSON "2022	com/admin/ Pre-requi raw 1	v2.8/applic est Script binary • 2:00:00 00:00Z" 2:00:00	Tests GraphQL Z",	Settings		





https://api.businesscentral.dynamics.com/admin/v2.8/settings/notification/recipients

Chapter 8: Cloud Migration Schema and Limitations

Cloud Migrat	ion Management						Ľ	K
₽ Search	📌 Run Migration Now	nun Data Upg	rade Now	Y Create Diagnostic Run \cdots	È	Y	≣	(
Start Time↓	End Time	Trigger Type	Migration Type					
	(There is nothing to sho	w in this view)		Migration Information Migration Statist 0 Tables Successful Tables Successful Tables Tables				


Installed Extensions

₽ Searce	h Manage Actions Fewer options		
ls Inst	Name †	Publisher	Version
Yes	Business Central Cloud Migration - Previous Release	Microsoft	v. 20.0.37253.38362
Yes	Business Central Cloud Migration - Previous Release (US)	Microsoft	v. 20.0.37253.38362
Yes	Business Central Cloud Migration API	Microsoft	v. 20.0.37253.38362
Yes	Business Central Intelligent Cloud	Microsoft	v. 20.0.37253.38362
Yes	Dynamics GP Intelligent Cloud Microsoft	v. 20.0.37253.38362	Global

ps	Other apps \checkmark			smartlist		~
All res	ults					
Hist Plumb BI Micros	rosoft Dynamics SL cory SmartLists bline Consulting LLC usiness Central soft Dynamics SL History					
	Lists from the Cloud Migration et it now					
	et it now				П	
G	et it now				П	C G
Assisted P Se V Ti	et it now d Setup earch Actions	Completed	Learn more	Description	П	
G Assisted Se Se	et it now d Setup earch Actions itle iet ready for business	Completed				Ŕ
Gr Assisted Se	et it now d Setup earch Actions		more _	Connect to a payment se	rvice so that	یک at yo
Assisted	et it now d Setup earch Actions itle itle itle itle Connect to a payment service		more – Read		rvice so tha	at yo
Assisted	et it now d Setup earch Actions ittle ittle ittle ittle Connect to a payment service Migrate business data		more – Read Read	Connect to a payment see Import existing data to Bu	rvice so tha usiness Cer k service tl	며 at ycc ntral hat c

Tell me what you want to do

ZX



Cloud Migration Setup



3

Instructions

6 7


The data migration requires an integration runtime service. The runtime service provides a connection between your on-premises solution and your Business Central cloud tenant.

1. Download the Self-hosted Integration Runtime

- 2. Install the integration runtime on your on-premises database server
- 3. Use the authentication key below to set up your integration runtime
- 4. Choose Next to verify all the connections are working

ReplicateData = false;

Authentication Key: IR@edc1991e-f215-423e-9f94-eedb6c6cb762@ Back Next Finish 1 table 50117 "AWR_Sales Invoice Line clone" 2 { 3 Caption = 'Sales Invoice Line'; 4 Permissions = TableData "Item Ledger Entry" = r, 5 TableData "Value Entry" = r;



Chapter 9: Cloud Migration Setup

C:\Users\andrey.baludin>SQLCMD -S srv-bc18\bcdemo L> select @@version 2> go	
Nicrosoft SQL Server 2016 (SP1) (KB3182545) - 13.0.4001.0 (X64) Oct 28 2016 18:17:30 Copyright (c) Microsoft Corporation	
Express Edition (64-bit) on Windows Server 2016 Datacenter 6.3 <x64> (Build 14393:) (Hyperviso</x64>	r)
(1 rows affected) L> exit	

C:\Users\andrey.baludin>____

Select a page	🗊 Script 🔻 🚱 Help		
🖉 General			
₽ Files			
Filegroups	Collation:	Latin1_General_100_CI_AS	~
🖉 Options	-	o	~
🔑 Change Tracking	Recovery model:	Simple	Y
Permissions	Compatibility level:	SQL Server 2016 (130)	~
Extended Properties	compatibility level.	042 001101 2010 (100)	
Query Store	Containment type:	None	~

Select a page	🖵 Script 🔻 😮 Help			
🖋 General	E			
Memory				
✤ Processors				
✗ Security	Server authentication —			
Connections				
👂 Database Settings	Windows Authentication	n mode		
👂 Advanced	SQL Server and Windo	ws Authenticatio	on mode	
Permissions	Control and finite		Jirmous	

Select a page	🖵 Script 🔻 😮 Help			
 Server Roles User Mapping Securables Status 	Login name: Windows authentication SQL Server authentication	integration		
	-			
	Password:			-
	Confirm password: Specify old password	•••••		
	Old password:			
	Enforce password police			
	Enforce password expi	ration		
	User must change pas	sword at next log	μîn	
	2			
Login - New				
Select a page	🖵 Script 🔻 😮 Help			
General Server Roles				
User Mapping	Users mapped to this login:			
& Securables	Map Database		User	
🔑 Status	Demo Database BC (18	3-0)	integration	
	✓ master		integration	
	model			
	msdb			
	tempdb			
	(P) (A) +	Ē	✓ Saved	
elegated a	dmin consent for	cloud	migrati	on
0			•	
Grant Consent X Revoke	Consent			
Grant Consent X Revoke	Consent			
r external partner admin requi	ires your consent to run the cloud migration o			
r external partner admin requi				
r external partner admin requi nt Consent action. You can rev	ires your consent to run the cloud migration o			
r external partner admin requi nt Consent action. You can rev d migration stops.	ires your consent to run the cloud migration o voke the consent at any time by choosing the	Revoke Consent ac	tion. If you revoke o	consent, the
r external partner admin requi nt Consent action. You can rev d migration stops.	ires your consent to run the cloud migration o voke the consent at any time by choosing the ted Granted I	Revoke Consent act	tion. If you revoke o	consent, the
r external partner admin requi nt Consent action. You can rev d migration stops.	ires your consent to run the cloud migration o voke the consent at any time by choosing the ted Granted I	Revoke Consent act	tion. If you revoke o	consent, the

 \leftarrow

Revoked date

\leftarrow	Assisted Setup			
	Search Actions			¢ 7
	 Title Get ready for business 	Completed	Learn more	Description
	Connect to a payment service		_ Read	Connect to a payment service so that your
	Migrate business data		Read	Import existing data to Business Central fr
	Set up AMC Banking 365 Fundamentals ext		Read	Connect to an online bank service that can
	Set up Cloud Migration		Read	Migrate data from your on-premises envir
	Set up a bank statement file import format		-	Set up a bank statement file import format.
	Invite your external accountant to the com		Read	Send a link to your external accountant so

Cloud Migration Setup



िंडे

Choose Your Product

Select the product that you want to migrate data from

Product	Dynamics 365 Business Central earlier v	
FIGUUCE	Dynamics 505 Dusiness Central earlier v	

Use this option if your on-premises deployment of Dynamics 365 Business Central is an earlier major version than this Dynamics 365 Business Central online environment. Because they are not the same version, the migration first copies the data and then runs the upgrade processes. Due to the upgrade processes, we recommend that you run the migration only once.

I	Back	Next	Finish



Cloud Migration Setup

2 X



Define your SQL database connection

SQL Configuration

SQL Server

Enter the connection string to your SQL database

SQL Connection String

•••••

1 1 2 2

If you already have an integration runtime service instance installed and want to reuse it, specify the Integration Runtime; otherwise leave the field empty to create a new Integration Runtime.

	Integration Runtime Name
 	<u></u>

Back	Next	Finish
DACK	INEXL	FIIIISH

Cloud Migration Setup



£03

Instructions

The data migration requires an integration runtime service. The runtime service provides a connection between your on-premises solution and your Business Central cloud tenant.

- 1. Download the Self-hosted Integration Runtime
- 2. Install the integration runtime on your on-premises database server
- 3. Use the authentication key below to set up your integration runtime
- 4. Choose Next to verify all the connections are working

Authentication Key: IR@edc1991e-f215-423e-9f94-eedb6c6cb762@

	Back	Next	Finish
--	------	------	--------

Hicrosoft Integration Runtim	e Setup	-		×
	Welcome to the Micros Runtime Setup Wizard		grati <mark>o</mark> n	
	Please select the language/culture Integration Runtime. Note that this culture/language of the machine.			
	English (United States)	~		
	Back	Next	Cano	cel

5. Microsoft Integration Runtime Configuration Manager

Register Integration Runtime (Self-hosted)

Change

Welcome to Microsoft Integration Runtime Configuration Manager. Before you start, register your Integration Runtime (Self-hosted) node using a valid Authentication Key.

R@90c81752-9446-48eb-8697-	^	
${\tt if 97a7815263@bchybrid repadf5@ServiceEndpoint=bchybrid repadf5.east us. data factory.azure.net@agm1YlrPworLG1sRsg3ture.net@agm1PworLG1sRsg3ture.net@agm1PworLG1sRsg3ture.net@agm1PworLG1sRsg3ture.net@agm1PworLG1sRsg3ture.net@agm1PworLG1sRs$		(
nY+z6fo0qvK2lzol4tvUNg=	~	

✓ Show Authentication Key

Learn how to find the Authentication Key

HTTP Proxy

Current Proxy: No proxy

Diagnostic Tool

Troubleshoot problems (preview)

120000000000000000000000000000000000000	1920100
Register	Cance

X

 \odot

New Integration Runtime (Self-hosted) Node

CloudMigration					0
Below is the list of Int	egration Runtime	(Self-hosted) No	des:		
msft1a6720t0210 CloudMigrati	01126 on : Current New I	Node			
Enable remote ac	cess from intranet				
		0			
		8	Finish	Cancel	
rosoft Integration Runtime Con	figuration Manager				
rosoft Integration Runtime Con	figuration Manager				0
	0 -	oosted)			
rosoft Integration Runtime Con gister Integration F	Runtime (Self-ł		art, register your Integr	ation Runtime (Self-h	osted)
gister Integration F	Runtime (Self-)	Manager. Before you si	art, register your Integr	ation Runtime (Self-h	osted)
gister Integration F	Runtime (Self-) Suntime Configuration N ey.	Manager. Before you si		-	osted)
gister Integration F come to Microsoft Integration F e using a valid Authentication K 090c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@	Runtime (Self-) Suntime Configuration N ey.	Manager. Before you si	afactory.azure.net@agn	-	
gister Integration F come to Microsoft Integration F e using a valid Authentication K 990c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@ mY+z6fo0qvK2Izol4tvUNg= Show Authentication Key	Runtime (Self-ł Runtime Configuration M ey. PServiceEndpoint=bchy	Manager. Before you st	afactory.azure.net@agn	n1YIrPworLG1sRsg	
gister Integration F come to Microsoft Integration F e using a valid Authentication K 990c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@ mY+z6fo0qvK2Izol4tvUNg=	Runtime (Self-) Runtime Configuration Mey. ServiceEndpoint=bchy red) node has been regi ysical nodes with a Self	Manager. Before you st bridrepadf5.eastus.dat stered successfully. -hosted Integration Ru	afactory.azure.net@agn Learn how to find intime. This enables hig	n1YIrPworLG1sRsg the Authentication Ke h availability and scala	ev s
gister Integration F come to Microsoft Integration F e using a valid Authentication K 990c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@ mY+z6fo0qvK2Izol4tvUNg= Show Authentication Key Integration Runtime (Self-host te: You can associate up to 4 ph Self-hosted Integration Runtim recommend you setup at least	Runtime (Self-) Runtime Configuration Mey. ServiceEndpoint=bchy red) node has been regi ysical nodes with a Self	Manager. Before you st bridrepadf5.eastus.dat stered successfully. -hosted Integration Ru	afactory.azure.net@agn Learn how to find intime. This enables hig	n1YIrPworLG1sRsg the Authentication Ke h availability and scala	ev s
gister Integration F come to Microsoft Integration F e using a valid Authentication K 990c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@ mY+z6fo0qvK2Izol4tvUNg= Show Authentication Key Integration Runtime (Self-host te: You can associate up to 4 ph Self-hosted Integration Runtim recommend you setup at least	Runtime (Self-) Runtime Configuration Mey. ServiceEndpoint=bchy red) node has been regi ysical nodes with a Self	Manager. Before you st bridrepadf5.eastus.dat stered successfully. -hosted Integration Ru	afactory.azure.net@agn Learn how to find intime. This enables hig	n1YIrPworLG1sRsg the Authentication Ke h availability and scala	ev s
gister Integration F come to Microsoft Integration F e using a valid Authentication K 990c81752-9446-48eb-8697- 7a7815263@bchybridrepadf5@ mY+z6fo0qvK2Izol4tvUNg= Show Authentication Key Integration Runtime (Self-host te: You can associate up to 4 ph Self-hosted Integration Runtim recommend you setup at least	Runtime (Self-) Runtime Configuration Mey. ServiceEndpoint=bchy red) node has been regi ysical nodes with a Self le. 2 nodes for higher avai	Manager. Before you st bridrepadf5.eastus.dat stered successfully. -hosted Integration Ru	afactory.azure.net@agn Learn how to find intime. This enables hig	n1YIrPworLG1sRsg the Authentication Ke h availability and scala	ev s

Microsof	t Integration Ru	Intime Configuration	n Manager		3 <u>84.1</u> 85	Х
Home	Settings	Diagnostics	Update	Help		
40						



Self-hosted node is connected to the cloud service

Data Factory: Integration Runtime: Node: bchybridrepadf5 msft1a6720t02101126 CloudMigration

Stop Service

Data Source Credential ①

Credential store:	On-premises
Credential status:	In sync
Last backup time:	N/A
Generate Backup	Import Backup

Connected to the cloud service (Data Factory V2)

C

Microsoft Integration	Runtime Configuration	Manager
-----------------------	-----------------------	---------

.....

	\sim
	~

Home Settings Diagnostics Update Help

Troubleshoot problems (preview)	
ogging ()	
View logs Send logs	
Test Connection ①	
or supported driver versions, please	refer to 'Prerequisites' section under each <u>data store</u>
For supported driver versions, please SqlServer	refer to 'Prerequisites' section under each <u>data store</u>
SqlServer	Encrypt connection
SqlServer CloudMigration\\BCDEMO	Encrypt connection Demo Database BC (18-0)
SqlServer CloudMigration\\BCDEMO Basic	Encrypt connection Demo Database BC (18-0)



Define your SQL database connection

SQL Configuration	SQL	Configuration			+		•					
-------------------	-----	---------------	--	--	---	--	---	--	--	--	--	--

SQL Server

Enter the connection string to your SQL database

SQL Connection String


.....

If you already have an integration runtime service instance installed and want to reuse it, specify the Integration Runtime; otherwise leave the field empty to create a new Integration Runtime.

Integration Runtime Name $\cdots \rightleftharpoons$	msft1a6720t02101126
--	---------------------

Back	Mout	Einich
DACK	INEXL	FILIST

ZX



Cloud Migration Setup





 \checkmark

That's It!

Choose finish to close the wizard.


					Ba	ack	Next		Finis	h		
\leftarrow	Corr	npanies									Ľ	2
	Q	Search N	New	🐯 Edit List	<u> Del</u> ete	Process	More options			Ē	∇	≔
		Name			Display Nam	е		Evaluati Company	Enable Assisted Company Setup	Setup Status		
	\rightarrow	<u>Cronus U</u>	SA clor	ne :	Cronus US	A clone				Completed		
		CRONUS	USA, Ir	ic.				12		Completed		
		My Comp	bany							Completed		





Chapter 10: Migration Process

2	🗅 Search 🛛 👫 Run M	ligra	tion Now 🛛 🔊 Run	Data Upgrad	e Now 🕴	Create Diagnostic Run	Refresh Status	***	B	Y	≣	(
	Start Time 4		End Time	Trigger Type	Migration Type	Status	Source					
	6/27/2022 1:42 P			Manual	Diagnostic	In Progress	Dynamics :	Migration Information				
\rightarrow	<u>6/27/2022 1:32 P</u>	÷	6/27/2022 1:39 P	Manual	Full	Upgrade Pending	Dynamics :	Migration Statistics				
	6/27/2022 1:25 P		6/27/2022 1:26 P	Scheduled	Normal	Completed	Dynamics :	558 415				
								Run Statistics				
								558 O Tables Successful Tables Failed				





Migration has been successfully triggered. You can track the status on the management page.

Start Time↓ ✓	End Time	Trigger Type	Migration Type	Status	Source		Details	
6/27/2022 1:32 P		Manual	Full	In Progress	Dynamics 365 B	usiness Central		
Start Time↓	End Time	Trigger Typ	e Migrat	ion Type Statu	S	Source		
5/16/2022 7:21 PM	5/16/2022 7:27 PM	I Manual	Norm	al Dat	a Repair Pending	Dynamics 365	5 Business (Central earli
🔎 Search 🛛 🦸 Run Migr	ation Now 🏾 🄊 Run	Data Upgrade	Now 🛐 (Create Diagnosti	ic Run 🛛 🚟 Refr	esh Status 🛛 …	Ŕ	7 ≡ (
🔎 Search 🛛 🗱 Run Migr Start Time J	ation Now 🌛 Run	Data Upgrade Trigger Type	Now II (Migration Type	Create Diagnosti Status	ic Run 🛛 📆 Refre		Ê	♥ 🔳 (Details
		Trigger Type	Migration		Sourc		_	

Migration Information

558	415
Tables Successful	Tables not Migrated
Run Statistics	
558	0
Tables Successful	Tables Failed
0	57
Tables Remaining	Tables with Warnings
Company Statu	IS
2	
Not Initialized Companies	

C 2

 O Search
 Image: Company Name ↑
 Table Name ↑
 Status ↑ ▼
 Records Migrated
 Total Records
 Message

 Cronus USA clone
 :
 Box\$7ceb20a7-ff19-43c0-94b2...
 Successful
 2
 2

4

Table Migration Status

Business Central on premise v14-19		Business Central SaaS v20		
Table X with 15 fields		Table X with 19 fields		16-19 fields
Record 1	Replication	Record 1		× *
Record 2		Record 2	🗸 *	¥ *
Record 3	Upgrade *	Record 3	V *	V *
A 7 Anna				

The upgrade must be triggered as the last step, because you'll not be able to migrate further data after the upgrade. Before you start the upgrade, make sure that you have moved all companies that you want to move.

Are you sure that you want to proceed?

?)

Ţ

							Yes	No]	
Q) Search 🛛 🧩 Run M	igrat	ion Now 🌖 Run	Data Upgrade	Now I	Create Diagnostic R	un 🔡 Re	fresh Status		
	Start Time ↓		End Time	Trigger Type	Migration Type	Status		Source	Deta	ails
\rightarrow	<u>6/27/2022 1:48 PM</u>	÷	6/27/2022 1:53 PM	Manual	Normal	Upgrade in Pro	gress	Dynamics 365 Busines	s Central	

You cannot start the upgrade because one or more companies are already upgraded. If you want to run the upgrade again, you must delete these companies and start the migration again.

How to report this issue \rightarrow			
Was this information helpful?	🖒 Yes	🖓 No	ОК



Shared > CloudMigrationAPIScript 88



CloudMigrationScript... g^R May 12

	«	Save 🗙 Discard 🛧 Upload 🚽 Download 🕴 🛜 Got feedback?
Sverview	The e	editor below allows you to update this application by directly modifying its .
🗳 Quickstart		
<u>/</u>	1	{
🚀 Integration assistant	2	"id": "3c3fbb9d-9a46-4d76-9fb8-ec4223ce6573",
	3	"acceptMappedClaims": null,
Manage	4	"accessTokenAcceptedVersion": null,
Branding & properties	5	"addIns": [],
branding & properties	6	"allowPublicClient": true,
Authentication	7	"appId": "810debd2-630d-4c3d-b645-bae2c8694d23",
	8	"appRoles": [],
📍 Certificates & secrets	9	"oauth2AllowUrlPathMatching": false,
Token configuration	10	"createdDateTime": "2022-04-03T15:14:56Z",
in loken configuration	11	"description": null,
API permissions	12	"certification": null,
	13	"disabledByMicrosoftStatus": null,
📤 Expose an API	14	<pre>"groupMembershipClaims": null,</pre>
App roles	15	"identifierUris": [],
App roles	16	"informationalUrls": {
A Owners	17	"termsOfService": null,
	18	"support": null,
Roles and administrators	19	"privacy": null,
— 1 1 1 1	20	"marketing": null
🕕 Manifest	21	},

odata.context @odata.etag id id : productId : sqlServerType : sqlConnectionString : runtimeName : runtimeKey :

: https://api.businesscentral.dynamics.com/v2.0/dwwardd-fwc-4400-5600-ea7ee736e8df/v20-3/api/microsoft/cloudMigration/v1.0/\$metad ata#companies(a4c779c5-15ab-ec11-bb8d-000d3a2b992c)/setupCloudMigration/Sentity W//JZHOVF2M2INIY4NIUXV[K3W]MMUMANTSWMDsn" c386354-927-cc11-8ab-000d3aed0377 Dynamics8CLast 3mercerce server-ce server-ce msft1a6720102101126 IR800c8172-9416-4586-5897-dF97a78152630bchybridrepadf50ServiceEndpoint=bchybridrepadf5.eastus.datafactory.azure.net8agmlYIrPworL G15Rsg3tum/v26f0d9xC2zo14tvUNy=

sers\abaludin> Run-CloudMigrationE2E -SqlConnectionString "server-CloudMigration\BCDEMO;Initial Catalog = Demo Database BC (18-0)';user id =integration;password

-Ir-r h r---**r** r-----

5/18/2022 7:48:19 AM Excluded Cronus USA clone company from replication 5/18/2022 7:48:19 AM Included Cronus USA clone company in replication

5/18/2022 7:48:20 AM Waiting for the Cronus USA clone company to be created, current status is:

5/18/2022 7:50:21 AM Processed Batch 1 5/18/2022 7:50:21 AM Excluded Cronus USA clone company from replication

INNING data repl Ħ Ē

5/18/2022 7:50:21 AW Included Cronus USA clone company in replication 5/18/2022 7:50:21 AW Moving batch 1 5/18/2022 7:52:47 AW Replication Status is In Progress. Tables Remaining: 0. Tables succesful: 0. Tables failed: 0 5/18/2022 7:54:54 AW Replication Status is In Progress. Tables Remaining: 548. Tables succesful: 24. Tables failed: 0 5/18/2022 7:55:54 AW Replication Status is Data Repair Pending. Tables Remaining: 0. Tables succesful: 25. Tables failed: 0 5/18/2022 7:58:55 AW Replication Status is Data Repair Pending. Tables Remaining: 0. Tables succesful: 559. Tables failed: 0 5/18/2022 7:58:55 AW Replication Status is Upgrade Pending. Tables Remaining: 0. Tables succesful: 559. Tables failed: 0

inning PCR P

5/18/2022 7:58:57 AM Waiting for Upgrade to complete

status : Comp-source : Dynam details : tablesSuccessful : 559 tablesFailed : 0 tablesRemaining : 0

DISABLING

Chapter 11: Real Migration Experience

INTELLIGENT CLOUD SETUP	Search Open in Excel		,* ×
0	INTELLIGENT CLOUD PRODUCT TYPES	2	
CHOOSE YOUR PRODUCT Select the product that you want to	DISPLAY NAME		
	Dynamics 365 Business Central	1	
Product	Dynamics GP		
	Dynamics NAV 2018		
		ok Cancle	



Business Central on-premises must be at least version 15 to use the cloud migration functionality.

	ОК	
INTELLIGENT CLOUD SETUP	× .	×
0		
SCHEDULE DATA REPLICATION Specify when to repecate your data to Business Central. To skip this step. select Next. To set	up or change your replication schedule in Business Central, search for Intelligent Cloud Management.	
Activate Schedule		
Recurrence	Daily	~
Start time	12:00:00 AM	



5. Enable & Scheduling Migration

The final page in the wizard allows you to enable the migration process and create a schedule for when the data migration should occur. These settings are also available within your Business Central tenant on the **Cloud Migration Management** page. You have the option to schedule migrations daily or weekly.

⊘ Tip

We recommend that you schedule your data migration for off-peak business hours since it can take many hours to run, depending on the amount of data.

We also recommend that you make sure that all users are logged out of both the source company and the target company.

