



Chapter 1: Creating Your First Web Application in Angular



AppModule



{{descr}}💡

🔑 **description** (property) AppComponent.description: stri...

{{descr}}

any

Property 'descr' does not exist on type 'AppComponent'. ngts(2339)

app.component.ts(1, 23): Error occurs in the template of component AppComponent.

[View Problem \(Alt+F8\)](#) [Quick Fix... \(Ctrl+.\)](#)

my-component.ts 2, U ●

src > app > my-component.ts

1

a-

- ☐ a-component Angular Component
- ☐ a-component-inli... Angular Component with Inline ...
- ☐ a-component-root Angular Root Component
- ☐ a-ctor-skip-self Angular Module SkipSelf Construc...
- ☐ a-directive Angular Directive
- ☐ a-guard-can-activate Angular CanActivate Guard
- ☐ a-guard-can-activate-chi... Angular CanActivateChil...
- ☐ a-guard-can-deactivate Angular CanDeactivate Guard
- ☐ a-guard-can-load Angular CanLoad Guard
- ☐ a-http-interceptor Angular HttpInterceptor - Empty
- ☐ a-http-interceptor-head... Angular HttpInterceptor...
- ☐ a-http-interceptor-logg... Angular HttpInterceptor...

my-component.html U

src > app > my-component.html

!!MISSING: command!!

1

a-

- ☐ a-formGroupName
- ☐ a-ng-container ng-container
- ☐ a-ng-container
- ☐ a-ng-content ng-content
- ☐ a-ng-content
- ☐ a-ng-template ng-template
- ☐ a-ng-template
- ☐ a-ngClass ngClass
- ☐ a-ngClass
- ☐ a-ngFor ngFor
- ☒ a-ngFor Angular *ngFor (Angular Snippets (V...
- ☐ a-ngFor-trackBy ngFor with trackBy

The screenshot shows the Visual Studio Code interface with the Angular CLI update command palette open. The palette is titled "ANGULAR EVERGREEN" and contains several sections:

- VERSIONS**
 - Current CLI: 14.2.10 (Latest: 15.0.0)
 - Next: 15.0.0
 - Current Core: 14.2.0 (Latest: 15.0.0)
 - Next: 15.0.0
- QUICK COMMANDS**
 - Configure VS Code for Angular
 - Update with Angular CLI
 - Update Angular CLI & Core
 - Update Angular CLI & Core --force
 - List Packages to Update
 - Update Angular CLI & Core --next
 - Update Angular CLI & Core --next --force
 - List Packages to Update --next
 - Update npm Packages
 - Check npm packages
- NEED HELP?**
 - How to Update
 - Visit blog.angular.io
 - Request Consulting
 - Report an Issue

On the right side of the palette, there is a large, faint Angular logo. Below it, a list of keyboard shortcuts is displayed:

- Show All Commands: **Ctrl + Shift + P**
- Go to File: **Ctrl + P**
- Find in Files: **Ctrl + Shift + F**
- Start Debugging: **F5**
- Toggle Terminal: **Ctrl + `**

At the bottom of the palette, a status bar message reads: "Angular is out-of-date! Run Quick Command > Update Angular to ..."

Select File Icon Theme




Material Icon Theme


Seti (Visual Studio Code)

Current

** Angular Live Development Server is listening on localhost:4200, open your browser on <http://localhost:4200/> **


✓ Compiled successfully.


 Welcome  


 my-app app is running!


Resources


Here are some links to help you get started:

 Learn Angular >

 CLI Documentation >

 Angular Material >

 Angular Blog >

 Angular DevTools >

Next Steps

What do you want to do next with your app?

+ New Component


+ Angular Material

+ Add PWA Support



+ Add Dependency


+ Run and Watch Tests

+ Build for Production




```
ng generate component xyz
```




Love Angular? [Give our repo a star.](#)  Star >






my-app app is running!



Angular Projects app is running!





✓ PROJECTS

✓  my-app

>  build

✓  serve




 production

 development



 extract-i18n

 test

○  Executing task: npx ng serve my-app

•• Generating browser application bundles (phase: setup)...

Chapter 2: Building an SPA Application with Scully and Angular Router






Angular Projects

A personal blog created with the
Angular framework and the Scully
static site generator

[Angular](#) [Scully](#)



- ✓ Starting servers for project "my-blog"
- ✓ Started Scully static server on "http://localhost:1668/"
- ✓ Started Angular distribution server on "http://localhost:1864/"

2023-06-22-posts

blog description

Angular and Scully

How to build a blog with Angular and Scully

Scullylo content


Angular and Scully

Angular is a robust JavaScript framework that we can use to build excellent and performant web applications. Scully is a framework with Jamstack characteristics. You can find more about them in the following links:

- <https://angular.io>
- <https://scully.io>
- <https://www.jamstack.org>

End of content

Chapter 3: Building an Issue Tracking System Using Reactive Forms



Issue No	Type	Title	Description	Priority
1	Feature	Add email validation in registration form	Validate the email entered in the user registration form	high
2	Feature	Display the address details of a customer	Add a column to display the details of the customer address in the customer list	low
3	Bug	Export to CSV is not working	The export process of a report into CSV format throws an error	high
4	Feature	Locale settings per user	Add settings configure the locale of the current user	low
5	Documentation	Add new customer tutorial	Create a tutorial on how to add a new customer into the application	high
5 issues				

Report an issue

Title

Error when creating a new user

Description

When we click on the Create user button, the error message: "Invalid email" appears on the screen

Priority

☐ Low

☒ High

Type

Bug

CREATE

CANCEL

ADD NEW ISSUE

Issue No	Type	Title	Description	Priority
1	Bug	Error when creating a new user	When we click on the Create user button, the error message: "Invalid email" appears on the screen	high

1 issues

Title

Title is required

Report an issue

Title


Title is required



Description

Priority

☐ Low ☐ High

 Priority is required

Type

 
Type is required

CREATE

CANCEL

Issue No	
⋮	Resolve
⋮	2
⋮	3
⋮	4
⋮	5

Resolve Issue # 1

Are you sure you want to close the issue?

CANCEL

YES, CONTINUE


Title

cust

Similar issues

#2: Display the adress details of a customer	Add a column to display the details of the customer address in the customer list
#5: Add new customer tutorial	Create a tutorial on how to add a new customer into the application

Chapter 4: Building a PWA Weather Application Using Angular Service Worker



Athens



Athens, GR

Clouds




17 °C

Pressure: 1013 hPa

Humidity: 62 %

Wind: 4.92 m/s

Enter city




No internet

Try:

- Checking the network cables, modem, and router
- Reconnecting to Wi-Fi
- [Running Windows Network Diagnostics](#)

ERR_INTERNET_DISCONNECTED



A new version is available!

Update now

Weather App



Enter city







weather-app






Your new project is ready


Continue



Chapter 5: Building a WYSIWYG Editor for the Desktop using Electron









locales



resources



swiftshader



chrome_100_percent.pak



chrome_200_percent.pak



d3dcompiler_47.dll



ffmpeg.dll



icudtl.dat



libEGL.dll



libGLESv2.dll



LICENSE



LICENSES.chromium.html



my-editor.exe



resources.pak



snapshot_blob.bin



v8_context_snapshot.bin



version



vk_swiftshader.dll




vk_swiftshader_icd.json



vulkan-1.dll

Chapter 6: Building a Mobile Photo Geotagging Application Using Capacitor and 3D Maps, covers Capacitor



Phototag

Capture geotagged photos



Take a photo



View gallery

Take a nice photo with your camera



Your Firebase projects



Add project

Let's start with a name for your project[?]

Project name

phototag



<Project ID>

Continue



Enable Google Analytics for this project
Recommended

[Previous](#)

Create project



Add an app to get started

1

Register app

App nickname 

phototag

☐ Also set up **Firestore** for this app. [Learn more](#) 

Firestore can also be set up later. Its free to get started at any time.

Register app

Cloud Firestore

Real-time updates, powerful queries and automatic scaling

Create database

☐ Start in **production mode**

Your data is private by default. Client read/write access will only be granted as specified by your security rules.

☒ Start in **Test mode**

Your data is open by default to enable quick setup. However, you must update your security rules within 30 days to enable long-term client read/write access.

<input type="checkbox"/>	Name	Size	Type	Last modified
<input type="checkbox"/>	 669	2.9 MB	image/jpeg	6 Feb 2021

[+ Start collection](#)

[+ Add document](#)

photos




1 oFxxWgQselwqWUrYBkN





View gallery




☰ View gallery






View gallery



Chapter 7: Building an SSR Application for a GitHub Portfolio Using Angular



Welcome to my GitHub portfolio





Angular

Aristeidis Bampakos

Angular Google Developer Expert | Co-organizer at Angular Athens meetup | Author @PacktPublishing | Senior Angular Instructor @CodeHubGreece

 Athens, Greece

 58

[Twitter](#) [Personal blog](#)

Repositories

[angular-athens-demo](#)

AngularJS to Angular migration demo for Athens Angular Meetup

<> JavaScript ☆ 3 🧑 5

[angular-electron-sample](#)

Angular-Electron sample application

<> TypeScript ☆ 6 🧑 4

[angular-heroes](#)

An Angular application that interacts with the Marvel Comics API

<> TypeScript ☆ 20 🧑 5

[ngx-electronify](#)

Angular CLI builder that runs your application in the desktop using Electron

<> TypeScript ☆ 48 🧑 3

[PHQ4-angular](#)

Famo.us Angular PHQ4 demo

<> JavaScript ☆ 0 🧑 0

[repro-app](#)

<> TypeScript ☆ 0 🧑 0

Organizations



Developer-Plexscape



SocialHackersAcademy

We empower Refugees, Migrants, and Unemployed with Web Development skills.



angularathens




CodeHubGreece

Code.Hub is your ideal HR partner either you are a multinational company, a startup company or an ICT professional.




expertly-simple


<div> <div> </div> <div> <div>Elements</div> <div>Console</div> <div>Sources</div> <div>Network</div> <div>Performance</div> <div>Memory</div> </div> </div>		
<div> <div> <div></div> <div></div> <div></div> <div></div> </div> <div> <input type="checkbox"/> Preserve log <input type="checkbox"/> Disable cache <div>Online</div> <div> <div>↑</div> <div>↓</div> </div> </div> </div>		
<div> <div>Filter</div> <div> <input type="checkbox"/> Hide data URLs <div>All</div> <div>XHR</div> <div>JS</div> <div>CSS</div> <div>Img</div> <div>Media</div> <div>Font</div> </div> </div>		
Name	Status	Type
<input type="checkbox"/> bampakoa	200	xhr
<input type="checkbox"/> repos	200	xhr
<input type="checkbox"/> orgs	200	xhr



```
▼ <head>
  <meta charset="utf-8">
  <title>GitHub portfolio app</title>
  <base href="/">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="icon" type="image/x-icon" href="favicon.ico">
  <link rel="stylesheet" href="styles.css">
  ▶ <style>...</style>
  ▶ <style>...</style>
  ▶ <style>...</style>
  ▶ <style>...</style>
  ▶ <style>...</style>
  <meta name="description" content="<Your GitHub login>'s GitHub portfolio">
  <meta name="author" content="<Your GitHub login>">
```

Chapter 8: Building an Enterprise Portal Using Nx Monorepo Tools and NgRx





Hello there,

Welcome tour 🖐️



✓ GENERATE & RUN TARGET



 generate

 run

 build

 serve

 extract-i18n

 lint

 test

 serve-static

 e2e

name *

The name of the library.

visitor

List of POI	Map
-------------	-----

name *

The name of the component.

visitor

project

The name of the project.

visitor



flat



Flag to indicate if a dir is created.

path

The path to create the component.

libs/visitor/src/lib

Menu

Link 1

Link 2

Link 3

visitor

name

Library name

admin

name *

The name of the component.

admin

project

The name of the project.

admin



flat



Create the new files at the top level of the current project.

path

The path at which to create the component file, relative to the current workspace. Default is a folder with the same name as the component in the project root.

libs/admin/src/lib

admin works!

Menu

Acropolis

Delphi


White Tower

Menu

Acropolis

Delphi


White Tower




Acropolis




Acropolis of Athens



Acropolis Delphi White Tower



Chapter 9: Building a Component UI Library Using Angular CLI and Angular CDK



Building entry point 'ui-controls'

- ✓ Compiling with Angular sources in Ivy partial compilation mode.
- ✓ Generating FESM2020
- ✓ Generating FESM2015
- ✓ Copying assets
- ✓ Writing package manifest

Assassins Creed Series

Assassins Creed	Assassins Creed II	Assassins Creed Black Flag	Assassins Creed Black Rogue
Altair Ibn-La Ahad	Ezio Auditore da Firenze	Edward Kenway	Shay Patrick Cormac
View on Wikipedia	View on Wikipedia	View on Wikipedia	View on Wikipedia

Clipboard interaction

my-components

Copy

localhost:4200 says

my awesome library copied to the clipboard

OK

My Angular Element


Copy

This page says

Copied to clipboard

OK

Chapter 10: Customizing Angular CLI Commands Using Schematics



```
CREATE src/app/dashboard/dashboard.component.html (39 bytes)
CREATE src/app/dashboard/dashboard.component.ts (178 bytes)
```

```
CREATE src/app/customers.service.spec.ts (372 bytes)
CREATE src/app/customers.service.ts (345 bytes)
```