


# Chapter 1: Winning Component Communication



Component Communication using @Input() & @Output()			ŵ	(j
Notifications Count: 0				
Add Notification	Remove Notification	Reset Count		




1	Component Communicat	ion using Services		<b>@</b> ()	
	Notifications Count: 0				
	Add Notification	Remove Notification	Reset Count		



Intercepting @Input() c	hanges using setters	<sup>(</sup> )
	Version Number	
	0.0.0	
	Use semantic versioning (x.x.x) Submit	
	Latest Version = 0.0.0	

Intercepting @Input() changes using setters		()
	Version Number	
	0.0.0	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 0.0.0	


Intercepting @Input() changes using setters		Û
	Version Number	
	4.1.2	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 4.1.2	
	initial version is 0.0.0 version changed to 4.1.2	




Component Comr	nunication using ngOnChanges	$\mathbf{\hat{o}}$
	Version Number	
	0.0.0	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 0.0.0	


Component Communication using ngOnChange	25	<b>(</b> j
	Version Number	
	0.0.0	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 0.0.0	


Component Communication using ngOnChanges	Ū
Version Number	
2.7.3	
Use semantic versioning (x.x.x)	
Submit	
Latest Version = 2.7.3	
initial version is 0.0.0 version changed to 2.7.3	





added new picture <b>v</b> GalleryComponent {pictures: Array(5),ngContext: 1} 1
<pre>▼ pictures: Array(5)</pre>
0: "https://picsum.photos/200/200?ts26.36482839302125"
1: "https://picsum.photos/200/200?ts19.09255616754232"
2: "https://picsum.photos/200/200?ts29.392032464121677"
3: "https://picsum.photos/200/200?ts25.657671669983394"
4: "https://picsum.photos/200/200?ts30.423446141593992"
length: 5
▶ [[Prototype]]: Array(0)
ngContext: 1
<pre>&gt; [[Prototype]]: Object</pre>





<b>V</b>	Standalone components & communicating between Routes	í
	← Jolanda Guerin	

Component commur	ication using Signals	()
	Task Manager (0 / 0) New task Add Buy milk	
	<ul> <li>Bay milk</li> <li>Read a book</li> </ul>	
	All Active Completed	

Component communication using Signals		
Task Manager (1/2)		
New task Add		
Buy milk		
Read a book		
All Active Completed		

Component communication using Signals	(j)
Task Manager (1/4)	
New task Add	
Buy milk	
Read a book	
<ul> <li>Create more bugs to fix later</li> </ul>	
Deploy on a Friday	
All Active Completed	

Component	communication using	Signals	(i)
	Task Manager	(1 / 4)	
	New task	Add	
	Buy milk		
	Create more bugs	to fix later	
	Deploy on a Frida	y	
	All Active C	ompleted	

Working with your first Ang	ular Signals	(j)
/ Working with your first Ang	Task Manager (2 / 2) New task Add Buy milk Read a book All Active Completed	
	Congratulations! You completed all tasks.	

# Chapter 2: Working with Angular Directives and Built-In Control Flow



Attribute	e Directive in Angular	<b>()</b>
	Q Quick Search	
S	Silent sir say desire fat him letter. Whatever settling goodness too and honoured she building	
а	answered her. Strongly thoughts remember mr to do consider debating. Spirits musical	
b	behaved on we he farther letters. Repulsive he he as deficient newspaper dashwoods we.	
C	Discovered her his pianoforte insipidity entreaties. Began he at terms meant as fancy.	
B	Breakfast arranging he if furniture we described on. Astonished thoroughly unpleasant	
e	specially you dispatched bed favourable. Now for manners use has company believe parlors.	
L	east nor party who wrote while did. Excuse formed as is agreed admire so on result parish.	
P	Put use set uncommonly announcing and travelling. Allowance sweetness direction to as	
n	necessary. Principle oh explained excellent do my suspected conveying in. Excellent you did	
tl	herefore perfectly supposing described. Savings her pleased are several started females met.	
S	Short her not among being any. Thing of judge fruit charm views do. Miles mr an forty along	
а	is he. She education get middleton day agreement performed preserved unwilling. Do	
h	nowever as pleased offence outward beloved by present. By outward neither he so covered	
а	miable greater. Juvenile proposal betrayed he an informed weddings followed. Precaution	

#### Read Time Directive

Silent sir say desire fat him letter. Whatever settling goodness too and honoured she building answered her. Strongly thoughts remember mr to do consider debating. Spirits musical behaved on we he farther letters. Repulsive he he as deficient newspaper dashwoods we. Discovered her his pianoforte insipidity entreaties. Began he at terms meant as fancy. Breakfast arranging he if furniture we described on. Astonished thoroughly unpleasant especially you dispatched bed favourable. Now for manners use has company believe parlors. Least nor party who wrote while did. Excuse formed as is agreed admire so on result parish. Put use set uncommonly announcing and travelling. Allowance sweetness direction to as necessary. Principle oh explained excellent do my suspected conveying in. Excellent you did therefore perfectly supposing described. Savings her pleased are several started females met. Short her not among being any. Thing of judge fruit charm views do. Miles mr an forty along as he. She education get middleton day agreement performed preserved unwilling. Do however

		Elements	Console	Sources	Network
	$\odot$	top 🔻 🛛 🤇	Filter		
4			to load sou net::ERR_F		ould not lo UND
	rea	dTime: 3} adTime: 3 Prototype]]			
	Angula	r is runni	ng in devel	opment mod	e. Call ena
>					

# Read Time = 3 minutes

Silent sir say desire fat him letter. Whatever settling goodness too and honoured she building answered her. Strongly thoughts remember mr to do consider debating. Spirits musical behaved on we he farther letters. Repulsive he he as deficient newspaper dashwoods we. Discovered her his pianoforte insipidity entreaties. Began he at terms meant as fancy. Breakfast arranging he if furniture we described on. Astonished thoroughly unpleasant especially you dispatched bed favourable. Now for manners use has company believe parlors. Least nor party who wrote while did. Excuse formed as is agreed admire so on result parish. Put use set uncommonly announcing and travelling. Allowance sweetness direction to as necessary. Principle oh explained excellent do my suspected conveying in. Excellent you did therefore perfectly supposing described. Savings her pleased are several started


Scroll-To Directive	<b>(</b> )
Links Resources Next Steps More Content Further Content More To Read	
Resources Here are some links to help you get started:	
S Learn Angular > <> CLI Documentation > <a href="http://www.englishippidecommons.org">Mangular Blog &gt;</a>	
Next Store	
Next Steps What do you want to do next with your app?	
+ New Component + Angular Material + Add PWA Support + Add Dependency + Run and Watch Tests + Build for Production	$\widehat{}$

*appShowFor Structural Directi	<i>r</i> e	<b>(</b> )
	Toggle Dialog	
	I am a Dialog And this is some random content	

*appShowFor Structural Directive	<b>()</b>
Toggle Dialog	
🕞 🔂 🛛 Elements Console Sources Network Performance Memory Application Security Lighthouse » 🛛 📮 1 🛛 🕸	×
▶ 🛇   top 🔻   💿   Filter Default levels 🔻   1 Issue: 🗖 1	•
▶{showForValue: false} show-for.directive.ts	:9
▶{showForValue: true} show-for.directive.ts	:9
► {showForValue: false}	:9
▶ {showForValue: true} show-for.directive.ts	.:9
▶{showForValue: false} show-for.directive.ts	:9
>	

*appShowFor Structural Directive	6
Toggle Dialog	
I am a Dialog And this is some random content	

How to use *nglf and *ngSwitch togethe	er 🛈
•	
Choose ~ Add to Bud	ket
Bucket 꾞	



How to use *nglf and *ngSwitch together	í
Grapes 🐐 🗸 Add to Bucket	
Bucket 꾞	
No items in bucket. Add some fruits!	

Directive Composition API	$\odot$
Default B	utton: Click Me
Filled But	ton: Click Me
Outlined	Button: Click Me
Button w	Click Me
	Click Me test

Directive Composition API	0
Default Button:	Click Me
Filled Button:	Click Me
Outlined Button:	Click Me
Button with Tooltip:	Click Me Click Me

Directive Composition API			<b>(</b> )
	Default Button:	Click Me	
	Filled Button:	Click Me	
	Outlined Button:	Click Me	
	Button with Tooltip:	Click Me	
		Click Me	
		code with ahsan	

# Chapter 3: The Magic of Dependency Injection in Angular

Providing a class to Angular using DI Tokens

### **Random Chuck Norris Joke:**

"Chuck Norris was surfing and came face to face with a huge Great White shark. The shark quickly swam away after sustaining a very serious Chuck Norris bite."


← → C ① localhost.4200		୍ ଜ ☆ 🖈 🖬 🐇 :
Angular Optional Dependencies		0
Angular Optional Dependencies	Version Number 0.0.0 Use semantic versioning (x.x.x) Submit Latest Version = 0.0.0	
	initial version is 0.0.0	

**(i)** 

Application	<b>C</b> Filter	⊗ ×
Manifest	Кеу	Value
Service Workers	vc_logs_ng_od	["initial version is 0.0.0","version changed
🛢 Storage		
Storage		
🔻 📰 Local Storage		
http://localhost:4200/		
Session Storage		
IndexedDB		
🛢 Web SQL		
Cookies		
🛢 Trust Tokens	<pre>     ["initial version is 0.0.0", "ver     0: "initial version is 0.0.0" </pre>	rsion changed to 0.0.1"]
Interest Groups	1: "version changed to 0.0.1"	


▶ 🛇   top ▼   👁   Filter	Default levels 🔻 🛛 1 Issue: 🖻 1 🛛 🗱
[webpack-dev-server] Server started: Hot Module Replacement disabled Reloading enabled, Progress disabled, Overlay enabled.	d, Live <u>polyfills.js:1</u>
<pre>S FERROR NullInjectorError: R3InjectorError(AppModule)[LoggerService LoggerService]: NullInjectorError: No provider for LoggerService! at NullInjector.get (core.mjs:8096:27) at R3Injector.get (core.mjs:8546:33) at R3Injector.get (core.mjs:8546:33) at ChainedInjector.get (core.mjs:12915:36) at ChainedInjector.get (core.mjs:12915:36) at lookupTokenUsingModuleInjector (core.mjs:3505:39) at getOrCreateInjectable (core.mjs:3550:12) at Module.eedirectiveInject (core.mjs:10836:12) at NodeInjectorFactory.VcLogsComponent_Factory [as factory] (vc. at getNodeInjectable (core.mjs:3735:44)</pre>	

[webpack-dev-server] Server started: Hot Module Replacement disabled, polyfills.js:1 Live Reloading enabled, Progress disabled, Overlay enabled. ERROR TypeError: Cannot read properties of null (reading 'log') main.ts:6 at VcLogsComponent.ngOnChanges (vc-logs.component.ts:23:21) at VcLogsComponent.rememberChangeHistoryAndInvokeOnChangesHook (<a href="core.mjs:2860:14">core.mjs:2860:14</a>) at callHookInternal (core.mjs:3852:14) at callHook (core.mjs:3883:9) at callHooks (core.mjs:3834:17) at executeInitAndCheckHooks (core.mjs:3784:9) at refreshView (core.mjs:12504:21) at detectChangesInView (core.mjs:12653:9) at detectChangesInComponent (core.mjs:12629:5) at detectChangesInChildComponents (core.mjs:12667:9) Angular is running in development mode. core.mjs:25537



Angular Singleton Service	<b>()</b>
Notifications Count: 0	
Add Notification Remove Notification Reset Count	

[webpack-dev-server] Server started: Hot Module Replacement disabled, Live Reloading enabled enabled.
<pre>ERROR NullInjectorError: R3InjectorError(AppModule)[NotificationsService -&gt; NotificationsService -&gt; NotificationsService -&gt; NotificationsService]: NullInjectorError: No provider for NotificationsService! at NullInjector.get (core.mjs:8096:27) at R3Injector.get (core.mjs:8546:33) at R3Injector.get (core.mjs:8546:33) at injectInjectorOnly (core.mjs:738:33) at Module.øeinject (core.mjs:742:60) at Object.NotificationsService_Factory [as factory] (notifications.service.ts:7:34) at R3Injector.get (core.mjs:8535:33) at ChainedInjector.get (core.mjs:12915:36)</pre>





Angular Singleto	on Service - forRoot()	<b>i</b>
No	tifications Count: (	)
Add Notification	Remove Notification	Reset Count

Providing diff	erent services against san	ne DI Token	Logout	<b>()</b>
	Adm Choose ) Bucket \a	i <b>n</b> Add to Bucket		
	No items in bucket. Add	d some fruits!		


Dynamic configurations using value providers	Logout (j
Admin	
Choose   Add to Bucket	
Bucket 😫	
No items in bucket. Add some fruits!	

# Chapter 4: Understanding Angular Animations






Angular Animations with Keyframes	(j
Pick Social Card Type	
Facebook	
This article discusses the CSS Box Model, a fundamental concept in web	
development that determines the layout of web pages. It explains the four components of the Box Model and how they affect the dimensions of elements on a web page. By understanding this concept, web developers can create effective and aesthetically pleasing designs.	
CSS BOX MODEL	




Lists using stag	ggering animations in Angular		
	Adm	in	
	Choose ~	Add to Bucket	
	Bucket 본		
	Apple 🎃	Ū	
	Apple 🎃	Ū	
	Banana 🍌	Ū	
	Banana 🍌	Ū	




4	Route Animations in Angular	Home	About	í
	Home Page			
	Home Page Content			

Disabling Angul	ar animations condition	ally	Logout	<b>(</b> )
	Adm	in		
	Choose >	Add to Bucket		
	Bucket ਸ਼			
	Apple 🍎	Ū		
	Grapes 🍓	Ū		
	Cherry 🍒	Ū		

# Chapter 5: Angular and RxJS - Awesomeness Combined



Listening to multiple observable streams		0
Background Color Prext Color #FFFF99 #B34D4D	Border Radius Size 4 100 Change Styles	
	Hello World!	




nsubscribing streams to avoid emory leaks	Home	About	(j)	Image: Ref         Elements         Consc           Image: Ref         Image: Ref	
				All levels ▼ 1 Issue: ᄅ 1	
				<pre>▶ {input: 0}</pre>	<pre>home.component.ts:21</pre>
				<pre>▶ {input: 1}</pre>	<pre>home.component.ts:21</pre>
about works!				<pre>▶ {input: 2}</pre>	<pre>home.component.ts:21</pre>
				▶ {input: 3}	<pre>home.component.ts:21</pre>
				▶ {input: 4}	<pre>home.component.ts:21</pre>
				<pre>▶ {input: 5}</pre>	<pre>home.component.ts:21</pre>
				<pre>▶ {input: 6}</pre>	<pre>home.component.ts:21</pre>
				▶ {input: 7}	<pre>home.component.ts:21</pre>
				▶ {input: 8}	<pre>home.component.ts:21</pre>
				>	

Angular's Async Pipe to unsubscribe streams automagically					
Start Stream       Stop Stream         john wick       inception         interstellar       Interstellar					

Using RxJS 'map' operator to transform data	$\bigcirc$

Using RxJS 'map' operator to transform data							
Person: Luk	e Skywalker						
Film: A New Hope	Film: The Empire Strikes Back						
Film: Return of the Jedi	Film: Revenge of the Sith						



				Users			
Q wolf							
		rformance in	sights 基 Sources cache No throttling ▼	Network Performa	ance Me	mory Application » 🛚 🕅 36	¢¢::× ∣¢
					Eont Do	c WS Wasm Manifest Other 🗌 Has bloc	cked cookies
Blocked Requests 3rd-				to coo ing media			
Name	Status	Туре	Initiator	Size	Time	Waterfall	
?results=10&seed=packt	200	xhr	users.componen	4.3 kB	283 ms		
?results=10&seed=packt	200	xhr	users.componen	4.3 kB	274 ms	•	
?results=10&seed=packt	200	xhr	users.componen	4.3 kB	308 ms	1	
?results=10&seed=packt	200	xhr	users.componen	4.3 kB	315 ms		

RxJS switchMap & debounce operators with autocompletes							(j)
				Users			
Q wolf							
🕞 🚹 🛛 Elements Consc	ole Perf	ormance insigh	ts 🕹 Sources	Network Performa	nce Me	mory Application >>	🔀 33   🏟 🚦 🗙
🌔 🛇   🍸 🔍   🔲 Prese	rve log 🕴	🖌 Disable cacł	ne No throttling 🔻	∕ 😪   🟦 🛓			<b>\$</b>
Filter	Invert	Hide data UF	Ls All Fetch/XHR	JS CSS Img Media	Font Do	c WS Wasm Manifest Other	Has blocked cookies
Blocked Requests 3rd-party requests							
Name	Status	Туре	Initiator	Size	Time	Waterfall	
?results=10&seed=packt			users.componen	0 B			
?results=10&seed=packt			users.componen	0 B			_
?results=10&seed=packt			users.componen	0 B			
?results=10&seed=packt	200	xhr	users.componen	4.3 kB	295 ms		

R×	RxJS switchMap & debounce operators with autocompletes							Ġ			
					Users						
	Q wolf										
	lements Conso	ole Perf	ormance insigh	ts 👗 Sources	Network Per	forman	ce Me	mory Applica	tion »	🛛 🛛 🖾 🗶	¢a : ×
0 0 7	🔍 🔍 📄 Prese	rve log 📗	🖌 Disable cacł	ne No throttling 🔻	` 😪   🛨 🛨						<b>\$</b>
Filter		Invert	Hide data UF	Ls All Fetch/XHR	JS CSS Img N	Media	Font Dod	ws Wasm M	Aanifest Other	Has block	ked cookies
Blocked Re	quests 🔲 3rd-pa	arty request	ts								
Name		Status	Туре	Initiator	Size		Time	Waterfall			
?results=10	&seed=packt	200	xhr	users.componen		.3 kB	231 ms	•			

RxJS Custom Operator	🛈 🖟 🗋   Elements Console » 🗾   🏟 :	Image: Image			
	▶ 🛇   top 🔻   👁   Filter	\$			
	Ali leveis ▼ │ 1 issue: 📮 1				
	output ► [0] <u>home.component.ts:32</u>				
Start Stream Stop Stream	output ▶ (2) [0, 1] <u>home.component.ts:32</u>				
	output ► (3) [0, 1, 0] <u>home.component.ts:32</u>				
	output ▶ (4) [0, 1, 0, 2] <u>home.component.ts:32</u>				
john wick 0	output ▶ (5) [0, 1, 0, 2, 3] <u>home.component.ts:32</u>				
inception 1	output <u>home.component.ts:32</u> ► (6) [0, 1, 0, 2, 3, 4]				
interstellar 0 2	output ► (7) [0, 1, 0, 2, 3, 4, 1]				
3 4	output ► (8) [0, 1, 0, 2, 3, 4, 1, 0]				
1 0	output <u>home.component.ts:32</u> ► (9) [0, 1, 0, 2, 3, 4, 1, 0, 5]				
5	output <u>home.component.ts:32</u> ▶ (10) [0, 1, 0, 2, 3, 4, 1, 0, 5, 6]				
6 7	output ► (11) [0, 1, 0, 2, 3, 4, 1, 0, 5, 6, 7]				
2 8	output <u>home.component.ts:32</u> ▶ (12) [0, 1, 0, 2, 3, 4, 1, 0, 5, 6, 7, 2]				
9 10	output <u>home.component.ts:32</u> ▶ (13) [0, 1, 0, 2, 3, 4, 1, 0, 5, 6, 7, 2, 8]				
	output				
	output ↓ (15) [0, 1, 0, 2, 3, 4, 1, 0, 5, 6, 7, 2, 8, 9, 1 0]				
	>				

RxJS Custom Operator	🕞 🔂 🛛 Elements Console » 📮 1 🛛 🏶 🗄 🗙
KXJS Custom Operator         Start Stream         John wick         inception         interstellar         0         3         4         1         0         5         6         7         2         8	$\begin{tabular}{ c c c c c } \hline & \hline $

Retry failed HTTP calls with RxJS 🛈	□     □     >     ●     □     ×       □     ○     □     ○     □     □       □     ○     □     □     □					
	All levels ▼ 1 Issue: 🖻 1					
	Angular is running in <u>core.mjs:23508</u> development mode. Call enableProdMode() to enable production mode.					
Http failure response for http://localhost:3333/api/bad-request: 400 Bad	⊗ ► GET <u>http://local</u> <u>app.component.ts:30</u> <u>host:3333/api/bad</u> <u>-request</u> 400 (Bad Request)					
Request	<pre>     ERROR <u>app.component.ts:30</u>     HttpErrorResponse {headers: HttpHeaders,     status: 400, statusText: 'Bad Request',     url: 'http://localhost:3333/api/bad-requ     est', ok: false,} </pre>					
	>					

Http failure response for http://localhost:3333/api/bad-request: 400 Bad Request          Image: Source State       Network       Performance       Memory       Image: Source State       Network       Network <th></th>	
Image: The series of the se	
Image: The serve log       Image: The serve log <td< td=""><td></td></td<>	
● ◎   ♥ Q,   □ Preserve log   ✔ Disable cache No throttling ▼ 3 ±	
● ◎   ♥ Q,   □ Preserve log   ✔ Disable cache No throttling ▼ 3 ±	
	🏟 🗄 🗡
Filter Invert Hide data URLs All Fetch/XHR JS CSS Img Media Font Doc WS Wasm Manifest Other Has block	<b>\$</b>
	ked cookies
Blocked Requests 3rd-party requests	
Name Status Type Initiator Size Time Waterfall	
bad-request 400 xhr app.component 318 B 3 ms	
bad-request         400         xhr         app.component,         318 B         2 ms         I	
bad-request         400         xhr         app.component,         318 B         4 ms         1	
bad-request         400         xhr         app.component         318 B         6 ms         I	

Retry failed HTTP calls with RxJS								(j
Http failure response for http://localhost:3333/api/bad-request: 400 Bad Request								
🕞 🔂 🌒   E	ements	Console	Performance insights	L Sources Netv	vork Performance	Memory >	» 💿 5 🖻	1 🗱 🗄 🗙
🔵 🛇   🖌 ଦ୍	Pre	serve log 📔 🚽	Disable cache No t	hrottling 🔻 😪 🛔	<u>+</u>			*
Filter		Invert	Hide data URLs All	Fetch/XHR JS CSS	Img Media Font Doc	WS Wasm	Manifest Other	as blocked cookies
Blocked Request	s 🔲 3rd-	party requests						
Name	Status	Туре	Initiator	Size	Time	Waterfall		
bad-request				318 B				
bad-request			app.component	318 B				
bad-request			app.component	318 B				
bad-request			app.component	318 B				

Chapter 6: Reactive State Management with NgRx

Creating NgRx store with actions & reducer						
	Choose ~	Add to Bucket				
	Bucket ਸ਼					
	Banana 🍋	Ū				
	Apple 🍎	Ū				
	Grapes 🍓	Ū				
	Cherry 🍒	Ū				
	Banana 🍋	Ū				

	Banana 🌭 🛛 🗸	Add to Bucket	
	Bucket 봄		
	Banana 🌜	1	
	Banana 농	Ū	
	Apple 🍎	Ū	
	Cherry 🝒	Ū	
🕞 🚹   Elements Console Performance insight	nts 🕹 Sources Network	Performance Memory App	lication » 📃 🗐 🕇 🌣 🚼 🗙
▶ 🛇   top 🔻   👁   Filter			All levels 🔻 🛛 1 Issue: 🗖 1 🛛 🏟
<pre></pre>			<u>bucket.reducer.ts:14</u>
<pre></pre>			bucket.reducer.ts:14
▼{fruit: {_}} 3 ▶ fruit: {id: 1678042102117, name: 'Banana { ▶ [[Prototype]]: Object	<b>⊳</b> '}		<u>bucket.reducer.ts:10</u>
▼{fruit: {…}} 3 ▶ fruit: {id: 1678042102620, name: 'Banana { ▶ [[Prototype]]: Object	<b>b</b> '}		<u>bucket.reducer.ts:10</u>

Using NgRx Devtools to debug state					
	Choose ~	Add to Bucket			
	Bucket ਸ਼				
	Apple 🍎	Ū			
	Apple 🍎	Ū			
	Cherry 🍒	Ū			
	Banana ಓ	Ū			

Using NgRx I	Devtools to	<b>r 1</b>	Elements	Console	Performance in	sights 👗	Sources	Redu>	<b>«</b> »	<b>1</b>	<b>\$</b> :	
debug state	Jevtools to	Actions	Settings									<b>—</b>
		<b></b>		Reset Reve					NgRx Sto	re DevTools		
		filter							Action	State	Diff	Trac
		@ngrx/st	ore/init			_						
						Tree	Chart Raw					
Choose ~	Add to Bucket											
Bucket 봄												
Banana 🌜	Ū											
Banana 🌜	Ū											

Using NgRx Devtools to	Redux »	<b>■</b> 1   🏟 🗄 ×
debug state	Actions Settings	
	C 🖡 🔒 Reset Revert Sweep (	Commit NgRx Store Dev
		State Action Sta
	@ngrx/store/init 11:03:47.86	
Banana 🍋 🛛 🗸 Add to Bucket	[Bucket] Add Fruit +00:05.11	Tree Chart Raw
	[Bucket] Add Fruit +00:00.52	▼ bucket (pin) ▼ 0 (pin)
Bucket 본	[Bucket] Add Fruit +00:01.76	id (pin): 1678053833507
Grapes 🍓 🗾	[Bucket] Remove Fruit +00:02.63	name (pin): "Grapes 🍇"
Grapes 🍓 📃		
Grapes 🍇 🔲		id (pin): 1678053832979 name (pin): "Grapes 🍇"
		Traine (pin). Or apes 🔩

🕞 🚹   Elements Console Pe	erformance insights 👗	Sources Network	Performance	Redux	» 🗦 1	) 🗱 : 🗙
Actions Settings					Ē	<b>□</b>
C F 🔒 Reset Revert	Sweep Commit		NgRx Store Dev	Tools		~
filter	Diff		Action	State	Diff 1	race Test
@ngrx/store/init	11:03:47.86	Raw				
[Bucket] Add Fruit						
[Bucket] Add Fruit	+00:00.52	et (pin) pin): {id:1678053835	274,name:'Ba	nana 🍐'}		
[Bucket] Add Fruit						
[Bucket] Remove Fruit	+00:02.63					
📥 📤 Inspect	or Log monitor Ch	art RTK Query	(	9 <b>&gt;_</b>		ii iii ('à')

Insp		NgF	Ix Store Dev	vTools		
filter	Commit	Diff		Action	State	Diff
@ngrx/store/init	7:28:40.72			u		
[Bucket] Add Item	+00:04.59	Tree	Raw			
[Bucket] Add Item	+00:03.27	• app (pin)				
[Bucket] Remove Item	+00:01.81	<pre>v bucket (p 0 (pin):</pre>		057285 <b>k</b>	<del>; '}</del>	

Choose · Add to Bucket Bucket 꾞 No items in bucket. Add some fruits!	

Using NgRx effects to fetch data from API calls	(j)
Choose · Add to Bucket Bucket 꾞 No items in bucket. Add some fruits!	

Using NgRx effects to fetch data from API calls	<b>()</b>	Actions     Settings	Performan	ice insights I R	ledux »	<b>P</b> 1 🌣	
Choose  Add to Bucket Bucket  Apple  Banana  Grapes  Cherry  D		The set     Reset     Revert       Bilter     Bilter     7:       Bigrx/store/init     7:       Bigrx/effects/init     1       (Bucket)     Get	Sweep C	Stat Tree Chart R • buck-et (sin) • 0 (pin) id (sin): 167 name (pin): 1 • 1 (pin) id (sin): 167 name (pin): 1 • 1 (sin): 167 name (pin): 1 • 3 (pin) • 3 (pin)	Action           Raw           78103283161           "Apple ▲"           78103281680           "Banana ┣"           "Grapes ֎"           "Grapes ֎"	state	Diff T

Using NgRx effects to fetch data from			Elements Con	nsole Network	»	<b>=</b> 1		: ×
🍊 🖌 API calls			Q   🔲 Preserve	log 🕴 🗹 Disable	e cache No ti	hrottling	▼ (î¢	•
		<u>±</u> ±						
		Filter		nvert 🔲 Hide dat	ta URLs			
		All Fetch/XHR	JS CSS Img M	edia Font Doc	WS Wasm	Manifest	Other	
Choose ~ Add	to Bucket	Has blocked	cookies 🔲 Blocke	ed Requests 🔲 3	rd-party reque	ests		
		Name		× Headers	Preview Re	esponse	Initiator	
Bucket 봄		🗌 bucket		<pre>v {bucket: [{id v bucket: [{id</pre>				
Apple 🍎	Ū			id: 167	67810328316 8103283161 Apple <b>#</b> "	51, name:	"Apple (	<b>;</b> "}
Banana 🌭	Ū			<b>▼1:</b> {id: 1	167810328168 8103281680	30, name:	"Banana	<mark>∕</mark> %"}
Grapes 🍇	Ū			<b>▼2:</b> {id: 1	Banana 🖕" 167810328022 8103280223	23, name:	"Grapes	<b>&amp;</b> "}
Cherry 🍒	Ū			name: " ▼3: {id: 1	Grapes 🍓" 167810327849	90, name:	"Cherry	<b>ä</b> "}
					8103278490 Cherry 🍒"			

Using NgRx effects to fetch data from	(j)	🕞 💼 🌒 🛛 Elements Console	Redux	» 🔋 🔁 🚦 X
API calls		Actions Settings		
		💽 🖡 🔒 Reset Revert		Commit NgRx Sto
		filter		State > bucket Action
Apple 🍎 🛛 🗸 🗸 Add to Bucket		@ngrx/store/init		
		@ngrx/effects/init	+00:00.01	Tree Chart Raw
Bucket 꾞		[Bucket] Get Bucket		<pre>v bucket (pin) v 0 (pin)</pre>
Apple 🍎 🛄		[Bucket] Get Bucket Success		
Banana 🌜 🔳		[Bucket] Add Fruit	+00:05.84	name (pin): "Apple 🍎"
		[Bucket] Add Fruit Success	+00:00.03	
Grapes 💐 🔲		[Bucket] Remove Fruit		name (pin): "Banana 🖕"
Cherry 🍒 🔲		[Bucket] Remove Fruit Success		
				name (pin): "Grapes 🍓"
				id (pin): 1678103278490 name (pin): "Cherry 🍒"
				nome (pm)


Using NgRx Component Store to manage state for a component	0 items (
Choose  V Add to Bucket	
Bucket 꾞	
No items in bucket. Add some fruits!	

•

Using Ng	Rx Component Store to mana	ge state for a component	• 4 items (
	Apple 🍎 🗸 🗸	Add to Bucket	
	Bucket 봄		
	Apple 🍎	Ū	
	Apple 🍎	Ū	
	Banana k	Ū	
	🔒 Grapes 🍓	回	

## Chapter 7: Understanding Angular Navigation and Routing

Creating routes in an Angular app	(j)
I'm a simple little app	



Creating routes in an Angular app	Home	About	(j)
about works!			

Creating routes in an Home About (i)	Elements Console	Sources Netwo	ork Performance Me	mory >>	\$ : ×
Angular app	📵 🖉   🍸 🔍   🗔 Preserve I	og 🛛 🗹 Disable cad	che No throttling 🔻 🙃		19
	Filter 🔲 Im	vert 📔 🗐 Hide data	URLs 🔲 Hide extension	URLs	
	All Doc JS Fetch/XHR CSS	Font Img Media	a Manifest WS Wasm	Other	
	Blocked response cookies B	locked requests	3rd-party requests		
home works!	100 ms 200 ms	300 ms	400 ms	500 ms	600 ms
					ll.
	Name	Status Type	Initiator Size	T Waterfall	<b>^</b>
	home	200 docu			
	css2?family=Nunito:wght@400;	200 styles	home:9 648 B	2 💶	
	Css2?family=Material+Symbols+	200 styles	home:10 405 B	1 🕕	
	styles.css	200 styles	home:12 20.6 kB	4 1	
	💷 runtime.js	200 script	home:15 7.0 kB		
	polyfills.js	200 script	home:15 341 kB	7 1	
	💷 vendor.js	200 script	home:15 2.6 MB	3 💶	
	💷 main.js	200 script	home:15 11.9 kB		
	💷 styles.js	200 script	home:15 236 kB	3	
	XRXV3I6Li01BKoflNeaBTMnFc	200 font	css2 39.2 kB	1 1	
	≓ ng-cli-ws	101 webs		P	

Creating routes in an Home About (i	Elements Console	Sources Netw				⊛ : ×
Angular app	💿 🖉   🍸 🔍   🖾 Preserve i	log 🛛 🛃 Disable ca	che No throttlin	g 🔹 (îș	1 ±	8
	Filter 🛛 🗊 Im	vert 📔 🗐 Hide dat	a URLs 🔲 Hid	e extension L	RLs	
	All Doc JS Fetch/XHR CSS	Font Img Med	a Manifest W	S Wasm	Other	
	Blocked response cookles B	locked requests	3rd-party reque	ests		
home works!		300 ms 400 m		600 r	15 700 ms	800 ms
						- 1
	Name	Status Type	Initiator	Size	T Waterfall	
	css2?family=Nunito:wght@400;	200 styles	home:9	648 B	3 💵	
	css2?family=Material+Symbols+	. 200 styles	home:10	405 B	2 💶	
	Styles.css	200 styles	home:12	20.6 kB	3 💵	
	🖸 runtime.js	200 script	home:15	13.2 kB	4 1]	
	Dolyfills.js	200 script	home:15			
	🖸 vendor.js	200 script	home:15	2.6 MB	4 🔳	
	🖸 main.js	200 script	home:15	8.3 kB		
	🖸 styles.js	200 script	home:15	236 kB	5 🔳	
	TXRXV3I6Li01BKoflNeaBTMnFc	200 font	<u>css2</u>	39.2 kB		
	∓* ng-cli-ws	101 webs	polyfills.js:1	0 B	P 💼	

Creating routes in an	Elements Console	Sources Netwo	rk Performar	ice Memory >>	1 🏵 i 🗙
Angular app	💿 ⊘   🍸 🔍   🗆 Preserve lo	og 🕴 🗹 Disable cad	he No throttling	▼ 🙃   ± ±	10
	Filter 📃 Inv	vert   🗐 Hide data	URLs 🔲 Hide	extension URLs	
	All Doc JS Fetch/XHR CSS	Font Img Media	Manifest W	S Wasm Other	
	Blocked response cookies Bk	ocked requests	3rd-party reque	sts	
about works!	200 ms 400 ms	600 ms 800 r	ns 1000 m	s 1200 ms 14	30 ms 160
\	Name	Status Type	Initiator	Size T Waterfall	
\ \	Css2?family=Material+Symbols+	200 styles	home:10	405 B 2 📲	
N 1	☑ styles.css	200 styles	home:12	20.6 kB 1 📲	
N	🔟 runtime.js	200 script	home:15		
X	🔲 polyfills.js	200 script	home:15	341 kB 1 💶	
\ \	🖸 vendor.js	200 script	home:15	2.6 MB 5 💶	
N	🔟 main.js	200 script	home:15	8.3 kB 1 🚺	
	🔟 styles.js	200 script	home:15	236 kB 9 📭	
N 1	XRXV3I6Li01BKoflNeaBTMnFc	200 font	css2	39.2 kB 1 1	
	≓ ng-cli-ws	101 webs	polyfills.is:1		
N N	apps_chapter07_ng-lazy-routing	200 script	app.routes.ts:9	2.4 kB 1	
X	data:image/svg+xml;	200 svg+xml	platform-bro		
	kJEhBvYX7BgnkSrUwT8OhrdQ	200 font	css2	3.0 MB 3	
	detect_angular_for_extension_ic	200 script	ng_validate	644 B 1	
	🖬 favicon.ico	200 vnd.m	Other	15.4 kB 1	
	apps_chapter07_ng-lazy-routing	200 script	app.routes.ts	2.4 kB 2	
	17 requests 6.3 MB transferred	6.3 MB resources	Finish: 1.39 s	DOMContentLoaded: 154	ms Load: 60

1	Angular Route Preloading Strategies	Admin	Employe	e Logout	(j)
	Admin		Campaign		
	Choose	~ Add	to Bucket		
	Bucket 🗄				
	No items in buck	et. Add some	fruits!		

Elements Console Sources Ne	twork Perfo	rmance Memory	Application >>					
● 🛇   🍸 Q,   🗋 Preserve log   🗋 Disable	cache No thro	ottling 🔻 🙃 🗄	<u>+</u> <u>+</u>					
Filter Invert Hide data	Filter Invert Hide data URLs All Fetch/XHR JS CSS Img Media Font							
Has blocked cookies     Blocked Requests     3n	d-party request	S						
Name	Status	Туре 💌	Initiator					
apps_chapter07_ng-route-preload-strat_src_app	304	script	app.routes.ts:14					
detect_angular_for_extension_icon_bundle.js	200	script	ng-validate.ts:20					
installHook.js	200	script	prepareInjection					
o main.js	304	script	auth					
• vendor.js	304	script	auth					
o styles.js	304	script	auth					
o polyfills.js	304	script	auth					
o runtime.js	304	script	auth					


Name	Status	Туре 🔻	Initiator
apps_chapter07_ng-route-preload-strat_src_app_employee-campaign	304	script	app.routes.ts:39
apps_chapter07_ng-route-preload-strat_src_app_employee_employee	304	script	app.routes.ts:32
apps_chapter07_ng-route-preload-strat_src_app_admin-campaign_ad	304	script	app.routes.ts:26
apps_chapter07_ng-route-preload-strat_src_app_auth_auth_componen	304	script	app.routes.ts:14
apps_chapter07_ng-route-preload-strat_src_app_admin_admin_compo	304	script	app.routes.ts:20
default-apps_chapter07_ng-route-preload-strat_src_app_bucket_bucke	304	script	app.routes.ts:20
detect_angular_for_extension_icon_bundle.js	200	script	ng-validate.ts:20
o installHook.js	200	script	prepareInjection.js:525
🖬 main.js	304	script	admin
o vendor.js	304	script	admin
o styles.js	304	script	admin
o polyfills.js	304	script	admin
a second se	004		

12	Angular Ro	oute Preloa	ding Strate	gies					Admin	Employee	Logout	0
					Admin		Campaig	jn				
					Choose Bucket 꾞	~	Add to Bucket					
	Elements	Console	Sources	Network	Performance	Memory	Application	Security	Lighthous	e ≫	📮 1 🛛 🎝	: ×
	top 🔻 🗿	Filter							1	Default levels 🔻	1 Issue: 🖻 1	4
[webp enabl		r] Server	started: H	ot Module I	Replacement dis	sabled, Li	ve Reloading e	nabled, Pr	ogress disa	bled, Overla	y <u>polyfills.j</u>	<u>s:1</u>
Prelo	ading route:	admin-camp	aign						app-	preload-stra	tegy.service.ts	:27
Angul	ar is running	in develo	opment mode	. Call enal	bleProdMode() 1	to enable	production mod	e.			<pre>core.mjs:23</pre>	508

🕞 🖬 Elements Console Sources Network Performance	Memory	Applicatio	n Security Lig
● 🛇   🍟 Q   🗋 Preserve log   🗋 Disable cache No throttling 🔻	<u>,</u>	<u>+</u>	
Filter Invert Hide data URLs All Fetch/XHR J	s CSS Ir	ng Media	Font Doc WS Was
Blocked Requests 3rd-party requests			
Name	Status	Туре 🔻	Initiator
o apps_chapter07_ng-route-preload-strat_src_app_admin-campaign_admin-c	304	script	app.routes.ts:27
<ul> <li>apps_chapter07_ng-route-preload-strat_src_app_admin_admin_component</li> <li>default-apps_chapter07_ng-route-preload-strat_src_app_bucket_bucket_co</li> </ul>	route-preload-s	4200/apps_chapt trat_src_app_adm n-campaign_com	
detect_angular_for_extension_icon_bundle.js	200	script	ng-validate.ts:20
₀ installHook.js	200	script	prepareInjection.js:52
o main.js	304	script	admin
o vendor.js	304	script	<u>admin</u>
10 / 19 requests   389 kB / 389 kB transferred   3.7 MB / 6.3 MB resources   F	inish: 327 r	ms DOM	ContentLoaded: 193 m

Angular Route Guards	Admin	Employee	(j
Login as Admin	Login as Employee		

Working with Angular Route Param	s (j
Jolanda Guerin	Thomas Morris
Ruben Wheeler	Larissa Dumont
Melina Almeida	Prathiksha Dawangave



← → C ③ localhost:4200/users/1361639f-d16e-4802-998d-4447aa31c4c7	Q 🖞 🌣 🖨 M 🗄
Working with Angular Route Params	()
← Larissa Dumont Similar Users Iolanda Guerin Thomas Morris	
Ruben Wheeler Melina Almeida	

← → C () k	calhost:4200/auth			ର୍ 👌 🖈 🗖 🔞 🗄
<b>V</b> AT	Global Loader for Angular Routes	Admin	Employee	Logout ()
	Login as Admin	Login as	Employee	

# Chapter 8: Mastering Angular Forms

Angular Template Driver	1 Forms	$\odot$
	Version Number	
	Enter version number	
	Use semantic versioning (x.x.x) Submit	
	Latest Version = 0.0.0	
	initial version is 0.0.0	


Angular Template Driver	n Forms	Ĵ
	Version Number	
	ngWAT	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = ngWAT	
	initial version is 0.0.0 version changed to ngWAT	

Angular Template Driver	n Forms	<b>(</b> )
	Version Number	
	Enter version number	
	Use semantic versioning (x.x.x) Version number is required	
	Submit	
	Latest Version = 0.0.0	
	initial version is 0.0.0	

Angular Template Driven Forms		Ū
	Version Number	
	2.2.2	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 2.2.2	
	initial version is 0.0.0 version changed to 2.2.2	

Angular Rea	active Forms	(i)
	Version Number	
	Enter version number	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 0.0.0	
	initial version is 0.0.0	

Angular Reactive Forms	(j)
Version Number	
Enter version number	
Use semantic versioning (x.x.x) Version number is required	
Submit	
Latest Version = 0.0.0	
initial version is 0.0.0	



Testing forms in Angular		0
Template Driven Form	Reactive Form	Reactive Form with real-time (Async) Validation
Version Number	Version Number	Version Number
Enter version number	Enter version number	Enter version number
Use semantic versioning (x.x.x) Submit	Use semantic versioning (x.x.x) Submit	Use semantic versioning (x.x.x) Submit
Latest Version = 0.0.0	Latest Version = 0.0.0	Latest Version = 0.0.0
initial version is 0.0.0	initial version is 0.0.0	initial version is 0.0.0

	<pre>ng-testing-forms apps/chapter08/ng-testing-forms/src/app/form-validation.service.spec.ts ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/vc-logs/vc-logs.compo</pre>
nent.spe	
and the second se	
PASS	ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/version-control-rf/ve
rsion-co	ontrol-rf.component.spec.ts
	<pre>ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/version-control-tdf/v</pre>
ersion-o	control-tdf.component.spec.ts
	<pre>ng-testing-forms apps/chapter08/ng-testing-forms/src/app/app.component.spec.ts</pre>
	<pre>ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/version-control-rf-as</pre>
ync/vers	sion-control-rf-async.component.spec.ts
Test Sui	i <b>tes: 6 passed</b> , 6 total
Tests:	6 passed, 6 total
Snapshot	ts: 0 total
Time:	4.741 s
Ran all	test suites related to changed files.

<u>},</u>
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/form-validatio
n.service.spec.ts
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
<pre>sion-control-rf/version-control-rf.component.spec.ts</pre>
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/vc-
logs/vc-logs.component.spec.ts
<b>PASS</b> ng-testing-forms apps/chapter08/ng-testing-forms/src/app/app.component.
spec.ts
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
<pre>sion-control-rf-async/version-control-rf-async.component.spec.ts</pre>
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
<pre>sion-control-tdf/version-control-tdf.component.spec.ts</pre>
Test Suites: 6 passed, 6 total
Tests: 7 passed, 7 total
Snapshots: 0 total
Time: 5.016 s

#### 67 | fixture.detectChanges();

at src/app/components/version-control-rf-async/version-control-rf-async.co
mponent.spec.ts:64:13

at \_ZoneDelegate.Object.<anonymous>.\_ZoneDelegate.invoke (../../.node\_mo dules/zone.js/bundles/zone-testing-bundle.umd.js:412:30)

at ProxyZoneSpec.Object.<anonymous>.ProxyZoneSpec.onInvoke (../../node\_ modules/zone.js/bundles/zone-testing-bundle.umd.js:3833:43)

at \_ZoneDelegate.Object.<anonymous>.\_ZoneDelegate.invoke (../../.node\_mo dules/zone.js/bundles/zone-testing-bundle.umd.js:411:56)

at Zone.Object.<anonymous>.Zone.run (../../node\_modules/zone.js/bundles/ /zone-testing-bundle.umd.js:169:47)

at Object.wrappedFunc (../../node\_modules/zone.js/bundles/zone-testingbundle.umd.js:4333:34)

Test Suites:	1 failed, 5 passed, 6 total
Tests:	2 failed, 13 passed, 15 total
Snapshots:	0 total
Time:	4.606 s
Ran all test	suites related to changed files.

},
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/vc-
logs/vc-logs.component.spec.ts
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/form-validatio
n.service.spec.ts
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
<pre>sion-control-rf/version-control-rf.component.spec.ts</pre>
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
sion-control-rf-async/ <b>version-control-rf-async.component.spec.ts</b>
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/app.component.
spec.ts
PASS ng-testing-forms apps/chapter08/ng-testing-forms/src/app/components/ver
<pre>sion-control-tdf/version-control-tdf.component.spec.ts</pre>
Test Suites: 6 passed, 6 total
Tests: 15 passed, 15 total
Snapshots: 0 total
<b>Time:</b> 4.978 s

Server side validation using asynchronous validator functions		()	
	Version Number		
	abc123		
	Use semantic versioning (x.x.x) Version number does not match the pattern (x.x.x) Submit		
	Latest Version = 0.0.0		
	initial version is 0.0.0		

Server side validation using asynchronous validator functions	
Version 1 0.0 Use semantic ve The version should be gre Sub Latest Vers initial versi	0.0 ersioning (x.x.x) eater than the last version mit ion = 0.0.0

Complex forms with Form Arrays	Ĵ
Enter your information Name	
Enter your name	Form value: {
Bio	"name": "",
Enter your bio	"bio": "" }
Projects	
Enter label Enter URL	

Complex forms with Form Arrays	$\odot$
Enter your information	
Name	Form value: {
Enter your name	"name": "",
Bio	"bio": "", "projects": []
Enter your bio	}
Projects	

Complex forms with Form Arrays	Ō
Enter your information	
Name	Form value: {     "name": "",
Enter your name	"bio": "", "projects": [
Bio	{
Enter your bio	"label": "Test Label", "url": "test url" }
Projects	}
Test Label test url	

Complex form	ns with Form Arrays		(j)
Enter your information		Form value: {     "name": "",	
Name		"bio": "",	
		"projects": [	
Enter your name		{	
Bio		"label": "NgxDeviceDetector", "url":	
Enter your bio		"https://github.com/KoderLabs/ngx-device-	
		detector"	
	<i>a</i>	},	
Projects		{	
NgxDeviceDetector	https://github.com/KoderLał -	"label": "", "url": ""	
Enter label	Enter URL +	}	
		}	

<b>V</b> AT	Writing your own custom form control using ControlValueAccessor	<b>(</b> )
	Submit Review	
	Rating	
	Rating should be between 1 and 5	
	Comment	
	Submit	

Writing your own custom form control using ControlValueAccessor	(j)
Submit Review	
Rating ☆ ☆ ☆ ☆ ☆	
Comment	
Submit	

	Submit Review	
	Rating ☆☆☆☆☆☆	
	Angular Cookbook 🙌	
	Submit	
Elements Console Sou	rces Network Performance Memory Application	Security » 🛛 1 🏟 🗄 🗙
▶ 🛇 top ▼ 🗿 Filter	Def	fault levels 🔻 🛛 2 Issues: 🖾 1 🖻 1 🛛 🗱
▶{comment: 'Angular Cookbook #	, rating: 5}	<pre>home.component.ts:20</pre>


## Chapter 9: Angular and the Angular CDK


Angular CDK Virtual Scroll	Ū
Get Data Our trusted customers	
Miss Marty Mayer265-643-9755 x3881Clemmie62@hotmail.com	
Miss Kathryn Streich 484.508.5522 x30874	

4	Angular CDK Virtual Scroll		(j
		Get Data	

<b>li.listitem.list-group-item</b> 400× Padding	120.8 16px Get Da	ata
ACCESSIBILITY		
Name		
	stitem trusted o	customers
Keyboard-focusable		
Miss Marty I	Maver	265-643-9755 x3881
		Clemmie62@hotmail.com

Angular CDK Virtual Scroll 👔	▼ <ul _ngcontent-ng-c2849426716=""></ul>
	▼ <cdk-virtual-scroll-viewport _ngcontent-ng-c2849426716="" class="cdk-virtual-scroll-viewport&lt;br&gt;list list-group p-2 cdk-virtual-scrollable cdk-virtual-scroll-orientation-vertical" ng-<br="">reflect-item-size="120"&gt; flex</cdk-virtual-scroll-viewport>
Get Data	▼ <div class="cdk-virtual-scroll-content-wrapper" style="transform: translateY(0px);"></div>
	<pre> ▶ <li _ngcontent-ng-c2849426716="" class="list_item list-group-item"> </li></pre>
Our trusted customers	<pre>\li _ngcontent-ng-c2849426716 class="list_item list-group-item"&gt;</pre>
N	<pre>\li _ngcontent-ng-c2849426716 class="list_item list-group-item"&gt;@&gt;/li&gt;</pre>
Miss Marty Mayer 265-643-9755 x3881	<pre>\li _ngcontent-ng-c2849426716 class="listitem list-group-item"&gt;@&gt;</pre>
Clemmie62@hotmail.com	<pre>\li _ngcontent-ng-c2849426716 class="list_item list-group-item"&gt;</pre>
	<pre>\li _ngcontent-ng-c2849426716 class="list_item list-group-item"&gt;</pre>
	bindings={</th
Miss Kathryn Streich 484.508.5522 x30874	"ng-reflect-cdk-virtual-for-of": "[object Object],[object Object"
Mellie_Medhurst@gmail.com	}>
	<ul> <li>scrollable.cdk-virtual-scroll-orientation-vertical div.cdk-virtual-scroll-content-wrapper li.list_item.list-group-item</li> </ul>
Brandon Mitchell 1-970-796-9073 x719	Styles Computed Layout Event Listeners DOM Breakpoints Properties Accessibility





Pointy little popovers with Angular CDK		$\odot$
Our trusted	customers	
Miss Marty Mayer	265-643-9755 x3881	
	Clemmie62@hotmail.com	
Miss Kathryn Streich	484.508.5522 x30874	
	Mellie_Medhurst@gmail.com	
Brandon Mitchell	1-970-796-9073 x719	
ĸ	elton_Pfeffer23@hotmail.com	

Pointy little	e popovers with Angular CDK	(j)
	Our trusted customers	
	Miss Marty Mayer 265-643-9755 x3881	
	Clemmie62@hotmail.com	
	Miss Kathryn Streich Duplicate Duplicate Edit Mellie Delete	
	Brandon Mitchell     1-970-796-9073 x719       Image: State of the state o	

Pointy little popovers with Ang	Jular CDK		<b>(</b> )
	Our trusted	customers	
Miss Mart	y Mayer	265-643-9755 x3881	
		Clemmie62@hotmail.com	
Miss Kath	ryn Streich	Duplicate	
		Edit Mellie_ Delete	
Brandon N	litchell	1-970-796-9073 ×719	

Pointy little popovers with Angular	r CDK		(j
	Our trusted	Kelton_Pfeffer23@hotmail.com 1-827-569-5184 x153 NigeL_Schuppe@yahoo.com	
		Rigoberto.Dach@yahoo.com	

Input coercion utilities from Angular CDK	0
Submit Review	
Rating $4$ $4$ $4$ (comment)	
Comment "rating":	


Using CDK Drag	and Drop to r	nove items from	one list to another	í
	Tap a folder t	to view its files		
3	3	3	2	
Work	Personal	Community	Liesure	


Creating a multi-step from with CDK Stepper API	<b>i</b>
Player Name Enter your name Submit 1 2 3 4 5 6	
Leaderboard	
No scores to show	


1	Creating a multi-step from with CDK Stepper API	<b>(</b> )
	Enter your name	
	Player Name Enter your name	
	Submit	
	$\rightarrow$	


Creating a multi-step from	m with CDK Stepper API		()
	Results		
	Leaderboard		
	1 Ahsan	50	
	¢		

Accessible Listbox interactions using CDK Listbox directives	0
Small Headphones \$299	Selected Color: No color selected









### Chapter 10: Writing Unit Tests in Angular with Jest

Setting up unit tests in A	ngular with Jest	()
	Counter	
	0	
	Increment Reset Decrement	



> ng-jest-setup@0.0.0 test > jest PASS src/app/app.component.spec.ts pASS src/app/counter/counter.component.spec.ts Test Suites: 2 passed, 2 total Tests: 5 passed, 2 total Snapshots: 0 total Time: 0.952 s, estimated 1 s Ran all test suites.

Providing global mocks for Jest	()
Max 10, Min -10	
Counter	
0	
Increment Reset Decrement	



Mocking Ar	ngular services using stubs	()
	Max 10, Min -10	
	Counter	
	-4	
	Increment Reset Decrement	

```
• CounterComponent > should call the localStorage.getItem method on component in
it
   expect(jest.fn()).toHaveBeenCalled()
   Expected number of calls: >= 1
   Received number of calls:
               jest.spyOn(localStorage, 'getItem');
     64 |
               component.ngOnInit();
   > 65 |
               expect(localStorage.getItem).toHaveBeenCalled();
      66 |
             });
            it('should retrieve the last saved value from localStorage on compone
      68 |
nt init', () => {
      at src/app/counter/counter.component.spec.ts:65:34
      at _ZoneDelegate.Object.<anonymous>._ZoneDelegate.invoke (../../../node_modu
les/zone.js/bundles/zone-testing-bundle.umd.js:416:30)
```

Using spies on an injected service in a unit test	Û
Max 10, Min -10	
Counter	
Ο	
Increment Reset Decrement	

4	Mocking child components and directives using ng-mocks package	(i)
	Version Number	
	Enter version number	
	Use semantic versioning (x.x.x)	
	Submit	
	Latest Version = 0.0.0	
	initial version is 0.0.0	

PASS ng-test-ng-mocks apps/chapter10/ng-test-ng-mocks/src/app/componen ts/version-control/version-control.component.spec.ts FAIL ng-test-ng-mocks apps/chapter10/ng-test-ng-mocks/src/app/app.comp onent.spec.ts • AppComponent > should render title NG0304: 'app-version-control' is not a known element (used in the 'App Component' component template): 1. If 'app-version-control' is an Angular component, then verify that it is a part of an @NgModule where this component is declared. 2. If 'app-version-control' is a Web Component then add 'CUSTOM\_ELEMEN TS\_SCHEMA' to the '@NgModule.schemas' of this component to suppress this m essage.


```
ode_modules/zone.js/bundles/zone-testing-bundle.umd.js:415:56)
    at Zone.Object.<anonymous>.Zone.run (../../.node_modules/zone.js/b
undles/zone-testing-bundle.umd.js:173:47)
    at Object.wrappedFunc (../../.node_modules/zone.js/bundles/zone-te
sting-bundle.umd.js:4208:34)
Test Suites: 1 failed, 2 skipped, 1 of 3 total
Tests: 1 failed, 2 skipped, 3 total
Snapshots: 0 total
Time: 2.003 s
Ran all test suites with tests matching "App".
Watch Usage: Press w to show more.
```

<pre>PASS ng-test-ng-mocks apps/chapter10/ng-test-ng-mocks/src/app/app.comp onent.spec.ts</pre>		
	<pre>2 skipped, 1 passed, 1 of 3 total 2 skipped, 1 passed, 3 total 0 total 2.154 s</pre>	
	suites with tests matching "App".	
	Press w to show more.	

Writing even	Writing even easier tests with Angular CDK component harnesses			
	Version Number			
	Enter version number			
	Use semantic versioning (x.x.x)			
	Submit			
	Latest Version = 0.0.0			
	initial version is 0.0.0			








```
PASS ng-test-http-resp apps/chapter10/ng-test-http-resp/src/app/app.com
ponent.spec.ts
PASS ng-test-http-resp apps/chapter10/ng-test-http-resp/src/app/service
s/user.service.spec.ts
Test Suites: 2 passed, 2 total
Tests: 3 passed, 3 total
Snapshots: 0 total
Time: 2.713 s
Ran all test suites.
Watch Usage: Press w to show more.
```

Unit testing Angular Pipes				(	i
	1	1	1		
	1	2	2		
Dirit	1	3	3		
Digit	1	4	4		
1	1	5	5		
Max Multiplication Factor	1	6	6		
10	1	7	7		
	1	8	8		
	1	9	9		
	1	10	10		

#### Chapter 11: E2E Tests in Angular with Cypress

Your firs	t Cypress test in Angular	<b>(</b> )
	Counter	
	2	
	Increment Reset Decrement	

Chrome is being controlled by automated test software.						
	⇒ Specs ✓ 1 × · · • ✓ Č	http://localhost:4200/     Chrome 115 ~	1000×660 (83%) ∨			
0	app cy.ts (234ms)	Your first Cypress test in Angular	0			
*=	<ul> <li>&gt; ng-cypress-starter</li> <li>✓ should display the correct header title</li> <li>&gt; REFORE FACH</li> </ul>					
¢ ®	1 visit / V TEST BODY 1 get .toolbar_tille	Counter 0				
	2 - TSSCHI expected <span.toolbar_title> to have text Your first Cypress test in Angular</span.toolbar_title>	Increment Reset Decrement				



	⇒ Specs v 2 x 1 v v Č	http://localhost:4200/	Ohrome 115 ∨
0	e app.cyts 00.05	c	
و ۱۱×	8 -contains Increment       9 -assert expected     Ø       > obutton.counteractionsaction.btn.btn-primary> to be visible	Validating if a DOM element is visible on the view Toggle Counter Visibility	Ø
¢	AssertionError  Timed out retrying after 4000ms: expected ' <button.counter_actions_action.btn.btn-primary>' to be 'visible'</button.counter_actions_action.btn.btn-primary>	Counter O	
ж	This element  vourter_actions_action.btn.btn- primary> is not visible because its parent <div.counter_actions.flex.gap=4.items-center> has CSS property: visibility: hidden   View stack trace   Print to console</div.counter_actions.flex.gap=4.items-center>		

	⇒ Specs	✓ 3 × 0	Φ	http://localho	ost:4200/		Ochrome 115 ∨
0	E app cyts	00:02				-	E 1000x660 (55%) 🗸
	v ng-cypress-starter			Validating if a DOM	element is visible on the view		0
*— —	✓ should display the correct heade	r title					
敚	<ul> <li>✓ should toggle visibility of counte clicked</li> </ul>	r card when the toggle button is			Toggle Counter Visibility		
	$\checkmark$ should show the action buttons v	when the counter card is hovered					
ŝ					Counter		
					0		


⇒ Specs ✓ 1 × - 0 ✓	<ul> <li>✓ C</li> <li>♦ http://localhost:4200/</li> <li>Ø Chrome 115 ∨</li> </ul>
e app.cy.ts	276ms 1000x660 (41%) ~
v ng-cy-element-visibility	Testing form inputs and submission in Cypress
<ul> <li>should display the correct header title</li> <li>BEFORE EACH</li> </ul>	Version Number Enterversion number
1 visit / V TEST BODY	Una sementis, versioning (s.u.) Submit Latest Version - 0.0.0
<pre>1 get .toolbartitle 2 -assert expected <span.toolbartitle> to     contain text Testing form inputs and submiss     in Cypress</span.toolbartitle></pre>	

⇒ Specs	✓ 2 × 0	http://loca	alhost:4200/
app.cy.ts			<b>프</b> 1000x660 (41%) ~
be disabled 9 get [data-test-id="ve 10 -type 0.0.1 11 get [data-test-id="su	ubmitVersionBtn"] utton.btn.btn-primary> to ersionInput"]	Testing form inputs and a	damission in Cypress Version Number 0.0.1 Gubmit Latest Version - 0.0.0 Initial Version is 0.0.0

	⇒ Specs	✓ 6 × - 0 -	http://localhost:4200/     O Chrome 115 ~
0	<b>app</b> cyts	00:03	<u>⊫</u> 1000x660 (41%) ∨
∷ ⊈ ©	<ul> <li>ng-cy-forms</li> <li>should display the correct header</li> <li>should have the submit button dis</li> <li>should add a new version log on v</li> <li>should display the latest version</li> <li>should show the version required after typing something</li> <li>should show the invalid input error</li> </ul>	abled on invalid input alid version submission error when the input gets clered	Version from inputs and submission in Cypress             Version from the         der 123         Die sametik version glickä         Die sametik version glickä         Diametik         Laterst Version - 0.0.0         Initial version 16 0.0.0
Ħ			

⇒ Specs	✓ 1 × - 0	http://localh	ost:4200/users	👂 Chrome 115 🗸 📄	1000x660 (59%) 🗸
app cy.ts	00:02	Waiting for http re	equests in Cypress		0
v ng-cy-forms					
should display the correct he	eader title		Search for	۵	
BEFORE EACH			Jolanda Guerin	Thomas Morris	
1 visit /			W Joianda Guerin		
(fetch) 🔵 GET 20	00 /assets/users.json		Ruben Wheeler	Larissa Dumont	
(fetch) 🔵 GET 20	00 /assets/users.json				
<ul> <li>TEST BODY</li> </ul>			Melina Almeida	Prathiksha Dawangave	
1 get .toolbartit	tle		Hans-Herbert Duda	Fatih Babacan	
2 - assert expected	d < <b>span.toolbartitle</b> > to				
contain text Wait Cypress	ting for http requests in		Felix Singh	Elisabeth Paulus	

ng-cy-http-requests-e2e main	✓ 2 X 0 ✓ Č	$\odot$	http://localhost	:4200/users
users.cy.ts	00:01			
v ng-cy-http-requests > users				<b>1000x660</b> (31%) ~
✓ should get the users list from	the server and display	The Maining for	r http requests in Cypress	0
$\checkmark$ should get the users list on se	earching	waiting to	rincp requests in cypress	
✓ BEFORE EACH			ruba	
1 visit /users			Rubeen Wheele	ď
V TEST BODY				
1 get [data-test-id=	="searchUsersInput"]			
2 -type rube				
(fetch) 🔵 GET 200	) /assets/users.json			
3 get app-users ul 1	li			
4 - <mark>assert</mark> expected 1	<li>to have a length of</li>			
(fetch) 🔵 GET 200	) /assets/users.json			
5 <b>get</b> app-users ul 1	li			
6 <b>find h</b> 4				
7 - <mark>assert</mark> expected **Ruben Wheeler**	Ruben Wheeler to equal			



⇒ Specs ✓ 2 × 0 ✓ Č	http://localhost:4200/users     Orrome 115 ~
susers.cy.ts	<b>E</b> 1000x660 (43%) ~
v ng-cy-http-requests > users	Waiting for http requests in Cypress
<ul> <li>should get the users list from the server and display</li> </ul>	
✓ should get the users list on searching	rube Q
> ROUTES (1)	Rubeen Wheeler
✓ BEFORE EACH	
l visit /users	
✓ TEST BODY	
<pre>1 get [data-test-id="searchUsersInput"]</pre>	
2 -type rube	
3 wait @searchUsers 1	
(fetch)	
4 get app-users ul li	
5 - assert expected <li> to have a length of 1</li>	
(fetch) GET 200 searchUsers /assets/users.json	
6 get app-users ul li	
7 <b>find h</b> 4	
8 - assert expected Ruben Wheeler to equal **Ruben Wheeler**	

⇒ Specs ✓ 2 × 0	<b>°</b>	http://localhost:4200/users	O Chrome 115 V
E users cyts	00:03		1000x660(44%) >
<ul> <li>Users List Page</li> <li>should get the users list from the server and display</li> <li>should get the users list on searching</li> </ul>		Vsing Cypress bundled packages           rr           Image: State of the	<b>۰</b>

[webpack-dev-server] Server started: Hot Module Replacer Live Reloading enabled, Progress disabled, Overlay enabl	
Angular is running in development mode.	<u>core.mjs:25537</u>
<pre>jQuery.fn.init [     input#Search.w-full.rounded-md.border-gray-200.py-2.5     evObject: jQuery.fn.init(1)] </pre>	<pre>tests?p=src\e2e\users.cy.ts:37 .pe-10.shadow-sm.sm:text-sm, pr</pre>

Angular is running in development mode.	VM36461 vendor.js:46424
[webpack-dev-server] Server started: Hot Module Replacement Live Reloading enabled, Progress disabled, Overlay enabled.	
Angular is running in development mode.	<u>core.mjs:25537</u>
test jQuery.fn.init [h2.text-xl, prev0bject: jQuery.fn.init(1) ="noResultsFoundMessage"]']	<u>ts?p=src\e2e\users.cy.ts:42</u> ), selector: ' <mark>[data-test-id</mark>
>	

$\Rightarrow \text{Specs} \qquad \checkmark 3 \times - 0 - \checkmark \checkmark \bigcirc$	http://localhost:4200/users     O Chrome 115 ~
E users.cy.ts	<u>⊫</u> E 1000x660(44%) ∨
<ul> <li>Users List Page</li> <li>should get the users list from the server and display</li> </ul>	Using cypress bundled packages
$\checkmark$ should get the users list on searching	abc123 Q
$\checkmark$ should show the no results found message on search	Nothing returned for the following search

∋ Specs	✓ 2 X 0 ✓ C	http://localhost:4200/
E app cy.ts	641ms	Chrome 115
<ul> <li>ng-cy-mock-data</li> </ul>		📑 1000x660 (25%) 🗸
<ul> <li>should display title in the he</li> <li>should get the bucket items</li> </ul>		Using capiros flatures to provide mosk dats
		Bucket X Aquio 🖌 🔯 Banano 🖉 Grange 💘 🗳


Chrome	Chrome is being controlled by automated test software.						
		Specs ✓ 1 × 2 0 ✓ ♂	http://localhost:4200/	Chrome 119      In 1000x660 (69%)			
C *	✓  ☐ src / e2e	E app cy.ts (00:09)	Using cypress fixtures to provide mock data	Add to Bucket			
\$ \$		1       get .fruits_item       5         2       -Essors expected [       5 <div.fruits_item.ng-tns-< td="">       c53157203-0.ge-star-inserted&gt;, 4         more       1 to have a length of 4         but got 5       (xhr)       6ET 200         http://localhost:3333/api/bucket       1         1       AssertionError       Timed out retrying after 4000ms: Too many elements found. Found '5', expected '4'.         &gt; View stack trace       Print to console         x should add a bucket item to the list       0</div.fruits_item.ng-tns-<>	Apple Bucket R Apple Apple Banana Grapes Cherry				
ж		<pre>&gt; BFFORF FACH 1 visit / &gt; TEST BODY 1 get [data-test-id="fruitSelector" 2 -select Apple @ </pre>					


⇒ Specs	✓ 3 × 0 ✓ Č	http://localhost:4200/
<b>app</b> .cy.ts	960ms	
v ng-cy-mock-data		<u></u> ■ 1000x660 (25%) ∨
✓ should display title in the he	ader	Using cypress flatures to provide mosk data
✓ should get the bucket items	from server	Outver nem appeo
✓ should add a bucket item to	the list	Apple • · · Add to Bucket Bucket 1: Apple • I
•		Apple 🖕 📑 Banana 🥜 📑
		Grapes 🕷 🗉


⇒ Specs ✓ 3 × 1 0 ✓ Č	http://localhost:4200/     Chrome 115	eff 1000x660(58%) ~
app cy.ts (00:05)	Using cypress fixtures to provide mock data	S Could not delete bucket item:
<ul> <li>find .fruits_item_delete-icon</li> <li>-click</li> <li>(xhr) DELETE 404 http://localhost:3333/api/bucket/1</li> <li>get #toast-container .toast-success</li> </ul>	Choose Add to Bucket Bucket 🕅 Apple 🖢 👘 Banana 🔊 👘	Term not tound
8 - assert expected #toast-container .toast- success to be visible ! AssertionError	Cherry 🔒 🗐	
Timed out retrying after 4000ms: Expected to find element: #toast-container .toast-success , but never found it. > View stack trace Print to console		


∋ Specs	✓ 4 × 0	~ ¢	http://loca	alhost:4200/		♥ Chrome 115 ∨
app.cy.ts		00:02				1000x660 (44%) 🗸
<ul> <li>ng-cy-mock-data</li> <li>should display title in the here</li> <li>should get the bucket items</li> <li>should add a bucket item to</li> <li>should delete a bucket item</li> </ul>	from server the list		Using cypress fixtures		add to Bucket	✓ Bucket item deleted


## Chapter 12: Performance Optimization in Angular






















Detaching the change detector from com	ponents			(i)
	Us	ers		
Q Quick Search			Click Me	
Fineu da Rocha Irineu.darocha@example.com Color Generation Count: 3	لتا معنی محمد محمد محمد محمد محمد محمد محمد محم	Effe Siegert effe.siegert@example.com Color Generation Count 2	Fudson Lihudson.li@example.comColor Generation Count: 2	

Detaching the change detector from components	Image: Contract of the second seco
Q Quick Search	Image: Component profile         Image: Co
لتانية Fineu da Rocha irineu.darocha@example.com Color Generation Count: ۱	<pre>     form[eNgNoValidate, NgControlStatusGro input[DefaultValueAccessor, NgContr</pre>

Detaching the change detector from cor	nponents			(i)
	Us	sers		
Q Quick Search			Update Irineu's Name	
Irineu Test 123 irineu.darocha@example.com	آنیتا حسینی anyt.hsyny@example.com	Elfie Siegert elfie.siegert@example.com	Hudson Li hudson.li@example.com	
Color Generation Count: 5	Color Generation Count: 1	Color Generation Count: 1	Color Generation Count: 1	






> appLogs
<pre></pre>
<pre>watchComponentRender: 6404 &gt; [[Prototype]]: Object</pre>



{watchComponentRender: 2644, hours: 2, minutes: 2, seconds: 6, milliseconds: 986}




{watchComponentRender: 4, hours: 1, minutes: 1, milliseconds: 1} i hours: 1 milliseconds: 1 minutes: 1 seconds: 1 watchComponentRender: 4 > [[Prototype]]: Object







Using trackBy for lists wi	th *ngFor			(i)
		Our trusted customers		
		<b>Miss Marty Mayer</b> 265-643-9755 x3881 Clemmie62@hotmail.com	⑪	
		<b>Miss Kathryn Streich</b> 484.508.5522 x30874 Mellie_Medhurst@gmail.com	⑪	
		<b>Brandon Mitchell</b> 1-970-796-9073 x719 Kelton_Pfeffer23@hotmail.com	⑪	




10000 User card created	<u>user-card.component.ts:18</u>
Deleting user {name: 'Miss Marty Mayer' l.com', address: {}, pho picture: '/assets/landsca 2',}	<u>app.component.ts:44</u> , email: 'Clemmie62@hotmai ne: '265-643-9755 x3881', pe.jpg?ts=654.630115946136
9999 User card created	<u>user-card.component.ts:18</u>
	<pre>app.component.ts:37 ich', email: 'Mellie_Medhu {}, phone: '484.508.5522 s/landscape.jpg?ts=608.151</pre>
9999 User card created	<u>user-card.component.ts:18</u>


Usir	ng trackBy for lists with *ngFor	0	Image: Second
			Default levels V 1 Issue: 1
	Our trusted customers		[webpack-dev-server] Server started: <u>polyfills.js:1</u> Hot Module Replacement disabled, Live Reloading enabled, Progress disabled, Overlay enabled.
			Angular is running in development <u>core.mjs:25537</u> mode.
	Miss Kathryn Streich UPDATED		10000 User card created <u>user-card.component.ts:18</u>
	484.508.5522 x30874 Mellie_Medhurst@gmail.com	Ū	<pre>Deleting user app.component.ts:44 {name: 'Miss Marty Mayer', email: 'Clemmle62@hotmai [.com', address: {_}, phone: '265-643-9755 x3881', picture: '/assets/landscape.jpg?ts=654.630115946136 2', _}</pre>
	Brandon Mitchell 1-970-796-9073 x719 Kelton_Pfeffer23@hotmail.com	Û	<pre>Updating user app.component.ts:37 {name: 'Miss Kathryn Streich', email: 'Mellie_Medhu rst@gmall.com', address: {}, phone: '484.508.5522 x30874', picture: '/assets/landscape.jpg7ts=608.151 9204261681',}</pre>
	Meredith Boyer 1-827-569-5184 x153 Nigel_Schuppe@yahoo.com	Ū	>







Moving heavy computation to pure	pipes in Angular			()
	U	sers		
Q Quick Search			Update Irineu's Name	
rineu Test 123 irineu.darocha@example.c Color Generation Count: 5	on در المعادي المماممماممام الممام الممامما الممام الممام المماممم الممام ا	Fife Siegert edfe.siegert@example.com Color Generation Count: 1	Fudson Lihudson.li@example.comColor Generation Count: 1	



<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
<pre>inside the worker &gt; {randomizationCount: 9}</pre>	<pre>random-color.worker.ts:9</pre>
received color FloralWhite from worker for user elfie.siegert@example.com	<pre>user-card.component.ts:30</pre>
received color DarkBlue from worker for user irineu.darocha@example.com	<pre>user-card.component.ts:30</pre>
received color LemonChiffon from worker for user hudson.li@example.com	<u>user-card.component.ts:30</u>
received color PaleGoldenRod from worker for user max.wang@example.com	<u>user-card.component.ts:30</u>
received color LimeGreen from worker for user anyt.hsyny@example.com	<pre>user-card.component.ts:30</pre>
received color Beige from worker for user austrelino.lima@example.com	<pre>user-card.component.ts:30</pre>
received color Black from worker for user indie.hall@example.com	<pre>user-card.component.ts:30</pre>
received color LightGoldenRodYellow from worker for user ruby.flores@example.com	<pre>user-card.component.ts:30</pre>
received color Magenta from worker for user lexi.keijer@example.com	<pre>user-card.component.ts:30</pre>
received color PaleVioletRed from worker for user justin.grewal@example.com	<pre>user-card.component.ts:30</pre>

<ul> <li>Browser application bundle g</li> <li>Copying assets complete.</li> <li>Index html generation comple</li> </ul>			
Initial Chunk Files	Names	Raw Size	Estimated Transfer Size
main.625e7d83cf718aef.js	main	293.96 kB	80.08 kB
polyfills.8ac8865ea7477742.js		33.00 kB	
styles.b81f4789ac4b301e.css	styles	13.28 kB	2.29 kB
runtime.c3ba2013aabad0f7.js	runtime	2.73 kB	1.31 kB
	Initial Total	342.97 kB	94.35 kB
Lazy Chunk Files	Names	Raw Size	Estimated Transfer Size
254.96c5c97c5f19fd87.js	admin-admin-component	28.20 kB	6.95 kB
756.8e2c526a3c10a40c.js	auth-auth-component	1.11 kB	570 bytes
502.fb496b7743f06e7b.js	employee-employee-component	612 bytes	404 bytes
420.4f93fe5129761ba1.js	admin-admin-component	527 bytes	351 bytes


nitial Chunk Files	Names	Raw Size	Estimated Transfer Size
ain.decdb6eab79e5854.js	main	1.10 MB	232.17 kB
olyfills.8ac8865ea7477742.js	polyfills	33.00 kB	10.67 kB
tyles.b81f4789ac4b301e.css	styles	13.28 kB	2.29 kB
untime.5c68c21468bc0c6f.js	runtime	2.82 kB	1.34 kB
	Initial Total	1.14 MB	246.48 kB
azy Chunk Files	Names	Raw Size	Estimated Transfer Size
54.96c5c97c5f19fd87.js	admin-admin-component	28.20 kB	6.95 kB
6.8e2c526a3c10a40c.js	auth-auth-component	1.11 kB	570 bytes
2.fb496b7743f06e7b.js	employee-employee-component	612 bytes	404 bytes
20.4f93fe5129761ba1.is	admin-admin-component	527 bytes	351 bytes


Error: bundle initial exceeded maximum budget. Budget 1.00 MB was not met by 146.44 kB with a total of 1.14 MB.

itial Chunk Files	Names	Raw Size	Estimated Transfer Size
in.467571c10f75b7e3.js	main	768.38 kB	177.05 kB
lyfills.8ac8865ea7477742.js	polyfills	33.00 kB	10.67 kB
yles.b81f4789ac4b301e.css	styles	13.28 kB	2.29 kB
ntime.c3ba2013aabad0f7.js	runtime	2.73 kB	1.31 kB
	Initial Total	817.39 kB	191.32 kB
zy Chunk Files	Names	Raw Size	Estimated Transfer Size
4.96c5c97c5f19fd87.js	admin-admin-component	28.20 kB	6.95 kB
6.8e2c526a3c10a40c.js	auth-auth-component	1.11 kB	570 bytes
2.fb496b7743f06e7b.js	employee-employee-component	612 bytes	404 bytes
0.4f93fe5129761ba1.js	admin-admin-component	527 bytes	351 bytes
ild at: 2023-08-23T06:50:35	.377Z - Hash: b82f6cae51292d74	– Time: <b>9639</b> n	ns
rning: bundle initial exceed	led maximum budget. Budget 800.	00 kB was not	t met by 17.39 kB with a total of 817.39 kB

Initial Chunk Files	Names	Raw Size	Estimated Transfer Size
<pre>main.d6d0840d0d45feba.js</pre>	main	293.96 kB	80.13 kB
polyfills.7253f222f37b9cfb.js	polyfills	33.00 kB	10.64 kB
styles.b81f4789ac4b301e.css	styles	13.28 kB	2.29 kB
runtime.6040297220f7f89e.js	runtime	2.72 kB	1.31 kB
	Initial Total	342.95 kB	94.36 kB
Lazy Chunk Files	Names	Raw Size	Estimated Transfer Size
885.51a6df896448549d.js	admin-admin-component	28.19 kB	6.94 kB
211.ac1c2796a9ccfaeb.js	auth-auth-component	1.10 kB	554 bytes
879.0821cdf499bcc352.js	employee-employee-component	608 bytes	403 bytes
764.df5aaa8fa55de54e.js	admin-admin-component	523 bytes	356 bytes

nitial Chunk Files	Names	Baw Sizo	Estimated Transfer Size
ain.65b723ac506346b5.is	main	1.10 MB	
olyfills.425f8a0aff732bb5.js		32.96 kB	
tyles.dc29d64c9e2e2614.css	styles	12.27 kB	
untime.d7ea5de3be215e43.js	runtime	2.81 kB	
	Initial Total	1.15 MB	247.65 kB
azy Chunk Files	Names	Raw Size	Estimated Transfer Size
94.4fbaf5636d5d4fa2.js	admin-admin-component	28.53 kB	6.95 kB
18.5796219c9d6de8f2.js	auth-auth-component	1.12 kB	
95.2fd09b37b39a6d85.js	employee-employee-component		
96.f35ace8b3b9d77ac.js	admin-admin-component	542 bytes	356 bytes
uild at: 2023-11-12T15:08:15	.327Z - Hash: 1e7699858408bdda	- Time: 2855r	ns
arning: bundle initial exceed	ded maximum budget. Budget 500.	00 kB was not	t met by 674.23 kB with a total of 1.15 ME
rror: bundle initial exceeded	d maximum budget. Budget 1.00 M	B was not me	t by 150.23 kB with a total of 1.15 MB.







Chapter 13: Building PWAs with Angular

1	Converting an existing Angular app into a PWA with the Angular CLI	©
	Enter your name	
	Player Name	
	Enter your name	
	_	
	→	

● ② ▼ Q □ Preserve log ☑ Disable cache ✓ No throttling つ 1 ± Filter □ Invert □ Hide data URL Presers S CSS img Media Font Doc WS Wasm Manifest		18
Eller Divert Dilde data URI Presets S CSS Imp Madia East Dog WS Warm Manifest		
Hiter Blocked cookies Blocked Requests 3rd-par     Slow 36	Other	
10 ms 20 ms 30 ms 40 ms Offsina Custom Add	100 ms	





🔀 🗖 Elements Console S		Network F	Performance Mem	ory Applic			■1 🕸 : ×
🧿 🖉   🝸 🔍   🗉 Preserve log	Disa	able cache No	throttling * 🙃				6
500 ms 11	100 ms	15	00 ms	2000 ms	2	500 ms	3000 ms
Name	Status	Туре	Initiator	Size	Time	Waterfall	
E localhost	200	document	Other	10.2 kB	5 ms		
III runtime.0fc8b0eca8e65575.js	200	script	(index)	3.0 kB	5 ms	4	
polyfills.d85dcdb3f406d97c.js	200	script	(index)	34.2 kB	6 ms	•	
main.460e84955d6e70fc.js	200	script	(index)	248 kB	5 ms	4	
styles.0703572ff8afffd9.css	200	stylesheet	(index)	12.6 kB	5 ms		
manifest.webmanifest	200	manifest	(index)	1.7 kB	5 ms		
TXRXV3I6Li01BKoflNeaBTMnFcQ.w	200	font	(index)	35.9 kB	8 ms		
m 725.fa3daa9b7c81f037.js	200	script	runtime.0fc8b0e	62.9 kB	3 ms		
icon-144x144.png	200	png	(index)	1.6 kB			
data:image/svg+xml;		svg+xml	main.460e84955		0 ms		
kJEhBvYX7BgnkSrUwT8OhrdQw4	200	font	(index)	2.8 MB	199 ms		
🗌 favicon.ico	200	x-icon	Other	1.9 kB	4 ms		
e ngsw.json?ngsw-cache-bust=0	200	fetch	ngsw-worker.js:1	3.4 kB	5 ms		

K LO Elements Console Source	es Network	Performa	ince Memory	Applic	ation >>		
💿 🖉   🍸 🔍   🗆 Preserve log   🗆	Disable cache	e No throttlin	ng ▼ (;̂o				
500 ms 1000 ms 1500 ms 2000 n	ns 2500 ms	3000 ms	3500 ms	4000 ms	4500 ms 5000	i ms	5500 ms 6000 n
Name	Status	Туре	Initiator	Size		Time	Waterfall A
Iocalhost	200	document	Other		(ServiceWorker)	8 ms	
runtime.0fc8b0eca8e65575.js		script	(index)		(ServiceWorker)	2 ms	
polyfills.d85dcdb3f406d97c.js		script	(index)		(ServiceWorker)		
main.460e84955d6e70fc.js		script	(index)		(ServiceWorker)	2 ms	
styles.0703572ff8afffd9.css		stylesheet	(index)		(memory cache)	0 ms	
T XRXV3I6Li01BKofINeaBTMnFcQ.woff2		font	(index)		(memory cache)	0 ms	
kJEhBvYX7BgnkSrUwT8OhrdQw4oELd		font	(index)		(memory cache)	0 ms	
725.fa3daa9b7c81f037.js		script	runtime.0fc		(ServiceWorker)	1 ms	
o data:image/svg+xml;		svg+xml	main.460e8		(memory cache)	0 ms	
🗆 manifest.webmanifest		manifest	Other		(ServiceWorker)	1 ms	
] favicon.ico		x-icon			(ServiceWorker)	1 ms	
icon-144x144.png		png	Other		(ServiceWorker)	1 ms	
□ ø ngsw.json?ngsw-cache-bust=0.9005	200	fetch	ngsw-work		3.4 kB	6 ms	

Converting an existing Angular app into a PWA with the Angular CLI		ources	Network		» (\$	:×
	💿 🖉   🍸 🔍   🔲 Preserve log	Disable	cache Offlin	e 🔻	(2) ↓ ↓	183
	Filter Invert	🔲 Hide d	data URLs 🛛	] Hide extensi	on URLs	
	All Doc JS Fetch/XHR CSS Fo	ont Img N	ledia Manife	st WS Was	m Other	
Enter your name	Blocked response cookies Block	ked requests	3rd-party	requests		
	Name	Status	Size	Time	Waterfall	
		200	(Service	5 ms		
Player Name	I runtime.1538936362900257.js	200	(Service	1 ms	ľ.	
Enter your name	polyfills.d85dcdb3f406d97c.js		(Service	1 ms		
	main.c492bfa83e0df9a0.js	200	(Service	1 ms	ĺ.	
	Styles.7a8afc56d448db91.css		(memory	0 ms		
_	T XRXV3I6Li01BKoflNeaBTMnFcQ.w	200	(memory	0 ms		
→	kJEhBvYX7BgnkSrUwT8OhrdQw4o		(memory	0 ms		
	1 725.10869f509de6fece.js	200	(Service	1 ms	Ľ	
	data:image/svg+xml;		(memory	0 ms		
	detect_angular_for_extension_icon	200	(Service	1 ms	1	
	o detect_angular_for_extension_ico	200	644 B	1 ms		
	C manifest.webmanifest	200	(Service	1 ms	i i	
	favicon.ico		(Service	1 ms		
	icon-144x144.png	200	(Service	1 ms	d.	
	⊗ o ngsw.json?ngsw-cache-bust=0.3					
	15 requests   644 B transferred   3.4 M	AB resources	Finish: 5.11	s DOMCor	tentLoaded: 68	
	Console What's New Issues	s Render	ing			×

← → C (O localhost:8080/a/game		۵ ک	û * *	Update i
Converting an existing Angular ap	p into a PWA with the Angular CLI	Install app? ng-pwa-conversion localhost:8080	×	()
		Cancel In	stall	
	Enter your name			
	Player Name			
	Ahsan			
	→			

•••	ng-pwa-conversion - Converting an existing Angular app into a PWA with the Angular CLI	۹ 🌧 :
	Converting an existing Angular app into a PWA with the Angular CLI	<b>i</b>
	<b>F</b> .	
	Enter your name	
	Player Name	
	Ahsan	
	$\rightarrow$	


✓ Changes	15
angular.json start/apps/chapter13/ng-pwa-conversion	М
{} ngsw-config.json start/apps/chapter13/ng-pwa-conversion	U
{} package-lock.json start/apps/chapter13/ng-pwa-conversion	М
{} package.json start/apps/chapter13/ng-pwa-conversion	М
index.html start/apps/chapter13/ng-pwa-conversion/src	М
<pre>     manifest.webmanifest start/apps/chapter13/ng-pwa-conversion/src </pre>	U
TS app.config.ts start/apps/chapter13/ng-pwa-conversion/src/app	М
ICON-/2x/2.png start/apps/chapter13/ng-pwa-conversion/src/assets/icons	U
icon-96x96.png start/apps/chapter13/ng-pwa-conversion/src/assets/icons	U
icon-128x128.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	s U
icon-144x144.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	is U
icon-152x152.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	s U
icon-192x192.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	s U
icon-384x384.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	ns U
icon-512x512.png start/apps/chapter13/ng-pwa-conversion/src/assets/icon	s U


• • •	ng-pwa-theme-color - Modifying the theme color for your PWA	۹ 🖈 ۱
	Modifying the theme color for your PWA	(i)
	Enter your name	
	Player Name	
	Enter your name	
	$\rightarrow$	

ng-pwa-theme-color - Modifying the theme color for your PWA	-	୍	* 🕕
	App Info		
theme color for your PWA	Copy URL		
	Open in Chrome		
	Uninstall ng-pwa-1	theme-color	
	Zoom	- 175% +	1
	Print		₩P
	Find		¥F
<b>-</b> .	Cast		
Enter your name	Edit	Cut Copy	Paste


• • •	ng-pwa-theme-color - Modifying the theme color for your PWA	e, 🌸 i
	Modifying the theme color for your PWA	0
	Enter your name	
	Player Name	
	Enter your name	
	_	
	→	


• • •	ng-pwa-dark-mode - Using Dark Mode in your Angular PWA	ଷ୍ 🏚 :
- 14	Using Dark Mode in your Angular PWA	Ū
	Enter your name	
	Player Name	
	Enter your name	
	-	
	→ →	
	→	








Using Dark Mode in your Angular PWA	0
Enter your name	
Player Name Enter your name	
•	
















ng-pwa-cust-installation - Providing a custom installable experience in your Angular PWA	Q 🛸 i				
Providing a custom installable experience in your Angular PWA					
Enter your name					
Player Name					
Enter your name					
$\mathbf{X}$					
Laure May Direc Commo Londoll (d.					
Love the Dice Game? <u>InstalLit</u>					
	Providing a custom installable experience in your Angular PWA Enter your name Player Name Enter your name				





		ources 🔰	🛦 Network 🛛 🗎	>	Customize and control D	evTool
Precaching requests using an Angular service worker (i	🗴 💿 🖉   🝸 🔍   🔲 Preserve log	🗌 Disabl	e cache Offlir	e 🔻	(î) + +	<b>E</b>
	Filter 🛛 🖾 Invert	Hide	data URLs (	Hide extens	ion URLs	
			Media Manife	et WS Wa	sm Other	
		ed requests				
	· · · · · · · · · · · · · · · · · · ·					
$\cap$	Name	Status	Size	Time	Waterfall	•
	Iocalhost		(Service	10 ms	•	
	runtime.4cd1cd8d77512c90.js	200	(memory	0 ms		
	polyfills.397900bdf438322e.js		(memory	0 ms		
	main.a93790bccc0bfe49.js		(memory	0 ms		
	Styles.1c412e682d9b2717.css		(memory	0 ms		
	XRXV3I6Li01BKofINeaBTMnFcQ.w		(memory	0 ms		
	kJEhBvYX7BgnkSrUwT8OhrdQw4o		(memory	0 ms		
	manifest.webmanifest	200	(Service	1 ms	di i	
	data:image/svg+xml;		(memory	0 ms		
	⊗ 1/		(Service			
	⊗ ₀ 1/					
	detect_angular_for_extension_icon	200	(Service	2 ms		
	o detect_angular_for_extension_ico	200	644 B	1 ms		
	icon-144x144.png	200	(Service	1 ms		
	Market favicon.ico		(Service	1 ms		
	⊗ o ngsw.json?ngsw-cache-bust=0.3					
	16 requests   644 B transferred   3.4 M	/B resource	s Finish: 5.1	4 s DOMCo	ntentLoaded: 92 m	s I
	Console What's New Issues	Rend	ering			>

Precaching requests using an An	igular service worker 🕜		insole reserve lo	Sources		twork >>	Ŧ	(i)	×
Person: Lui	ke Skywalker	₹ 1000 ms 2000	ms	3000 m	8	4000 ms	5000 m	15	6000 ms
		Name	Status	Туре	Initiator	Size	Ti	Waterfall	
Film: A New Hope Film: The Empire S	Film: The Empire Strikes Back	ø data:image/svg+xml;	200	svg+	main	(memory cache)	0	1	
		□ 1/	200	xhr	poly	(ServiceWorker)	7	1	
		0 1/	(failed)	fetch	<u>ngsw</u>	08	5		
	Film: Revenge of the Sith	favicon.ico	200	x-icon	Other	(ServiceWorker)	1	1	
Film: Return of the Jedi		icon-144x144.png	200	png	Other	(ServiceWorker)		1	
		□ 1/	200	xhr	<u>poly</u>	(ServiceWorker)		1	
		0 1/	(failed)	fetch	ngsw		2		
		2/	200	xhr	<u>poly</u>	(ServiceWorker)		4	
		0 0 2/	(failed)	fetch	ngsw		3		
		3/	200	xhr	<u>poly</u>	(ServiceWorker)		4	
		□ • 3/ □ 6/	(failed) 200	fetch	ngsw		2		
		0 0 6/	(failed)	fetch	poly	(ServiceWorker)	4	1	
		o ngsw.json?ngsw-cach		fetch	ngsw		3		

	Us	ers	
Q Quick Search_			
Leo Gagné leo gagne@example.com E44 C08-4776	Apolline Robert apolline robert@example. om 01-10-38-85-77	Nalan Yalçın natan yalcın@example.com (022)-852-6522	Djara Kapetanović dijana kapetanović gasa kapetanovic@exam ple.com 035-0690-414
Matone Chevalier	Wolf-Rüdiger Rautenberg	Flynn Clarke	Josefine Johansen
malone.chevalier@exampl e.com 01-28-32-93-67	wolf- rudiger.rautenberg@exam ple.com 0873-4214196	flynn.clarke@example.com (949)-810-1673	josefine.johansen@exampl e.com 30238724

← → C ① localhost:4200/#/users						\$	*	٩	
Please enable JavaScript to continue using this application.	Console     Console     Console     COCTYPE html>     colory= html>     colory= html>     colory= colory=(app-root>--	ype type	crip ="mo pe=" > <th>dule modu crip ule"</th> <td>con "&gt;<!--<br-->le"&gt; t&gt; &gt;<th>scrij <th>pt&gt; ript: t&gt;</th><td>: this</td><td></td></th></td>	dule modu crip ule"	con "> <br le"> t> > <th>scrij <th>pt&gt; ript: t&gt;</th><td>: this</td><td></td></th>	scrij <th>pt&gt; ript: t&gt;</th> <td>: this</td> <td></td>	pt> ript: t>	: this	

🕞 🖬 Elements	Console Sources Network Performance Memory Application >>	<b>P</b> 1	\$	÷×	
🔵 🛇   🔽 🔍   0	>Disab			\$	
	Debugger Disable JavaScript	ther			
Has blocked cookies	Elements Disable DOM word wrap				
Name	Network Disable cache (while DevTools is open)		Waterfa	all 🔺	
content.css	Rendering Disable AVIF format	27 ms			•
	Rendering Disable WebP format				
	Rendering Disable local fonts				
	Sources Disable CSS source maps				
	Sources Disable JavaScript source maps				
	Sources Disable autocompletion				
	Sources Disable bracket matching				
	Sources Do not <b>dis</b> play variable values inline while debugging				

Creating an App Shell for your Angular PWA	O							
Us	ers							
Q Quick Search								
ि Elements Console ▲ Sources Network Performanc								
K □ Elements Console ▲ Sources Network Performance html								
<html data-critters-container="" lang="en"></html>	Styles Computed Layout >>							
► <head> <head>▼<body> == \$θ</body></head></head>	Filter :hov .cls + 🖓 🕄							
nghm	element.style { }							
► <app-root _nghost-ng-c4265632120="" ng-server-context="&lt;/td" ng-version="17.0.2" ngh="2"></app-root>								
<pre>"app-shell"&gt;@ </pre>								
	UI, Roboto, Helvetica, Arial, sans-							
<pre><script src="runtime.e8d0f86dd7b7bdb7.js" type="module"></sc <script src="polyfills.67a0ef5a9ddba103.js" type="module"></</pre></td><td>/script> Emoji",Segoe UI Symbol;</td></tr><tr><td>html body</td><td>tw-text-opacity: 1; color: rgb(15 23 42 / var(tw-text-</td></tr></tbody></table></script></pre>								

